

group2

Non Insulated Terminals

Copper Tube Terminals

Din Terminals

Non Insulated Copper End Sleeves

Battery Terminals

Earth Connections

Soldering Terminals



2. Terminals

International Catalogue / v.03-04

(0.60) Series Terminals 1.5mm	2-3
(0.90) Series Terminals 2.3mm	2-4
(0.110) Series Terminals 2.8mm	2-5
(0.187) Series Terminals 4.8mm	2-10
(0.197) Series Terminals 5mm	2-14
(0.250) Series Terminals 6.3mm	2-16
(0.315) Series Terminals 8mm	2-27
(0.375) Series Terminals 9.5mm	2-30
Cylindrical Terminals (Receptacles)	2-33
Cylindrical Terminals (Tabs)	2-35
UP-Lock Terminals	2-36
Piggyback Terminals	2-37
Multi Connector Series	2-39
Splicing Terminals	2-41
End Connectors	2-42
Ring Terminals	2-43
Fork Terminals	2-52
Printed Circuitry Mounting	2-53
Special Connection Terminals	2-56
Copper Tube Terminals	2-68
Butt Connectors	2-71
DIN Terminals	2-72
Non Insulated Butt Connectors UL	2-75
Non Insulated Parallel Connectors UL	2-76
Non Insulated Copper End Sleeves	2-77
Wire Sets	2-79
Battery Terminals	2-80
Earth Connections	2-83
Soldering Terminals	2-84









DIN NFC
20130




1,5 (.060) Series Terminals - Receptacles / Tabs









	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 
<p>1</p>  <p>Type "UP-NIP"</p>	14487-00	0.5	1.6 x 0.8	13.9	brass 0.25	natural	100
	4487-00						9.000
	14487-01	0.5	1.6 x 0.8	13.9	brass 0.25	pre-Sn	100
	4487-01						9.000
	14489-00	0.75-1.25	1.6 x 0.8	13.9	brass 0.25	natural	100
	4489-00						6.000
<p>2</p>  <p>Type "UP-NIP"</p>	14491-00	0.5	1.6 x 0.8	13.9	brass 0.25	natural	100
	4491-00						9.000
	14491-01	0.5	1.6 x 0.8	13.9	brass 0.25	pre-Sn	100
	4491-01						9.000
	14493-00	0.75-1.25	1.6 x 0.8	13.9	brass 0.25	natural	100
	4493-00						6.000
<p>3</p>  <p>Type "UP-NIP"</p>	16487-00	0.5	1.6 x 0.8	22.9	brass 0.25	natural	100
	6487-00						9.000
	16487-01	0.5	1.6 x 0.8	22.9	brass 0.25	pre-Sn	100
	6487-01						9.000
	16489-00	0.75-1.25	1.6 x 0.8	22.9	brass 0.25	natural	100
	6489-00						6.000
	16489-01	0.75-1.25	1.6 x 0.8	22.9	brass 0.25	pre-Sn	100
	6489-01						6.000



2,3 (.090) Series Terminals - Receptacles / Tabs









	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 
	1 14450-01	0.5-0.85	2.3 x 0.65	17.2	brass 0.25	pre-Sn	100
	4450-01						8.000
	14458-01	1-2	2.3 x 0.65	17.2	brass 0.25	pre-Sn	100
	4458-01						6.500
 <p>SEAL 3 mm.</p>	2 14452-01	0.5-1.25	2.3 x 0.65	16.0	brass 0.25	pre-Sn	100
	4452-01						8.000
	3 16450-01	0.5-0.85	2.3 x 0.65	26.7	brass 0.3	pre-Sn	100
	6450-01						8.000
	16458-01	1-2	2.3 x 0.65	26.7	brass 0.3	pre-Sn	100
	6458-01						6.000
 <p>SEAL 3 mm.</p>	4 16452-01	0.5-1.25	2.3 x 0.65	23.5	brass 0.3	pre-Sn	100
	6452-01						7.500

2 Terminals



2,8 (.110) Series terminals - Receptacles








	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 
	1 14408-00	0.5-1	2.8 x 0.5	14.4	brass 0.25	natural	100
	4408-00						15.000
	14408-02	0.5-1	2.8 x 0.5	14.4	brass 0.25	Sn	100
	4408-02						15.000
	14410-00	0.5-1	2.8 x 0.8	14.4	brass 0.25	natural	100
	4410-00						15.000
	14410-02	0.5-1	2.8 x 0.8	14.4	brass 0.25	Sn	100
	4410-02						15.000
	2 14809-00	0.5-1	2.8 x 0.5	14.4	brass 0.25	natural	100
	4809-00						15.000
	14809-02	0.5-1	2.8 x 0.5	14.4	brass 0.25	Sn	100
	4809-02						15.000
	14811-00	0.5-1	2.8 x 0.8	14.4	brass 0.25	natural	100
	4811-00						15.000
	14811-02	0.5-1	2.8 x 0.8	14.4	brass 0.25	Sn	100
	4811-02						15.000
LOW INSERTION RECEPTACLES							
	3 15408-00	0.5-1	2.8 x 0.5	11.0	brass 0.3	natural	100
	5408-00						10.000
	15408-01	0.5-1	2.8 x 0.5	11.0	brass 0.3	pre-Sn	100
	5408-01						10.000
	15410-00	0.5-1	2.8 x 0.8	11.0	brass 0.3	natural	100
	5410-00						10.000
	15410-01	0.5-1	2.8 x 0.8	11.0	brass 0.3	pre-Sn	100
	5410-01						10.000
LOW INSERTION FLAGS							




2,8 (.110) Series Terminals - Receptacles









	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 	
 <p>DIN 46340 CONNECTOR RECEPTACLES</p>	1	14308-00	0.5-1	2.8 x 0.5	14.4	brass 0.25	natural	100
		4308-00						15.000
		14308-02	0.5-1	2.8 x 0.5	14.4	brass 0.25	Sn	100
		4308-02						15.000
		14310-00	0.5-1	2.8 x 0.8	14.4	brass 0.25	natural	100
		4310-00						15.000
		14310-02	0.5-1	2.8 x 0.8	14.4	brass 0.25	Sn	100
	4310-02						15.000	
 <p>CONNECTOR RECEPTACLES</p>	2	14303-00	0.5-1	2.8 x 0.5	15.5	brass 0.25	natural	100
		4303-00						5.000
		14303-01	0.5-1	2.8 x 0.5	15.5	brass 0.25	pre-Sn	100
		4303-01						5.000
 <p>TIMERS</p>	3	18400-01	0.5-1	2.7	19.0	brass 0.32	pre-Sn	100
		8400-01						5.000
		18400-31	0.5-1	2.7	19.0	bronze 0.32	pre-Sn	100
		8400-31						5.000
		18404-01	1.5-2.5	2.7	19.0	brass 0.32	pre-Sn	100
		8404-01						3.500
		18404-31	1.5-2.5	2.7	19.0	bronze 0.32	pre-Sn	100
		8404-31						3.500




2,8 (.110) Series Terminals - Receptacles









	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 	
 <p>SEAL 3,4 mm.</p>	1	18401-31	0.5-1	2.7	21.1	bronze 0.32	pre-Sn	100
		8401-31						3.500
		18403-31	1-1.5	2.7	21.1	bronze 0.32	pre-Sn	100
		8403-31						3.500
	2	19301-31	0.5-1	3.1	18.8	bronze 0.32	pre-Sn	100
		9301-31						5.000
		19305-31	1-2.5	3.1	18.8	bronze 0.32	pre-Sn	100
		9305-31						3.500
		UPOWERS						
 <p>SEAL 3,4 mm.</p>	3	19307-31	0.5-1	3.1	18.8	bronze 0.32	pre-Sn	100
		9307-31						5.000
		19309-31	0.5-1	3.1	18.8	bronze 0.32	pre-Sn	100
		9309-31						3.500
		UPOWERS						




2,8 (.110) Series Terminals - Tabs



	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 	
 <p>CONNECTOR TABS</p>	1	16403-00	0.5-1	2.8 x 0.8	22.5	brass 0.4	natural	100
		6403-00						6.000
		16403-01	0.5-1	2.8 x 0.8	22.5	brass 0.4	pre-Sn	100
		6403-01						6.000
 <p>CONNECTOR TABS</p>	2	16408-00	1-2.5	2.8 x 0.8	22.5	brass 0.4	natural	100
		6408-00						4.500
		16408-01	1-2.5	2.8 x 0.8	22.5	brass 0.4	pre-Sn	100
		6408-01						4.500
 <p>CONNECTOR TABS</p>	3	16405-00	0.5-1.5	2.8 x 0.5	20.7	brass 0.5	natural	100
		6405-00						10.000
		16405-02	0.5-1.5	2.8 x 0.5	20.7	brass 0.5	Sn	100
		6405-02						10.000
 <p>SEAL 3,4 MM CONNECTOR TABS</p>	4	16406-00	0.5-1	2.8 x 0.8	22.8	brass 0.4	natural	100
		6406-00						4.500
		16406-01	0.5-1	2.8 x 0.8	22.8	brass 0.4	pre-Sn	100
		6406-01						4.500



2,8 (.110) Series Terminals - Tabs



	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment					
1 	15060-00	0.75-1.5	2.8 x 0.5	13	brass 0.5	natural	100				
	5060-00						20.000				
	15060-02	0.75-1.5	2.8 x 0.5	13	brass 0.5	Sn	100				
	5060-02						20.000				
2 	Part N°	DØ mm	B	L	S	Angle	Material width mm	Treat.			
	3772-6-00	2.2	4.5	13.0	0.5	0°	brass 0.5	natural	1.000		
	3772-6-02	2.2	4.5	13.0	0.5	0°	brass 0.5	Sn	1.000		
	3770-6-00	2.2	4.5	13.0	0.8	0°	brass 0.8	natural	1.000		
	3770-6-02	2.2	4.5	13.0	0.8	0°	brass 0.8	Sn	1.000		
	37701-6-00	3.2	4.5	13.0	0.8	0°	brass 0.8	natural	1.000		
37701-6-02	3.2	4.5	13.0	0.8	0°	brass 0.8	Sn	1.000			
3 	Part N°	DØ mm	B	L1	L2	W	S	Angle	Material width mm	Treat.	
	3774-6-00	2.2	4.5	6.0	6.5	45	0.8	45°	brass 0.8	natural	1.000
	3774-6-02	2.2	4.5	6.0	6.5	45	0.8	45°	brass 0.8	Sn	1.000
	3777-6-00	3.2	4.5	6.0	7.0	60	0.8	60°	brass 0.8	natural	1.000
	3777-6-02	3.2	4.5	6.0	7.0	60	0.8	60°	brass 0.8	Sn	1.000
4 	3776-6-00	2.2	4.5	6.0	6.5	90	0.8	90°	brass 0.8	natural	1.000
	3776-6-02	2.2	4.5	6.0	6.5	90	0.8	90°	brass 0.8	Sn	1.000
	3778-6-00	3.2	4.5	6.0	6.5	90	0.8	90°	brass 0.8	natural	1.000
	3778-6-02	3.2	4.5	6.0	6.5	90	0.8	90°	brass 0.8	Sn	1.000


DIN 46342





DIN 46342

DIN 46342



4,8 (.187) Series Terminals - Receptacles



	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 
1 	14412-00	0.5-1	4.8 x 0.5	15.5	brass 0.35	natural	100
	4412-00						10.000
	14412-02	0.5-1	4.8 x 0.5	15.5	brass 0.35	Sn	100
	4412-02						10.000
	14414-00	0.5-1	4.8 x 0.8	15.5	brass 0.35	natural	100
	4414-00						10.000
	14414-02	0.5-1	4.8 x 0.8	15.5	brass 0.35	Sn	100
	4414-02						10.000
	14416-00	1-2.5	4.8 x 0.5	15.5	brass 0.35	natural	100
	4416-00						10.000
	14416-02	1-2.5	4.8 x 0.5	15.5	brass 0.35	Sn	100
	4416-02						10.000
	14418-00	1-2.5	4.8 x 0.8	15.5	brass 0.35	natural	100
	4418-00						10.000
	14418-02	1-2.5	4.8 x 0.8	15.5	brass 0.35	Sn	100
4418-02						10.000	
DIN 46247							
2 	14712-00	0.5-1	4.8 x 0.5	17.2	brass 0.35	natural	100
	4712-00						10.000
	14712-02	0.5-1	4.8 x 0.5	17.2	brass 0.35	Sn	100
	4712-02						10.000
	14714-00	0.5-1	4.8 x 0.8	17.2	brass 0.35	natural	100
	4714-00						10.000
	14714-02	0.5-1	4.8 x 0.8	17.2	brass 0.35	Sn	100
	4714-02						10.000
	14716-00	1-2.5	4.8 x 0.5	17.2	brass 0.35	natural	100
	4716-00						10.000
	14716-02	1-2.5	4.8 x 0.5	17.2	brass 0.35	Sn	100
	4716-02						10.000
	14718-00	1-2.5	4.8 x 0.8	17.2	brass 0.35	natural	100
	4718-00						10.000
	14718-02	1-2.5	4.8 x 0.8	17.2	brass 0.35	Sn	100
4718-02						10.000	
LOW INSERTION SELF LOCKING RECEPTACLES							



4,8 (.187) Series Terminals - Receptacles

1




2








	Part N° 1	Wire size mm ²	Tab thick. mm	Length mm	Material	Treatment	Box / Spool	Part N° 2	
<p>1</p> <p>HOUSING: 2481410 LOW INSERTION RECEPTACLES TYPE "TP"</p>	14813-00	0.5-1	4.8 x 0.5	19.3	brass 0.35	natural	100	14913-00	
	4813-00						10.000	4913-00	
	14813-01	0.5-1	4.8 x 0.5	19.3	brass 0.35	pre-Sn	100	14913-01	
	4813-01						10.000	4913-01	
	14813-00E	0.5-1.5	4.8 x 0.5	19.3	brass 0.35	natural	100	14913-00E	
	4813-00E						10.000	4913-00E	
	14813-01E	0.5-1.5	4.8 x 0.5	19.3	brass 0.35	pre-Sn	100	14913-01E	
	4813-01E						10.000	4913-01E	
	14817-00	1-2.5	4.8 x 0.5	19.3	brass 0.35	natural	100	14917-00	
	4817-00						10.000	4917-00	
	14817-01	1-2.5	4.8 x 0.5	19.3	brass 0.35	pre-Sn	100	14917-01	
	4817-01						10.000	4917-01	
	<p>2</p> <p>LOW INSERTION SELF LOCKING RECEPTACLES "TP-SEK"</p>	14815-00	0.5-1	4.8 x 0.8	19.3	brass 0.35	natural	100	14915-00
		4815-00						10.000	4915-00
		14815-01	0.5-1	4.8 x 0.8	19.3	brass 0.35	pre-Sn	100	14915-01
4815-01							10.000	4915-01	
14815-00E		0.5-1.5	4.8 x 0.8	19.3	brass 0.35	natural	100	14915-00E	
4815-00E							10.000	4915-00E	
14815-01E		0.5-1.5	4.8 x 0.8	19.3	brass 0.35	pre-Sn	100	14915-01E	
4815-01E							10.000	4915-01E	
14819-00		1-2.5	4.8 x 0.8	19.3	brass 0.35	natural	100	14919-00	
4819-00							10.000	4919-00	
14819-01	1-2.5	4.8 x 0.8	19.3	brass 0.35	pre-Sn	100	14919-01		
4819-01						10.000	4919-01		



4,8 (.187) Series Terminals - Receptacles / Tabs



	Part Nº	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment				
 <p>LOW INSERTION FLAGS</p>	1 15812-00 5812-00 15812-01 5812-01 15814-00 5814-00 15814-01 5814-01	0.5-1.5	4.8 x 0.5	10.8	brass 0.35	natural	100 5.000 100 5.000 100 5.000 100 5.000			
	 <p>LOW INSERTION SELF LOCKING FLAGS</p>	15712-00 5712-00 15712-01 5712-01 15714-00 5714-00 15714-01 5714-01	0.5-1.5	4.8 x 0.5	10.8	brass 0.35	natural	100 5.000 100 5.000 100 5.000 100 5.000		
			3 16413-00 6413-00 16413-02 6413-02	0.75-2	4.8 x 0.5	17.5	brass 0.5	natural	100 4.000 100 4.000	
				4 15050-00 5050-00 15050-02 5050-02	0.5-2	4.8 x 0.8	20	brass 0.4	natural	100 10.000 100 10.000

2 Terminals



4,8 (.187) Series Terminals - Tabs



1	Part N°	DØ mm	B	L	S	Angle	Material width mm	Treat.	
<p>DIN 46342</p>	3810-6-00	2.8	6.5	17.5	0.5	0°	brass 0.5	natural	1.000
	3810-6-02	2.8	6.5	17.5	0.5	0°	brass 0.5	Sn	1.000
	3814-6-00	3.2	6.5	17.5	0.8	0°	brass 0.8	natural	1.000
	3814-6-02	3.2	6.5	17.5	0.8	0°	brass 0.8	Sn	1.000
	3818-6-00	3.7	6.5	17.5	0.8	0°	brass 0.8	natural	1.000
	3818-6-02	3.7	6.5	17.5	0.8	0°	brass 0.8	Sn	1.000
	3822-6-00	4.3	6.5	17.5	0.8	0°	brass 0.8	natural	1.000
	3822-6-02	4.3	6.5	17.5	0.8	0°	brass 0.8	Sn	1.000
	3810H-6-00	5.3	6.5	17.5	0.8	0°	brass 0.8	natural	1.000
	3810H-6-02	5.3	6.5	17.5	0.8	0°	brass 0.8	Sn	1.000






2	Part N°	DØ mm	B	L1	L2	W	S	Angle	Material width mm	Treat.	
<p>DIN 46342</p>	3811-6-00	2.8	6.5	10.0	7.5	45	0.8	45°	brass 0.8	natural	1.000
	3811-6-02	2.8	6.5	10.0	7.5	45	0.8	45°	brass 0.8	Sn	1.000
	3815-6-00	3.2	6.5	10.0	7.5	45	0.8	45°	brass 0.8	natural	1.000
	3815-6-02	3.2	6.5	10.0	7.5	45	0.8	45°	brass 0.8	Sn	1.000
	3819-6-00	3.7	6.5	10.0	7.5	45	0.8	45°	brass 0.8	natural	1.000
	3819-6-02	3.7	6.5	10.0	7.5	45	0.8	45°	brass 0.8	Sn	1.000
	3823-6-00	4.3	6.5	10.0	7.5	45	0.8	45°	brass 0.8	natural	1.000
	3823-6-02	4.3	6.5	10.0	7.5	45	0.8	45°	brass 0.8	Sn	1.000

3	Part N°	DØ mm	B	L1	L2	W	S	Angle	Material width mm	Treat.	
<p>DIN 46342</p>	3812-6-00	2.8	6.5	10.0	7.5	90	0.8	90°	brass 0.8	natural	1.000
	3812-6-02	2.8	6.5	10.0	7.5	90	0.8	90°	brass 0.8	Sn	1.000
	3816-6-00	3.2	6.5	10.0	7.5	90	0.8	90°	brass 0.8	natural	1.000
	3816-6-02	3.2	6.5	10.0	7.5	90	0.8	90°	brass 0.8	Sn	1.000
	3820-6-00	3.7	6.5	10.0	7.5	90	0.8	90°	brass 0.8	natural	1.000
	3820-6-02	3.7	6.5	10.0	7.5	90	0.8	90°	brass 0.8	Sn	1.000
	3824-6-00	4.3	6.5	10.0	7.5	90	0.8	90°	brass 0.8	natural	1.000
	3824-6-02	4.3	6.5	10.0	7.5	90	0.8	90v	brass 0.8	Sn	1.000



5 (.197) Series terminals - Receptacles








	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 
 <p>1</p>	14472-00	1-2.5	5 x 0.5	16.6	brass 0.4	natural	100
	4472-00						9.000
	14472-02	1-2.5	5 x 0.5	16.6	brass 0.4	Sn	100
	4472-02						9.000
	14468-00	1-2.5	5 x 0.8	16.6	brass 0.4	natural	100
	4468-00						9.000
	14468-02	1-2.5	5 x 0.8	16.6	brass 0.4	Sn	100
	4468-02						9.000
 <p>2</p>	14370-00	1-2.5	5 x 0.8	16.6	brass 0.4	natural	100
	4370-00						9.000
	14370-02	1-2.5	5 x 0.8	16.6	brass 0.4	Sn	100
	4370-02						9.000
 <p>3</p> <p>CONNECTOR RECEPTACLES / LOW INSERTION SELF LOCKING RECEPTACLES</p> <p>LOW INSERTION FLAGS</p>	15872-00	0.5-1.5	5 x 0.5	11.8	brass 0.35	natural	100
	5872-00						4.000
	15872-01	0.5-1.5	5 x 0.5	11.8	brass 0.35	pre-Sn	100
	5872-01						4.000
	15872-30	0.5-1.5	5 x 0.5	11.8	bronze 0.35	natural	100
	5872-30						4.000
	15872-31	0.5-1.5	5 x 0.5	11.8	bronze 0.35	pre-Sn	100
	5872-31						4.000
	15876-00	0.5-1.5	5 x 0.8	11.8	brass 0.35	natural	100
	5876-00						4.000
	15876-01	0.5-1.5	5 x 0.8	11.8	brass 0.35	pre-Sn	100
	5876-01						4.000
	15876-30	0.5-1.5	5 x 0.8	11.8	bronze 0.35	natural	100
	5876-30						4.000
	15876-31	0.5-1.5	5 x 0.8	11.8	bronze 0.35	pre-Sn	100
5876-31						4.000	

2 Terminals



5 (.197) Series terminals - Tabs








	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 
1 	16466-00	1-2.5	5 x 0.8	24	brass 0.4	natural	100
	6466-00						7.000
	16466-01	1-2.5	5 x 0.8	24	brass 0.4	pre-Sn	100
	6466-01						7.000
CONNECTOR TABS							
2 	16772-00	0.5-1	5 x 0.8	26.7	brass 0.4	natural	100
	6772-00						5.000
	16772-01	0.5-1	5 x 0.8	26.7	brass 0.4	pre-Sn	100
	6772-01						5.000
	16776-00	1-3	5 x 0.8	26.7	brass 0.4	natural	100
	6776-00						5.000
16776-01	1-3	5 x 0.8	26.7	brass 0.4	pre-Sn	100	
6776-01						5.000	
SECURITY TABS							



6,3 (.250) Series Terminals - Receptacles







	Part Nº	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 
<p>1</p>  <p>DIN 46247</p>	14420-00	0.5-1	6.3 x 0.8	19	brass 0.4	natural	100
	4420-00						8.000
	14420-02	0.5-1	6.3 x 0.8	19	brass 0.4	Sn	100
	4420-02						8.000
	14420-30	0.5-1	6.3 x 0.8	19	bronze 0.4	natural	100
	4420-30						8.000
	14420-32	0.5-1	6.3 x 0.8	19	bronze 0.4	Sn	100
	4420-32						8.000
	14422-00	1-2.5	6.3 x 0.8	19	brass 0.4	natural	100
	4422-00						7.000
	14422-02	1-2.5	6.3 x 0.8	19	brass 0.4	Sn	100
	4422-02						7.000
	14422-30	1-2.5	6.3 x 0.8	19	bronze 0.4	natural	100
	4422-30						7.000
<p>2</p>  <p>*OLD 4498</p>	14422-32	1-2.5	6.3 x 0.8	19	bronze 0.4	Sn	100
	4422-32						7.000
	14648-00	*1-2.5	6.3 x 0.8	16.7	brass 0.4	natural	100
	4648-00						8.000
<p>3</p>  <p>DIN 46247</p>	14648-02	*1-2.5	6.3 x 0.8	16.7	brass 0.4	Sn	100
	4648-02						8.000
	14425-00	2.5-6	6.3 x 0.8	19	brass 0.4	natural	100
	4425-00						5.000
	14425-02	2.5-6	6.3 x 0.8	19	brass 0.4	Sn	100
	4425-02						5.000
	14425-30	2.5-6	6.3 x 0.8	19	bronze 0.4	natural	100
	4425-30						5.000
14425-32	2.5-6	6.3 x 0.8	19	bronze 0.4	Sn	100	
4425-32						5.000	


2 Terminals



6,3 (.250) Series Terminals - Receptacles








	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 
<p>1</p>  <p>HOUSING 2631410 LOW INSERTION RECEPTACLES "TP"</p>	14830-00	0.5-1	6.3 x 0.8	19	brass 0.4	natural	100
	4830-00						8.000
	14830-01	0.5-1	6.3 x 0.8	19	brass 0.4	pre-Sn	100
	4830-01						8.000
	14832-00	1-2.5	6.3 x 0.8	19	brass 0.4	natural	100
	4832-00						7.000
	14832-01	1-2.5	6.3 x 0.8	19	brass 0.4	pre-Sn	100
	4832-01						7.000
	14834-00	2.5-4	6.3 x 0.8	19	brass 0.4	natural	100
	4834-00						4.000
	14834-01	2.5-4	6.3 x 0.8	19	brass 0.4	pre-Sn	100
	4834-01						4.000
<p>2</p>  <p>LOW INSERTION SELF LOCKING RECEPTACLES "TP-SEK"</p>	14930-00	0.5-1	6.3 x 0.8	19	brass 0.4	natural	100
	4930-00						8.000
	14930-01	0.5-1	6.3 x 0.8	19	brass 0.4	pre-Sn	100
	4930-01						8.000
	14931-00	0.5-1.5	6.3 x 0.8	19	brass 0.4	natural	100
	4931-00						8.000
	14931-01	0.5-1.5	6.3 x 0.8	19	brass 0.4	pre-Sn	100
	4931-01						8.000
	14932-00	1-2.5	6.3 x 0.8	19	brass 0.4	natural	100
	4932-00						7.000
	14932-01	1-2.5	6.3 x 0.8	19	brass 0.4	pre-Sn	100
	4932-01						7.000
14934-00	2.5-4	6.3 x 0.8	19	brass 0.4	natural	100	
4934-00						4.000	
14934-01	2.5-4	6.3 x 0.8	19	brass 0.4	pre-Sn	100	
4934-01						4.000	




6,3 (.250) Series Terminals - Receptacles








	Part Nº	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 
 <p>1</p> <p>HOUSING 2631210 LOW INSERTION SELF LOCKING RECEPTACLES</p>	14720-00	0.5-1	6.3 x 0.8	20.4	brass 0.4	natural	100
	4720-00						8.000
	14720-02	0.5-1	6.3 x 0.8	20.4	brass 0.4	Sn	100
	4720-02						8.000
	14722-00	1-2.5	6.3 x 0.8	20.4	brass 0.4	natural	100
	4722-00						7.000
	14722-02	1-2.5	6.3 x 0.8	20.4	brass 0.4	Sn	100
	4722-02						7.000
	14724-00	2.5-5	6.3 x 0.8	20.4	brass 0.4	natural	100
	4724-00						6.000
	14724-02	2.5-5	6.3 x 0.8	20.4	brass 0.4	Sn	100
	4724-02						4.000
 <p>2</p> <p>CONNECTOR SEAL RECEPTACLES</p>	14330-00	1.5-2.5	6.3 x 0.8	20	brass 0.4	natural	100
	4330-00						3.000
	14330-02	1.5-2.5	6.3 x 0.8	20	brass 0.4	Sn	100
	4330-02						3.000
	14330-30	1.5-2.5	6.3 x 0.8	20	bronze 0.4	natural	100
	4330-30						3.000
	14330-32	1.5-2.5	6.3 x 0.8	20	bronze 0.4	Sn	100
	4330-32						3.000
 <p>3</p> <p>CONNECTOR RECEPTACLES</p>	14323-00	0.5-1	6.3 x 0.8	19	brass 0.4	natural	100
	4323-00						8.000
	14323-02	0.5-1	6.3 x 0.8	19	brass 0.4	Sn	100
	4323-02						8.000
	14323-30	0.5-1	6.3 x 0.8	19	bronze 0.4	natural	100
	4323-30						8.000
	14323-32	0.5-1	6.3 x 0.8	19	bronze 0.4	Sn	100
	4323-32						8.000



6,3 (.250) Series Terminals - Receptacles









	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 
 <p>1</p>	14327-00	1-2.5	6.3 x 0.8	19	brass 0.4	natural	100
	4327-00						7.000
	14327-02	1-2.5	6.3 x 0.8	19	brass 0.4	Sn	100
	4327-02						7.000
	14327-30	1-2.5	6.3 x 0.8	19	bronze 0.4	natural	100
	4327-30						7.000
	14327-32	1-2.5	6.3 x 0.8	19	bronze 0.4	Sn	100
	4327-32						7.000
CONNECTOR RECEPTACLES							
 <p>2</p>	14346-00	2.5-6	6.3 x 0.8	19	brass 0.4	natural	100
	4346-00						4.000
	14346-02	2.5-6	6.3 x 0.8	19	brass 0.4	Sn	100
	4346-02						4.000
	14346-30	2.5-6	6.3 x 0.8	19	bronze 0.4	natural	100
	4346-30						4.000
	14346-32	2.5-6	6.3 x 0.8	19	bronze 0.4	Sn	100
	4346-32						4.000
CONNECTOR RECEPTACLES							
 <p>3</p>	15429-00	0.5-1.5	6.3 x 0.8	11.7	brass 0.4	natural	100
	5429-00						3.000
	15429-02	0.5-1.5	6.3 x 0.8	11.7	brass 0.4	Sn	100
	5429-02						3.000
	15430-00	1-2.5	6.3 x 0.8	11.7	brass 0.4	natural	100
	5430-00						2.000
	15430-02	1-2.5	6.3 x 0.8	11.7	brass 0.4	Sn	100
	5430-02						2.000




6,3 (.250) Series Terminals - Receptacles



	Part Nº	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 
 <p>CONNECTOR FLAGS</p>	1	15329-00	0.5-1.5	6.3 x 0.8	11.7	brass 0.4	natural 100
		5329-00					3.000
		15329-02	0.5-1.5	6.3 x 0.8	11.7	brass 0.4	Sn 100
		5329-02					3.000
		15330-00	1-2.5	6.3 x 0.8	11.7	brass 0.4	natural 100
		5330-00					2.000
		15330-02	1-2.5	6.3 x 0.8	11.7	brass 0.4	Sn 100
		5330-02					2.000
 <p>DIN 46346</p>	2	15420-00	0.5-1	6.3 x 0.8	16	brass 0.4	natural 100
		5420-00					5.000
		15420-02	0.5-1	6.3 x 0.8	16	brass 0.4	Sn 100
		5420-02					5.000
		15422-00	1-2.5	6.3 x 0.8	16	brass 0.4	natural 100
		5422-00					4.000
		15422-02	1-2.5	6.3 x 0.8	16	brass 0.4	Sn 100
		5422-02					4.000
 <p>DIN 46346</p>	3	15424-00	0.5-1.5	6.3 x 0.8	11.2	brass 0.4	natural 100
		5424-00					3.000
		15424-02	0.5-1.5	6.3 x 0.8	11.2	brass 0.4	Sn 100
		5424-02					3.000
		15426-00	1-2.5	6.3 x 0.8	11.2	brass 0.4	natural 100
		5426-00					2.000
		15426-02	1-2.5	6.3 x 0.8	11.2	brass 0.4	Sn 100
		5426-02					2.000
	4	15428-00	0.3-0.75	6.3 x 0.8	12.7	brass 0.4	natural 100
		5428-00					5.000
		15428-02	0.3-0.75	6.3 x 0.8	12.7	brass 0.4	Sn 100
		5428-02					5.000




6,3 (.250) Series Terminals - Receptacles







	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	/
<p>1</p> <p>"TP" LOW INSERTION FLAGS</p>	15820-00	0.5-1.5	6.3 x 0.8	11.7	brass 0.4	natural	100
	5820-00						3.000
	15820-01	0.5-1.5	6.3 x 0.8	11.7	brass 0.4	pre-Sn	100
	5820-01						3.000
	15822-00	1-2.5	6.3 x 0.8	11.7	brass 0.4	natural	100
	5822-00						3.000
	15822-01	1-2.5	6.3 x 0.8	11.7	brass 0.4	pre-Sn	100
	5822-01						3.000
<p>2</p> <p>"TP-SEK" SELF LOCKING FLAGS</p>	15720-00	0.5-1.5	6.3 x 0.8	11.7	brass 0.4	natural	100
	5720-00						3.000
	15720-01	0.5-1.5	6.3 x 0.8	11.7	brass 0.4	pre-Sn	100
	5720-01						3.000
	15722-00	1-2.5	6.3 x 0.8	11.7	brass 0.4	natural	100
	5722-00						3.000
	15722-01	1-2.5	6.3 x 0.8	11.7	brass 0.4	pre-Sn	100
	5722-01						3.000
<p>3</p> <p>TIMERS</p>	18441-00	0.5-1.5	6.3	19.5	brass 0.35	natural	100
	8441-00						3.500
	18441-01	0.5-1.5	6.3	19.5	brass 0.35	pre-Sn	100
	8441-01						3.500
	18445-00	1-2.5	6.3	19.5	brass 0.35	natural	100
	8445-00						2.700
	18445-01	1-2.5	6.3	19.5	brass 0.35	pre-Sn	100
	8445-01						2.700



6,3 (.250) Series Terminals - Tabs







	Part Nº	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 
 <p>DIN 46248</p>	1 16422-00	1-2.5	6.3 x 0.8	20	brass 0.4	natural	100
	6422-00						7.000
	16422-01	1-2.5	6.3 x 0.8	20	brass 0.4	pre-Sn	100
	6422-01						7.0
 <p>DIN 46343 SPECIAL CONNECTOR TABS</p>	16424-00	0.5-1	6.3 x 0.8	28	brass 0.4	natural	100
	6424-00						5.000
	16424-01	0.5-1	6.3 x 0.8	28	brass 0.4	pre-Sn	100
	6424-01						5.000
	16424-30	0.5-1	6.3 x 0.8	28	bronze 0.4	natural	100
	6424-30						5.000
	16424-31	0.5-1	6.3 x 0.8	28	bronze 0.4	pre-Sn	100
	6424-31						5.000
	16432-00	1-2.5	6.3 x 0.8	28	brass 0.4	natural	100
	6432-00						5.000
	16432-01	1-2.5	6.3 x 0.8	28	brass 0.4	pre-Sn	100
	6432-01						5.000
	16432-30	1-2.5	6.3 x 0.8	28	bronze 0.4	natural	100
	6432-30						5.000
	16432-31	1-2.5	6.3 x 0.8	28	bronze 0.4	pre-Sn	100
	6432-31						5.000
16438-00	2.5-6	6.3 x 0.8	28	brass 0.4	natural	100	
6438-00						3.000	
16438-01	2.5-6	6.3 x 0.8	28	brass 0.4	pre-Sn	100	
6438-01						3.000	
16438-30	2.5-6	6.3 x 0.8	28	bronze 0.4	natural	100	
6438-30						3.000	
16438-31	2.5-6	6.3 x 0.8	28	bronze 0.4	pre-Sn	100	
6438-31						3.000	



6,3 (.250) Series Terminals - Tabs



	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 
<p>1</p>  <p>DIN 46343 SPECIAL CONNECTOR TABS</p>	16426-00	0.5-1	6.3 x 0.8	28	brass 0.4	natural	100
	6426-00						5.000
	16426-01	0.5-1	6.3 x 0.8	28	brass 0.4	pre-Sn	100
	6426-01						5.000
	16426-30	0.5-1	6.3 x 0.8	28	bronze 0.4	natural	100
	6426-30						5.000
	16426-31	0.5-1	6.3 x 0.8	28	bronze 0.4	pre-Sn	100
	6426-31						5.000
	16434-00	1-2.5	6.3 x 0.8	28	brass 0.4	natural	100
	6434-00						5.000
	16434-01	1-2.5	6.3 x 0.8	28	brass 0.4	pre-Sn	100
	6434-01						5.000
	16434-30	1-2.5	6.3 x 0.8	28	bronze 0.4	natural	100
	6434-30						5.000
16434-31	1-2.5	6.3 x 0.8	28	bronze 0.4	pre-Sn	100	
6434-31						5.000	
<p>2</p>  <p>SPECIAL CONNECTOR TABS</p>	16440-00	2.5-6	6.3 x 0.8	28	brass 0.4	natural	100
	6440-00						3.000
	16440-01	2.5-6	6.3 x 0.8	28	brass 0.4	pre-Sn	100
	6440-01						3.000
	16440-30	2.5-6	6.3 x 0.8	28	bronze 0.4	natural	100
	6440-30						3.000
	16440-31	2.5-6	6.3 x 0.8	28	bronze 0.4	pre-Sn	100
	6440-31						3.000




6,3 (.250) Series Terminals - Tabs



	Part N°	Ø mm	Tab mm	Base mm	Length mm	Angle	Material width mm	Treat.	
1 DIN 46342	19900-00	3.2	6.3	8	19	0°	brass 0.8	natural	100/1.000
	19900-02	3.2	6.3	8	19	0°	brass 0.8	Sn	100/1.000
	19902-00	4.2	6.3	8	19	0°	brass 0.8	natural	100/1.000
	19902-02	4.2	6.3	8	19	0°	brass 0.8	Sn	100/1.000
	19904-00	5.2	6.3	8	19	0°	brass 0.8	natural	100/1.000
	19904-02	5.2	6.3	8	19	0°	brass 0.8	Sn	100/1.000
2 DIN 46342	19906-00	3.2	6.3	8		45°	brass 0.8	natural	100/1.000
	19906-02	3.2	6.3	8		45°	brass 0.8	Sn	100/1.000
	19908-00	4.2	6.3	8		45°	brass 0.8	natural	100/1.000
	19908-02	4.2	6.3	8		45°	brass 0.8	Sn	100/1.000
	19910-00	5.2	6.3	8		45°	brass 0.8	natural	100/1.000
	19910-02	5.2	6.3	8		45°	brass 0.8	Sn	100/1.000
3 DIN 46342	19912-00	3.2	6.3	8		90°	brass 0.8	natural	100/1.000
	19912-02	3.2	6.3	8		90°	brass 0.8	Sn	100/1.000
	19914-00	4.2	6.3	8		90°	brass 0.8	natural	100/1.000
	19914-02	4.2	6.3	8		90°	brass 0.8	Sn	100/1.000
	19916-00	5.2	6.3	8		90°	brass 0.8	natural	100/1.000
	19916-02	5.2	6.3	8		90°	brass 0.8	Sn	100/1.000



6,3 (.250) Series Terminals - Tabs




	Part N°	Ø mm	Tab mm	L1	L2	L3	L4	Angle A	Material width mm	Treat.		
	1	11200-00	3.2	6.3	30	8	8	-	0°	brass 0.8	natural	100/1.000
		11200-02	3.2	6.3	30	8	8	-	0°	brass 0.8	Sn	100/1.000
		11201-00	3.7	6.3	30	8	8	-	0°	brass 0.8	natural	100/1.000
		11201-02	3.7	6.3	30	8	8	-	0°	brass 0.8	Sn	100/1.000
		11202-00	4.2	6.3	30	8	8	-	0°	brass 0.8	natural	100/1.000
		11202-02	4.2	6.3	30	8	8	-	0°	brass 0.8	Sn	100/1.000
		11203-00	5.2	6.3	30	8	8	-	0°	brass 0.8	natural	100/1.000
		11203-02	5.2	6.3	30	8	8	-	0°	brass 0.8	Sn	100/1.000
	2	11210-00	3.2	6.3	10	8	8	10	45°	brass 0.8	natural	100/1.000
		11210-02	3.2	6.3	10	8	8	10	45°	brass 0.8	Sn	100/1.000
		11211-00	3.7	6.3	10	8	8	10	45°	brass 0.8	natural	100/1.000
		11211-02	3.7	6.3	10	8	8	10	45°	brass 0.8	Sn	100/1.000
		11212-00	4.2	6.3	10	8	8	10	45°	brass 0.8	natural	100/1.000
		11212-02	4.2	6.3	10	8	8	10	45°	brass 0.8	Sn	100/1.000
		11213-00	5.2	6.3	10	8	8	10	45°	brass 0.8	natural	100/1.000
		11213-02	5.2	6.3	10	8	8	10	45°	brass 0.8	Sn	100/1.000
	3	11220-00	3.2	6.3	10	8	8	10	90°	brass 0.8	natural	100/1.000
		11220-02	3.2	6.3	10	8	8	10	90°	brass 0.8	Sn	100/1.000
		11221-00	3.7	6.3	10	8	8	10	90°	brass 0.8	natural	100/1.000
		11221-02	3.7	6.3	10	8	8	10	90°	brass 0.8	Sn	100/1.000
		11222-00	4.2	6.3	10	8	8	10	90°	brass 0.8	natural	100/1.000
		11222-02	4.2	6.3	10	8	8	10	90°	brass 0.8	Sn	100/1.000
		11223-00	5.2	6.3	10	8	8	10	90°	brass 0.8	natural	100/1.000
		11223-02	5.2	6.3	10	8	8	10	90°	brass 0.8	Sn	100/1.000




6,3 (.250) Series Terminals - Receptacles / Tabs




PRE-FORMED
MATERIAL: BRASS
TREATMENT: SILVER-PLATED




Part N°	Wire size mm ²	Dimensions mm	
14420-W03	0.50-1.00	6.3x0.8x19.00	100/1000
14422-W03	1.00-2.50	6.3x0.8x19.00	100/1000
14425-W03	2.50-6.00	6.3x0.8x19.00	100/1000



16422-W03	1.00-2.50	6.3x0.8x20.00	100/1000
------------------	-----------	---------------	----------




14327-W03	1.00-2.50	6.3x0.8x19.00	100/1000
Connector Receptacles			








16434-W03	1.00-2.50	6.3x0.8x28.00	100/1000
Connector Tabs			



8 (.315) Series Terminals - Receptacles








	Part N°	Wire size mm ²	Tab mm	Length mm	Material width mm	Treat.	 / 	
	1	14460-00	0.5-1	7.7 x 0.8	22.9	brass 0.4	natural	100
		4460-00						3.000
		14460-02	0.5-1	7.7 x 0.8	22.9	brass 0.4	Sn	100
		4460-02						3.000
		14460-30	0.5-1	7.7 x 0.8	22.9	bronze 0.4	natural	100
		4460-30						3.000
		14460-32	0.5-1	7.7 x 0.8	22.9	bronze 0.4	Sn	100
		4460-32						3.000
	2	14360-00	0.5-1	7.7 x 0.8	22.9	brass 0.4	natural	100
		4360-00						3.000
		14360-02	0.5-1	7.7 x 0.8	22.9	brass 0.4	Sn	100
		4360-02						3.000
		14360-30	0.5-1	7.7 x 0.8	22.9	bronze 0.4	natural	100
		4360-30						3.000
		14360-32	0.5-1	7.7 x 0.8	22.9	bronze 0.4	Sn	100
		4360-32						3.000
<p>CONNECTOR RECEPTACLES</p> 	3	16.04731-00	1.25-2	7.7 x 0.8	25.0	brass 0.4	natural	100
		604731-00						2.500
		16.04731-02	1.25-2	7.7 x 0.8	25.0	brass 0.4	Sn	100
		604731-02						2.500



8 (.315) Series Terminals - Receptacles








	Part N°	Wire size mm ²	Tab mm	Length mm	Material width mm	Treat.	 / 	
	1	16.04801-00 604801-00	0.85-1.25	7.7 x 0.8	19.7	brass 0.4	natural 100 3.000	
		16.04801-02 604801-02	0.85-1.25	7.7 x 0.8	19.7	brass 0.4	Sn 100 3.000	
		16.04800-00 604800-00	2-3	7.7 x 0.8	19.7	brass 0.4	natural 100 3.000	
		16.04800-02 604800-02	2-3	7.7 x 0.8	19.7	brass 0.4	Sn 100 3.000	
	CONNECTOR RECEPTACLES							
	 <p style="text-align: right;">DIN 46340 CONNECTOR FLAGS</p>	2	15364-00 5364-00	1-2.5	7.9 x 0.75	15	brass 0.4	natural 100 3.500
		15364-02 5364-02	1-2.5	7.9 x 0.75	15	brass 0.4	Sn 100 3.500	
		15364-30 5364-30	1-2.5	7.9 x 0.75	15	bronze 0.4	natural 100 3.500	
		15364-32 5364-32	1-2.5	7.9 x 0.75	15	bronze 0.4	Sn 100 3.500	
POWER TERMINALS								
 <p style="text-align: center;">Clip-Ressort</p>		3	17650-02 7650-02	1.5-2.5	8	35	brass 0.5	Sn 20/1.000 650
		17660-02 7660-02	4-6	8	35	brass 0.5	Sn 20/1.000 650	
		17670-02 7670-02	8-10	8	35	brass 0.5	Sn 20/1.000 650	
		17671-02 7671-02	16	8	35	brass 0.5	Sn 20/1.000 650	



8 (.315) Series Terminals - Tabs











	Part N°	Wire size mm ²	Tab mm	Length mm	Material width mm	Treat.	 / 
1 	17675-52	2.5-4	8 x 0.8	40.2	copper 0.8	Sn	20/1.000
	7675-52						1.000
	17685-52	6-8	8 x 0.8	40.2	copper 0.8	Sn	20/1.000
	7685-52						1.000
	17690-52	10-16	8 x 0.8	40.2	copper 0.8	Sn	20/1.000
	7690-52						650
POWER TERMINALS							
2 	15711-00	2-3	7.8 x 0.8	29.7	brass 0.8	natural	100
	5711-00						1.500
	15711-02	2-3	7.8 x 0.8	29.7	brass 0.8	Sn	100
	5711-02						1.500
3 	15702-00	0.85-1.25	7.7 x 0.8	30.2	brass 0.4	natural	100
	5702-00						2.500
	15702-02	0.85-1.25	7.7 x 0.8	30.2	brass 0.4	Sn	100
	5702-02						2.500
	15701-00	3-5	7.7 x 0.8	30.2	brass 0.4	natural	100
	5701-00						2.000
	15701-02	3-5	7.7 x 0.8	30.2	brass 0.4	Sn	100
	5701-02						2.000
CONNECTOR TABS							



9,5 (.375) Series Terminals - Receptacles








	Part N°	Wire size mm ²	Tab mm	Length mm	Material width mm	Treat.	 / 
 	14480-00	1-2.5	9.5 x 1.2	27	brass 0.5	natural	100
	4480-00						3.000
	14480-02	1-2.5	9.5 x 1.2	27	brass 0.5	Sn	100
	4480-02						3.000
	14480-30	1-2.5	9.5 x 1.2	27	bronze 0.5	natural	100
	4480-30						3.000
 	14478-00	2.5-6	9.5 x 1.2	25	brass 0.5	natural	100
	4478-00						3.000
	14478-02	2.5-6	9.5 x 1.2	25	brass 0.5	Sn	100
	4478-02						3.000
	14478-30	2.5-6	9.5 x 1.2	25	bronze 0.5	natural	100
	4478-30						3.000
 	14484-00	6-10	9.5 x 1.2	27	brass 0.5	natural	100
	4484-00						2.000
	14484-02	6-10	9.5 x 1.2	27	brass 0.5	Sn	100
	4484-02						2.000
	14484-30	6-10	9.5 x 1.2	27	bronze 0.5	natural	100
	4484-30						2.000
	14484-32	6-10	9.5 x 1.2	27	bronze 0.5	Sn	100
	4484-32						2.000

DIN 46247



9,5 (.375) Series Terminals - Receptacles



	Part N°	Wire size mm ²	Tab mm	Length mm	Material width mm	Treat.	 / 	
	1	14380-00	1-2.5	9.5 x 1.2	27	brass 0.5	natural	100
		4380-00						3.000
		14380-02	1-2.5	9.5 x 1.2	27	brass 0.5	Sn	100
		4380-02						3.000
		14380-30	1-2.5	9.5 x 1.2	27	bronze 0.5	natural	100
		4380-30						3.000
		14380-32	1-2.5	9.5 x 1.2	27	bronze 0.5	Sn	100
		4380-32						3.000
CONNECTOR RECEPTACLES								
	2	14382-00	3-6	9.5 x 1.2	27	brass 0.5	natural	100
		4382-00						2.000
		14382-02	3-6	9.5 x 1.2	27	brass 0.5	Sn	100
		4382-02						2.000
		14382-30	3-6	9.5 x 1.2	27	bronze 0.5	natural	100
		4382-30						2.000
		14382-32	3-6	9.5 x 1.2	27	bronze 0.5	Sn	100
		4382-32						2.000
CONNECTOR RECEPTACLES								
	3	14384-00	6-10	9.5 x 1.2	27	brass 0.5	natural	100
		4384-00						2.000
		14384-02	6-10	9.5 x 1.2	27	brass 0.5	Sn	100
		4384-02						2.000
		14384-30	6-10	9.5 x 1.2	27	bronze 0.5	natural	100
		4384-30						2.000
		14384-32	6-10	9.5 x 1.2	27	bronze 0.5	Sn	100
		4384-32						2.000
CONNECTOR RECEPTACLES								




9,5 (.375) Series Terminals - Tabs











	Part N°	Ø mm	Tab mm	Base mm	Length mm	Angle	Material width mm	Treat.	
<p>DIN 46342</p>	19950-00	4.2	9.5	12	30.5	0°	brass 1.2	natural	100/1.000
	19950-02	4.2	9.5	12	30.5	0°	brass 1.2	Sn	100/1.000
	19952-00	5.2	9.5	12	30.5	0°	brass 1.2	natural	100/1.000
	19952-02	5.2	9.5	12	30.5	0°	brass 1.2	Sn	100/1.000
	19954-00	6.2	9.5	12	30.5	0°	brass 1.2	natural	100/1.000
	19954-02	6.2	9.5	12	30.5	0°	brass 1.2	Sn	100/1.000
<p>DIN 46342</p>	19960-00	4.2	9.5	12	-	45°	brass 1.2	natural	100/1.000
	19960-02	4.2	9.5	12	-	45°	brass 1.2	Sn	100/1.000
	19962-00	5.2	9.5	12	-	45°	brass 1.2	natural	100/1.000
	19962-02	5.2	9.5	12	-	45°	brass 1.2	Sn	100/1.000
	19964-00	6.2	9.5	12	-	45°	brass 1.2	natural	100/1.000
	19964-02	6.2	9.5	12	-	45°	brass 1.2	Sn	100/1.000
<p>DIN 46342</p>	19970-00	4.2	9.5	12	-	90°	brass 1.2	natural	100/1.000
	19970-02	4.2	9.5	12	-	90°	brass 1.2	Sn	100/1.000
	19972-00	5.2	9.5	12	-	90°	brass 1.2	natural	100/1.000
	19972-02	5.2	9.5	12	-	90°	brass 1.2	Sn	100/1.000
	19974-00	6.2	9.5	12	-	90°	brass 1.2	natural	100/1.000
	19974-02	6.2	9.5	12	-	90°	brass 1.2	Sn	100/1.000



Cylindrical Terminals - Receptacles












	Part N°	Wire size mm ²	Ø mm	Length mm	Material width mm	Treatment	 / 		
 <p>1</p>	18504-00	0.5-1	2.3	16	brass 0.3	natural	100		
	8504-00						15.000		
	18504-02	0.5-1	2.3	16	brass 0.3	Sn	100		
	8504-02						15.000		
 <p>2</p>	18512-00	0.5-1.5	2.0	14.2	brass 0.3	natural	100		
	8512-00						15.000		
	18512-02	0.5-1.5	2.0	14.2	brass 0.3	Sn	100		
	8512-02						15.000		
 <p>3</p>	18500-00	0.5-1	4.0	20	brass 0.4	natural	100		
	8500-00						8.000		
	18500-02	0.5-1	4.0	20	brass 0.4	Sn	100		
	8500-02						8.000		
	18502-00	1-2.5	4.0	20	brass 0.4	natural	100		
	8502-00						8.000		
	18502-02	1-2.5	4.0	20	brass 0.4	Sn	100		
	8502-02						8.000		
 <p>4</p>	Part N°	Wire size mm²	Ø mm	Length mm	W	E	Material width mm	Treatment	 / 
	16.06002-00	0.85-1.25	3.5	16.5	-	6.5	brass 0.4	natural	100
	606002-00								8.000
	16.06002-02	0.85-1.25	3.5	16.5	-	6.5	brass 0.4	Sn	100
	606002-02							8.000	






Cylindrical Terminals - Receptacles









	Part N°	Wire size mm ²	Ø mm	Length mm	W	E	Material width mm	Treatment	 / 	
 	1	16.06012-00 606012-00	0.85-1.25	3.5	17.5	-	6.5	brass 0.4	natural	100
		16.06012-02 606012-02	0.85-1.25	3.5	17.5	-	6.5	brass 0.4	Sn	100
										8.000
										8.000
	2	16.07201-00 607201-00	0.85-1.25	3.5	19.6	11.0	8.0	brass 0.35	natural	100
		16.07201-02 607201-02	0.85-1.25	3.5	19.6	11.0	8.0	brass 0.35	Sn	100
										4.000
										4.000
	3	16.07211-00 607211-00	0.5-0.85	3.5	16.2	11.4	7.1	brass 0.3	natural	100
		16.07211-02 607211-02	0.5-0.85	3.5	16.2	11.4	7.1	brass 0.3	Sn	100
										5.000
										5.000
	4	16.07301-00 607301-00	0.85-1.25	3.96	21.2	11.3	9.4	brass 0.3	natural	100
		16.07301-02 607301-02	0.85-1.25	3.96	21.2	11.3	9.4	brass 0.3	Sn	100
										3.000
										3.000
	5	16.06402-00 606402-00	0.85-1.25	4.57	19.9	-	10.6	brass 0.4	natural	100
		16.06402-02 606402-02	0.85-1.25	4.57	19.9	-	10.6	brass 0.4	Sn	100
										6.000
										6.000



Cylindrical Terminals - Tabs



	Part N°	Wire size mm ²	Ø mm	Length mm	Material width mm	Treatment	 / 
	1 25230-00	0.5-1.5	3	26.6	brass 0.3	natural	100
	5230A-00						8.000
	25230-02	0.5-1.5	3	26.6	brass 0.3	Sn	100
	5230A-02						8.000
	2 25240-00	0.5-1.5	3	23.5	brass 0.5	natural	100
	5240-00						8.000
	25240-02	0.5-1.5	3	23.5	brass 0.5	Sn	100
	5240-02						8.000
SPECIAL CITROEN							
	3 25022-00	0.75-1.5	4	18	brass 0.5	natural	100
	5022-00						10.000
	25022-02	0.75-1.5	4	18	brass 0.5	Sn	100
	5022-02						10.000
SPECIAL YAMAHA							
	4 17500-00	0.5-1.00	4	23.3	brass 0.4	natural	100
	7500-00						8.000
	17500-02	0.5-1.00	4	23.3	brass 0.4	Sn	100
	7500-02						8.000
	17502-00	1.00-2.50	4	23.3	brass 0.4	natural	100
	7502-00						8.000
	17502-02	1.00-2.50	4	23.3	brass 0.4	Sn	100
	7502-02						8.000



Cylindrical Terminals - Tabs


UP-LOK Terminals - Receptacles / Tabs







	Part N°	Wire size mm ²	Ø mm	Length mm	E	Material width mm	Treatment		
	1	16.06102-00	0.85-1.25	3.5	16.5	8.2	brass 0.4	natural	100
		606102-00							8.000
		16.06102-02	0.85-1.25	3.5	16.5	8.2	brass 0.4	Sn	100
		606102-02							8.000
		16.06131-00	0.85-1.25	3.5	13.4	7.7	brass 0.4	natural	100
		606131-00							10.000
	2	16.06131-02	0.85-1.25	3.5	13.4	7.7	brass 0.4	Sn	100
		606131-02							10.000
		16.06502-00	0.85-1.25	4.57	22.3	11.7	brass 0.4	natural	100
		606502-00							6.000
		16.06502-02	0.85-1.25	4.57	22.3	11.7	brass 0.4	Sn	100
		606502-02							6.000
	3	Part N°	Wire size mm ²	Ø mm	Length mm	Material width mm	Treatment		
		17520-01	0.25-0.8	2.12	20.1	brass 0.3	pre-Sn	100	
		7520-01						7.500	
		17520-31	0.25-0.8	2.12	20.1	bronze 0.3	pre-Sn	100	
		7520-31						7.500	
		17522-01	0.5-2.1	2.12	20.1	brass 0.3	pre-Sn	100	
		7522-01						6.000	
		17522-31	0.5-2.1	2.12	20.1	bronze 0.3	pre-Sn	100	
		7522-31						6.000	
		4	18520-01	0.25-0.8	2.12	19.4	brass 0.3	pre-Sn	100
		8520-01						7.500	
		18520-31	0.25-0.8	2.12	19.4	bronze 0.3	pre-Sn	100	
		8520-31						7.500	
		18522-01	0.5-2.1	2.12	19.4	brass 0.3	pre-Sn	100	
		8522-01						6.000	
		18522-31	0.5-2.1	2.12	19.4	bronze 0.3	pre-Sn	100	
		8522-31						6.000	



4,8 (.187) 6,3 (.250) Series Terminals - Mixed Receptacles / Tabs






	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 
<p>1</p>  <p>DIN 46342 MIXED RECEPTACLE AND TAB</p>	13829A-00	0.5-1	4.8 x 0.8	15.6	brass 0.4	natural	100
	3829A-00						3.000
	13829A-02	0.5-1	4.8 x 0.8	15.6	brass 0.4	Sn	100
	3829A-02						3.000
	13829B-00	1.5-2.5	4.8 x 0.8	15.6	brass 0.4	natural	100
	3829B-00						3.000
	13829B-02	1.5-2.5	4.8 x 0.8	15.6	brass 0.4	Sn	100
	3829B-02						3.000
<p>2</p>  <p>MIXED RECEPTACLE AND TAB</p>	15220-00	0.5-1	6.3 x 0.8	20	brass 0.4	natural	100
	5220-00						1.500
	15220-02	0.5-1	6.3 x 0.8	20	brass 0.4	Sn	100
	5220-02						1.500
	15220-30	0.5-1	6.3 x 0.8	20	bronze 0.4	natural	100
	5220-30						1.500
	15220-32	0.5-1	6.3 x 0.8	20	bronze 0.4	Sn	100
	5220-32						1.500
	15222-00	0.75-1.5	6.3 x 0.8	20	brass 0.4	natural	100
	5222-00						1.500
	15222-02	0.75-1.5	6.3 x 0.8	20	brass 0.4	Sn	100
	5222-02						1.500
	15222-30	0.75-1.5	6.3 x 0.8	20	bronze 0.4	natural	100
	5222-30						1.500
15222-32	0.75-1.5	6.3 x 0.8	20	bronze 0.4	Sn	100	
	5222-32					1.500	




6,3 (.250) Series Terminals - Mixed Receptacles / Tabs



	Part N°	Wire size mm ²	Tab thick. mm	Length mm	Material width mm	Treatment	 / 
<p>1</p>  <p>MIXED RECEPTACLE AND TAB LOW INSERTION</p>	15230-00	0.5-1	6.3 x 0.8	19.9	brass 0.4	natural	100
	5230-00						1.500
	15230-01	0.5-1	6.3 x 0.8	19.9	brass 0.4	pre-Sn	100
	5230-01						1.500
	15230-30	0.5-1	6.3 x 0.8	19.9	bronze 0.4	natural	100
	5230-30						1.500
	15230-31	0.5-1	6.3 x 0.8	19.9	bronze 0.4	pre-Sn	100
	5230-31						1.500
	15232-00	1-2.5	6.3 x 0.8	19.9	brass 0.4	natural	100
	5232-00						1.500
	15232-01	1-2.5	6.3 x 0.8	19.9	brass 0.4	pre-Sn	100
	5232-01						1.500
	15232-30	1-2.5	6.3 x 0.8	19.9	bronze 0.4	natural	100
	5232-30						1.500
	15232-31	1-2.5	6.3 x 0.8	19.9	bronze 0.4	pre-Sn	100
	5232-31						1.500




Multi Connectors 2,8 (.110) 4,8 (.187) 6,3 (.250) Series



	Part N°	Dimensions mm	Material width mm	Treatment		
<p>1</p> <p>DIN 46342</p>	<p>378105-6-00 378105-6-02 378108-6-00 378108-6-02</p>	<p>2.8 x 0.5 x 2.8 x 0.5 2.8 x 0.8 x 2.8 x 0.8</p>	<p>brass 0.5 brass 0.38</p>	<p>natural Sn natural Sn</p>	<p>1.000 1.000 1.000 1.000</p>	
	<p>2</p> <p>DIN 46342</p>	<p>3829-6-00 3829-6-02</p>	<p>4.8 x 0.8 x 4.8 x 0.8</p>	<p>brass 0.8</p>	<p>natural Sn</p>	<p>500 500</p>
		<p>3</p> <p>DIN 46342</p>	<p>3838E-6-00 3838E-6-02</p>	<p>6.3 x 0.8 x 6.3 x 0.8</p>	<p>brass 0.38</p>	<p>natural Sn</p>
	<p>4</p> <p>DIN 46342</p>		<p>3838D-6-00 3838D-6-02</p>	<p>6.3 x 0.8 x 6.3 x 0.8</p>	<p>brass 0.38</p>	<p>natural Sn</p>



Multi Connectors 6,3 (.250) 7,9 (.315) 9,5 (.375) Series









	Part N°	Dimensions mm	Material width mm	Treatment	
<p>1</p> <p>DIN 46342</p>	<p>3838-6-00 3838-6-02 3838-6-32</p>	6.3 x 0.8 x 6.3 x 0.8	brass 0.38 bronze 0.38	natural Sn Sn	500 500 500
<p>2</p> <p>DIN 46342</p>	<p>3839F-6-00 3839F-6-02</p>	6.3 x 0.8 x 6.3 x 0.8	brass 0.38	natural Sn	500 500
<p>3</p> <p>RECEPTACLES / TABS</p>	<p>605821-00</p>	- 7.9 x 0.8 x 24.2	brass 0.4	natural	100
<p>4</p> <p>DIN 46247</p>	<p>3835U-6-00 3835U-6-02</p>	9.5 x 1.2	brass 0.55	natural Sn	1.000 1.000

2 Terminals




Splicing Terminals








	Part N°	Wire size mm ²	Length mm	Material width mm	Treatment	 / 
1 	5130-00	0.5-1.5	4.8	brass 0.3	natural	20.000
	5130-02	0.5-1.5	4.8	brass 0.3	Sn	20.000
2 	5100-00	0.3-1.5	5.8	brass 0.5	natural	30.000
	5100-02	0.3-1.5	5.8	brass 0.5	Sn	30.000
	5118-00	0.3-1.5	5.8	brass 0.3	natural	30.000
	5118-02	0.3-1.5	5.8	brass 0.3	Sn	30.000
	5102-00	0.7-2.5	5.8	brass 0.5	natural	30.000
	5102-02	0.7-2.5	5.8	brass 0.5	Sn	30.000
	5104-00	3.5-6.5	5.8	brass 0.5	natural	15.000
	5104-02	3.5-6.5	5.8	brass 0.5	Sn	15.000
	5106-00	6-10	9	brass 0.8	natural	6.000
5106-02	6-10	9	brass 0.8	Sn	6.000	
3 	5132-00	0.7-2.5	5.8	brass 0.5	natural	10.000
	5132-02	0.7-2.5	5.8	brass 0.5	Sn	10.000
	5134-00	3.5-6.5	5.8	brass 0.5	natural	7.000
	5134-02	3.5-6.5	5.8	brass 0.5	Sn	7.000




End Connectors







	Part N°	Wire size mm ²	Length mm	Material width mm	Treatment	
	1 8906-00	0.5-0.75	6	brass 0.3	natural	40.000
	8906-02	0.5-0.75	6	brass 0.3	Sn	40.000
	8904-00	0.75-2	6	brass 0.3	natural	40.000
	8904-02	0.75-2	6	brass 0.3	Sn	40.000
	2 8900-00	0.5-1	11	brass 0.3	natural	15.000
	8900-02	0.5-1	11	brass 0.3	Sn	15.000
	8902-00	1-2.5	11	brass 0.3	natural	12.000
	8902-02	1-2.5	11	brass 0.3	Sn	12.000
	3 8925-24	0.5-1	11	steel 0.3	Ni	40.000
	4 8910-00	0.75-1.5	6.8	brass 0.3	natural	42.000
	8910-02	0.75-1.5	6.8	brass 0.3	Sn	42.000




Ring Terminals - Without insulation support





	Part N°	Wire size mm ²	Ø int. mm	Plate mm	Length mm	Material width mm	Treatment	 / 
<p>1</p> 	13650-00	0.5-1.5	2.8	6.2	11.2	brass 0.4	natural	100
	3650-00							20.000
	13650-02	0.5-1.5	2.8	6.2	11.2	brass 0.4	Sn	100
	3650-02							20.000
	13652-00	0.5-1.5	3.2	6.2	11.2	brass 0.4	natural	100
	3652-00							20.000
	13652-02	0.5-1.5	3.2	6.2	11.2	brass 0.4	Sn	100
	3652-02							20.000
	13654-00	0.5-1.5	3.7	6.2	11.2	brass 0.4	natural	100
	3654-00							20.000
	13654-02	0.5-1.5	3.7	6.2	11.2	brass 0.4	Sn	100
	3654-02							20.000
<p>2</p> 	13622-00	0.5-1.5	3.2	7	10.5	brass 0.4	natural	100
	3622-00							20.000
	13622-02	0.5-1.5	3.2	7	10.5	brass 0.4	Sn	100
	3622-02							20.000
	13624-00	0.5-1.5	3.7	7	10.5	brass 0.4	natural	100
	3624-00							20.000
	13624-02	0.5-1.5	3.7	7	10.5	brass 0.4	Sn	100
	3624-02							20.000
	13626-00	0.5-1.5	4.2	7	10.5	brass 0.4	natural	100
	3626-00							20.000
	13626-02	0.5-1.5	4.2	7	10.5	brass 0.4	Sn	100
	3626-02							20.000



Ring Terminals - Without insulation support






Part N°	Wire size mm ²	Ø int. mm	Plate mm	Length mm	Material width mm	Treatment	 / 
13628-00	0.5-1.5	3.2	7.7	13.2	brass 0.5	natural	100
3628-00							15.000
13628-02	0.5-1.5	3.2	7.7	13.2	brass 0.5	Sn	100
3628-02							15.000
13630-00	0.5-1.5	3.7	7.7	13.2	brass 0.5	natural	100
3630-00							15.000
13630-02	0.5-1.5	3.7	7.7	13.2	brass 0.5	Sn	100
3630-02							15.000
13632-00	0.5-1.5	4.2	7.7	13.2	brass 0.5	natural	100
3632-00							15.000
13632-02	0.5-1.5	4.2	7.7	13.2	brass 0.5	Sn	100
3632-02							15.000
13634-00	0.5-1.5	5.2	7.7	13.2	brass 0.5	natural	100
3634-00							15.000
13634-02	0.5-1.5	5.2	7.7	13.2	brass 0.5	Sn	100
3634-02							15.000



Ring Terminals - With insulation support


1







	Part N°	Wire size mm ²	Ø int. mm	Plate mm	Length mm	Material width mm	Treatment	 / 
	13429-00	0.5-1	2.7	7	14.7	brass 0.5	natural	100
	3429-00							10.000
	13429-02	0.5-1	2.7	7	14.7	brass 0.5	Sn	100
	3429-02							10.000
	13431-00	0.5-1	2.95	7	14.7	brass 0.5	natural	100
	3431-00							10.000
	13431-02	0.5-1	2.95	7	14.7	brass 0.5	Sn	100
	3431-02							10.000
	13433-00	0.5-1	3.2	7	14.7	brass 0.5	natural	100
	3433-00							10.000
	13433-02	0.5-1	3.2	7	14.7	brass 0.5	Sn	100
	3433-02							10.000
	13435-00	0.5-1	3.6	7	14.7	brass 0.5	natural	100
	3435-00							10.000
	13435-02	0.5-1	3.6	7	14.7	brass 0.5	Sn	100
	3435-02							10.000
	13437-00	0.5-1	4.3	7	14.7	brass 0.5	natural	100
	3437-00							10.000
	13437-02	0.5-1	4.3	7	14.7	brass 0.5	Sn	100
	3437-02							10.000



Ring Terminals - With insulation support







	Part N°	Wire size mm ²	Ø int. mm	Plate mm	Length mm	Material width mm	Treatment	 / 
<p>1</p> 	13370-00	0.75-2	3.2	8.6	20	brass 0.5	natural	100
	3370-00							7.000
	13370-02	0.75-2	3.2	8.6	20	brass 0.5	Sn	100
	3370-02							7.000
	13372-00	0.75-2	4.2	8.6	20	brass 0.5	natural	100
	3372-00							7.000
<p>2</p> 	13374-00	0.75-2	5.2	8.6	20	brass 0.5	natural	100
	3374-00							7.000
	13374-02	0.75-2	5.2	8.6	20	brass 0.5	Sn	100
	3374-02							7.000
	13376-00	0.75-2	5.5	8.6	20	brass 0.5	natural	100
	3376-00							7.000
	13376-02	0.75-2	5.5	8.6	20	brass 0.5	Sn	100
	3376-02							7.000
	13378-00	0.75-2	6.2	8.6	20	brass 0.5	natural	100
	3378-00							7.000
	13378-02	0.75-2	6.2	8.6	20	brass 0.5	Sn	100
	3378-02							7.000





Ring Terminals - With insulation support





	Part N°	Wire size mm ²	Ø int. mm	Plate mm	Length mm	Material width mm	Treatment	 / 
	13417-00	1-2.5	4.3	9.5	22	brass 0.6	natural	100
	3417-00							6.000
	13417-02	1-2.5	4.3	9.5	22	brass 0.6	Sn	100
	3417-02							6.000
	13418-00	1-2.5	5.3	9.5	22	brass 0.6	natural	100
	3418-00							6.000
	13418-02	1-2.5	5.3	9.5	22	brass 0.6	Sn	100
	3418-02							6.000
	13419-00	1-2.5	6.3	9.5	22	brass 0.6	natural	100
	3419-00							6.000
	13419-02	1-2.5	6.3	9.5	22	brass 0.6	Sn	100
	3419-02							6.000
	13408-00	2.5-4	4.3	9.5	22	brass 0.6	natural	100
	3408-00							5.000
	13408-02	2.5-4	4.3	9.5	22	brass 0.6	Sn	100
	3408-02							5.000
	13409-00	2.5-4	5.3	9.5	22	brass 0.6	natural	100
	3409-00							5.000
	13409-02	2.5-4	5.3	9.5	22	brass 0.6	Sn	100
	3409-02							5.000
	13410-00	2.5-4	6.4	9.5	22	brass 0.6	natural	100
	3410-00							5.000
	13410-02	2.5-4	6.4	9.5	22	brass 0.6	Sn	100
	3410-02							5.000



Ring Terminals - With insulation support







Part Nº	Wire size mm ²	Ø int. mm	Plate mm	Length mm	Material width mm	Treatment	 / 
13566-00	0.5-1	5.3	12	28	brass 0.8	natural	100
3566-00							3.000
13566-02	0.5-1	5.3	12	28	brass 0.8	Sn	100
3566-02							3.000
13568-00	0.5-1	6.5	12	28	brass 0.8	natural	100
3568-00							3.000
13568-02	0.5-1	6.5	12	28	brass 0.8	Sn	100
3568-02							3.000
13570-00	0.5-1	8.5	12	28	brass 0.8	natural	100
3570-00							3.000
13570-02	0.5-1	8.5	12	28	brass 0.8	Sn	100
3570-02							3.000
13572-00	1-2.5	5.3	12	28	brass 0.8	natural	100
3572-00							3.000
13572-02	1-2.5	5.3	12	28	brass 0.8	Sn	100
3572-02							3.000
13574-00	1-2.5	6.5	12	28	brass 0.8	natural	100
3574-00							3.000
13574-02	1-2.5	6.5	12	28	brass 0.8	Sn	100
3574-02							3.000
13576-00	1-2.5	8.5	12	28	brass 0.8	natural	100
3576-00							3.000
13576-02	1-2.5	8.5	12	28	brass 0.8	Sn	100
3576-02							3.000



Ring Terminals - With insulation support








	Part N°	Wire size mm ²	Ø int. mm	Plate mm	Length mm	Material width mm	Treatment	 / 
<p>1</p> 	13446-00	1-2.5	8.5	14	28	brass 0.6	natural	100
	3446-00							2.500
	13446-02	1-2.5	8.5	14	28	brass 0.6	Sn	100
	3446-02							2.500
	13448-00	1-2.5	9.5	14	28	brass 0.6	natural	100
	3448-00							2.500
	13448-02	1-2.5	9.5	14	28	brass 0.6	Sn	100
	3448-02							2.500
	13310-00	1-2.5	8.5	14	28	brass 0.8	natural	100
	3310-00							2.500
	13310-02	1-2.5	8.5	14	28	brass 0.8	Sn	100
	3310-02							2.500
	13312-00	1-2.5	9.5	14	28	brass 0.8	natural	100
	3312-00							2.500
	13312-02	1-2.5	9.5	14	28	brass 0.8	Sn	100
3312-02							2.500	
DIN 46225								
<p>2</p> 	13560-00	2.5-6	6.5	14	31	brass 0.8	natural	100
	3560-00							2.000
	13560-02	2.5-6	6.5	14	31	brass 0.8	Sn	100
	3560-02							2.000
	13562-00	2.5-6	8.5	14	31	brass 0.8	natural	100
	3562-00							2.000
	13562-02	2.5-6	8.5	14	31	brass 0.8	Sn	100
3562-02							2.000	
DIN 46225								




Ring Terminals - With insulation support







	Part N°	Wire size mm ²	Ø int. mm	Plate mm	Length mm	Material width mm	Treatment	 / 
 <p>1</p> <p>DIN 46225</p>	13306-00	6-10	6.5	14	33	brass 1	natural	100
	3306-00							1.000
	13306-02	6-10	6.5	14	33	brass 1	Sn	100
	3306-02							1.000
	13308-00	6-10	8.5	14	33	brass 1	natural	100
	3308-00							1.000
 <p>2</p>	13496-00	1.5-4	8.5	18.5	33	brass 1	natural	100
	3496-00							1.500
	13496-02	1.5-4	8.5	18.5	33	brass 1	Sn	100
	3496-02							1.500
	13314-00	1.5-4	10.5	18.5	33	brass 1	natural	100
	3314-00							1.500
	13314-02	1.5-4	10.5	18.5	33	brass 1	Sn	100
	3314-02							1.500
 <p>3</p>	13377-00	0.75-2	5.3	8.6	20	brass 0.5	natural	100
	3377-00							7.000
	13377-02	0.75-2	5.3	8.6	20	brass 0.5	Sn	100
	3377-02							7.000



Ring Terminals - With insulation support



	Part N°	Wire size mm ²	Ø int. mm	Plate mm	Length mm	Material width mm	Treatment	 / 
1 	13529-00	0.5-1	5.3	12	28	brass 0.6	natural	100
	3529-00							3.000
	13529-02	0.5-1	5.3	12	28	brass 0.6	Sn	100
	3529-02							3.000
	13537-00	1-2.5	5.3	12	28	brass 0.6	natural	100
	3537-00							3.000
	13537-02	1-2.5	5.3	12	28	brass 0.6	Sn	100
	3537-02							3.000
2 	13340-00	2-4	8.25	17	33.5	brass 0.7	natural	100
	3340-00							1.000
	13340-02	2-4	8.25	17	33.5	brass 0.7	Sn	100
	3340-02							1.000
	13342-00	3-6	8.25	17	33.5	brass 0.7	natural	100
	3342-00							1.000
	13342-02	3-6	8.25	17	33.5	brass 0.7	Sn	100
	3342-02							1.000








Fork Terminals - With insulation support



Spark Plug & Distributor



	Part N°	Wire size mm ²	Ø int. mm	Ø ext. mm	Length mm	Material width mm	Treatment	 / 
	1 13816-00	0.5-1	2.7	7	16.5	brass 0.5	natural	100
	3816-00							8.000
	13816-02	0.5-1	2.7	7	16.5	brass 0.5	Sn	100
	3816-02							8.000
	13818-00	0.5-1	3.2	7	16.5	brass 0.5	natural	100
	3818-00							8.000
	13818-02	0.5-1	3.2	7	16.5	brass 0.5	Sn	100
	3818-02							8.000
	13820-00	0.5-1	3.7	7	16.5	brass 0.5	natural	100
	3820-00							8.000
	13820-02	0.5-1	3.7	7	16.5	brass 0.5	Sn	100
	3820-02							8.000
13840-00	0.5-1	4.2	7	16.5	brass 0.5	natural	100	
3840-00							8.000	
13840-02	0.5-1	4.2	7	16.5	brass 0.5	Sn	100	
3840-02							8.000	
	2 17704-00	7		7.8	23	brass 0.45	natural	100
	7704-00							2.500
	17704-02	7		7.8	23	brass 0.45	Sn	100
	7704-02							2.500
	3 18804-00	7		8.3	17	brass 0.45	natural	100
	8804-00							3.000
	18804-02	7		8.3	17	brass 0.45	Sn	100
	8804-02							3.000



Contacts


Printed Circuitry Mounting Tabs



	Part N°	Serie	Dimensions mm	Material	Treatment	
<p>1</p>	1365B-02	Ø 1.3	Ø: 1.3 L: 13.5 D1: Ø2.5 T: 5.0 B: 1.1	brass	Sn	1.000
<p>2</p>	1361-02	Ø 1.3	A: 5.5 L: 13.5 C: 2.2 mm²: 0.3-0.6 B1: 4.0 S: 0.3	brass	Sn	1.000
<p>3</p>	378005-02	(.110) 2.8 mm.	Ø: 1.3 T: 3.8 L: 6.7 L1: 10.5 B1: 2.8 B2: 2.8 D: 1.4 B: 1.3 S: 0.5	brass	Sn	2.000
<p>3</p>	378008-02	(.110) 2.8 mm.	Ø: 1.3 T: 3.8 L: 6.7 L1: 10.5 B1: 2.8 B2: 2.8 D: 1.4 B: 1.3 S: 0.8	brass	Sn	2.000
<p>4</p>	378905-02	(.110) 2.8 mm.	Ø: 1.2 L: 7.0 T: 3.0 H: 8.0 A: 5.0 B1: 6.3 D: 1.3 B: 1.3 S: 0.5	brass	Sn	2.000
<p>4</p>	378908-02	(.110) 2.8 mm.	Ø: 1.3 L: 7.0 T: 3.0 H: 8.0 A: 5.0 B1: 6.3 D: 1.3 B: 1.3 S: 0.8	brass	Sn	2.000



Printed Circuitry Mounting Tabs




	Part N°	Serie	Dimensions mm	Material	Treatment		
1 DIN 46342-P1	1 3773A05-02	(.110) 2.8 mm.	Ø: 1.3 L: 7.1 B1: 3.8 D: 1.2x3.0 S: 0.5	T: 3.2 L1: 12.2 B2: 2.8 B: 1.4	brass	Sn	2.000
	3773A08-02	2.8 mm.	Ø: 1.3 L: 7.1 B1: 3.8 D: 1.2 x 3.0 S: 0.8	T: 3.2 L1: 12.2 B2: 2.8 B: 1.4	brass	Sn	2.000
2 DIN 46342-P1	2 382505-02	(.187) 4.8 mm.	Ø: 1.3 L: 6.4 L1: 12.5 B1: 6.3	A: 5.0 D: 1.5 B: 1.3 S: 0.5	brass	Sn	2.000
	382508-02	4.8 mm.	Ø: 1.3 L: 6.4 L1: 12.5 B1: 6.3	A: 5.0 D: 1.5 B: 1.3 S: 0.8	brass	Sn	2.000
3 DIN 46342-P1	3 3827B08-02	(.187) 4.8 mm.	Ø: 1.2 L: 7.1 A: 5.0 B1: 6.2	T: 3.0 D: 1.6 B: 1.2 S: 0.8	brass	Sn	1.000



Printed Circuitry Mounting Tabs


Printed Circuitry Mounting Receptacles



	Part N°	Serie	Dimensions mm	Material	Treatment			
<p>DIN 46342-P1</p>	1	3866B-02	(.250) 6.3 mm.	Ø: 1.3 L: 8.0 B1: 8.0 D: 1.65 S: 0.8	T: 4.1 L1: 16.8 A: 5.0 B: 1.3	brass	Sn	1.000
<p>DIN 46342-P1</p>	2	3867B-02	(.250) 6.3 mm.	Ø: 1.3 H: 12.0 B1: 8.0 D: 1.65 S: 0.8	T: 3.0 A: 5.0 L: 8.2 B: 1.3	brass	Sn	1.000
	3	604410-00	(.250)	H: 3.2 L: 31	W: 7.5 E: 7.8	brass 0.35	natural	2.000
		604410-01	6.3x0.8				pre-Sn	2.000
	4	604430-00	(.250)	H: 3.2 L: 19.5	W: 7.5 E: 7.8	brass 0.35	natural	2.000
		604430-01	6.3x0.8				pre-Sn	2.000




Special Connection Terminals CONI 1 (ø1.6 mm.) & RAM (ø3.5 mm.)









	Part N°	Wire size mm ²	Dimensions Ø	a1	a2	L1	L2	L3	Material width mm	Treatment	Box / Roll
<p>1</p>	45703-02	0.3-0.6	1.6	5.5	3.0	16.0		4.90	brass 0.3	Sn	100/1.000
	25703-02										5.000
	45704-02	0.75-1	1.6	5.5	3.0	16.0		4.90	brass 0.3	Sn	100/1.000
	25704-02										5.000
	45706-32	1.5-2.5	1.6	5.5	3.0	16.0		4.90	bronze 0.3	Sn	100/1.000
	25706-32										3.500
BMW / VOLKSWAGEN / FORD											
<p>2</p>	45623-02	0.3-0.6	1.6	5.5	3.0	25.5	6.0	13.5	brass 0.3	Sn	100/1.000
	25623-02										5.000
	45523-02	0.75-1.5	1.6	5.5	3.0	25.5	6.0	13.5	brass 0.3	Sn	100/1.000
	25523-02										5.000
	45522-32	1.5-2.5	1.6	5.5	3.0	25.5	6.0	13.5	bronze 0.3	Sn	100/1.000
	25522-32										3.500
BMW / VOLKSWAGEN / FORD											
<p>3</p>	46018-02	0.5-1	3.5	10.3	3.2	25.30	12.50	10.20	brass 0.35	Sn	100/1.000
	26018-02										3.000
	46013-02	1-2.5	3.5	10.3	3.6	25.30	12.50	10.20	brass 0.35	Sn	100/1.000
	26013-02										3.000
	46014-02	2.5-6	3.5	10.3	4.0	25.30	12.50	10.20	brass 0.35	Sn	100/1.000
	26014-02										3.000
BMW / VOLKSWAGEN / DIN 46268											
<p>4</p>	46017-02	0.5-1	3.5	10.3	3.2	20.50	7.45	5.15	brass 0.35	Sn	100/1.000
	26017-02										3.000
	46011-02	1-2.5	3.5	10.3	3.6	20.50	7.45	5.15	brass 0.35	Sn	100/1.000
	26011-02										3.000
	46012-02	2.5-6	3.5	10.7	4.0	20.50	7.45	5.15	brass 0.35	Sn	100/1.000
	26012-02										3.000
BMW / VOLKSWAGEN / DIN 46268											



Special Connection Terminals MFK / MFS & PLUS



	Part N°	Wire size mm ²	∅ insulator	Dimensions		L1	width mm	Material Treatment	 / 
				a1	a2				
 <p>VOLKSWAGEN RENAULT MFK 0,6 X 1,5</p>	1	46121-52	0.2 - 0.35	1.0-1.4	6.4	3.0	19.5	copper 0.3	Sn 100/1.000
		26121-52							8.000
		46125-52	0.5 - 1	1.4-2.0	6.4	3.0	19.5	copper 0.3	Sn 100/1.000
		26125-52							6.500
 <p>VOLKSWAGEN RENAULT MFS 0,6 X 1,5</p>	2	46118-52	0.2 - 0.35	1.0-1.4	6.4	3.0	22.6	copper 0.3	Sn 100/1.000
		26118-52							8.000
		46127-52	0.5-1	1.4-2.0	6.4	3.0	22.6	copper 0.3	Sn 100/1.000
		26127-52							6.500
 <p>MFK -PLUS 0,6 X 1,5</p>	3	46174-52	0.2 - 0.35	1.1-1.3	6.4	3.0	19.5	copper 0.3	Sn 100/1.000
		26174-52							5.000
		46176-52	0.5-1.0	1.4-2.0	6.4	3.0	19.5	copper 0.3	Sn 100/1.000
		26176-52							5.000
 <p>MFS -PLUS 0,6 X 1,5</p>	4	46157-52	0.2 - 0.35	1.1-1.3	6.4	3.0	22.6	copper 0.3	Sn 100/1.000
		26157-52							5.000
		46159-52	0.5-1.0	1.4-2.0	6.4	3.0	22.6	copper 0.3	Sn 100/1.000
		26159-52							5.000





Special Connection Terminals MDK 1 & 4 (2.8mm) & DKF1 (4.8-6.3mm)





	Part N°	Wire size mm ²	Para macho	Dimensions						Material width mm	Treat.	/ /	
				a1	a2	L1	L2	L3					
 MDK-1 WITHOUT SPRING	1												
	46854-02	0.1-0.25	2.8x0.8	5.7	3.2	16.2	5.5	9.8	brass 0.3	Sn	100/1.000		
	26854-02		4.8x0.8								4.500		
	46855-02	0.3-0.6	2.8x0.8	5.7	3.2	16.2	5.5	9.8	brass 0.3	Sn	100/1.000		
	26855-02		4.8x0.8								4.500		
	46856-02	0.75-1.5	2.8x0.8	5.7	3.2	16.2	5.5	9.8	brass 0.3	Sn	100/1.000		
	26856-02		4.8x0.8								3.500		
	46857-02	1-2.5	2.8x0.8	5.7	3.2	16.2	5.5	9.8	brass 0.3	Sn	100/1.000		
	26857-02		4.8x0.8							3.500			
 MDK-4 WITH SPRING	2												
	46352-32	0.2-0.35	2.8x0.8	5.5	2.5	18.8	9.9	9.4	bronze 0.32	Sn	100/1.000		
	26352-32	1.1-1.5	4.8x0.8								4.200		
	46353-32	0.5-1	2.8x0.8	5.5	3.0	18.8	9.9	9.4	bronze 0.32	Sn	100/1.000		
	26353-32	1.4-2	4.8x0.8								4.200		
	46354-32	1.5-2.5	2.8x0.8	5.8	3.30	18.8	9.9	9.4	bronze 0.32	Sn	100/1.000		
	26354-32	2.1-2.9	4.8x0.8							3.500			
 DKF 1	3												
	46851-02	0.5-1	4.8x0.8	7.2	4.0	5.0	6.5	0.9	18.8	10.3	brass 0.35	Sn	100/1.000
	26851-02		6.3x0.8								3.000		
	46852-02	1.5-2.5	4.8x0.8	7.2	4.0	5.0	6.5	0.9	18.8	10.3	brass 0.35	Sn	100/1.000
	26852-02	(2x0.75)	6.3x0.8								3.000		
	46853-02	4-6	4.8x0.8	7.2	4.0	5.0	6.5	0.9	18.8	10.3	brass 0.35	Sn	100/1.000
	26853-02	(2x2.5)	6.3x0.8							2.000			



Special Connection Terminals FS & FS PLUS (2.8 mm)





**FS PLUS WITH
UNITARY SEAL**

Part N°	Wire size mm ²	Ø insulator	For Female	Dimensions				b2	L1	L2	L3	L4	Material width mm	Treat.	 / 
				a1	a2	b1									
46250-52	0,2-0,35	1,1-1,3	2,8x0,8	7,5	3,0	2,8	3,95	26,0	15,0	12,6	13,5	copper 0,38	Sn	100/1.000	
26250-52														4.000	
46252-52	0,5-1	1,4-2	2,8x0,8	8,0	3,5	2,8	3,95	26,0	15,0	12,6	13,5	copper 0,38	Sn	100/1.000	
26252-52														4.000	
46254-52	1,5-2,5	2,1-2,9	2,8x0,8	8,0	3,5	2,8	3,95	26,0	15,0	12,6	13,5	copper 0,38	Sn	100/1.000	
26254-52														3.200	
46251-52	0,2-0,35	1,1-1,3	2,8x0,8	8,3	3,0	2,8	3,95	26,0	15,0	12,6	13,5	copper 0,38	Sn	100/1.000	
26251-52														2.500	
46253-52	0,5-1	1,4-2	2,8x0,8	8,8	3,5	2,8	3,95	26,0	15,0	12,6	13,5	copper 0,38	Sn	100/1.000	
26253-52														2.500	
46255-52	1,5-2,5	2,1-2,9	2,8x0,8	8,8	3,5	2,8	3,95	26,0	15,0	12,6	13,5	copper 0,38	Sn	100/1.000	
26255-52														2.500	



Special Connection Terminals FS & FS PLUS (4.8 mm)




**FS PLUS WITH
UNITARY SEAL**

Part N°	Wire size mm ²	Ø insulator	For Female	Dimensions				Material width mm	L1	L2	L3	L4	Material	width mm	Treat.	/ /
				a1	a2	b1	b2									
46258-52	0.5-1	1.4-2	4.8x0.8	8.0	3.0	5.05	3.24	26.9	15.0	12.6	13.5	copper 0.38	Sn	100/1.000		
26258-52																3.500
46260-52	1.5-2.5	2.1-2.9	4.8x0.8	8.9	3.5	5.05	3.24	26.9	15.0	12.6	13.5	copper 0.38	Sn	100/1.000		
26260-52																3.000
46262-52	4	3.3-4.5	4.8x0.8	8.04	4.0	5.05	3.24	26.9	15.0	12.6	13.5	copper 0.38	Sn	100/1.000		
26262-52																2.200
46259-52	0.5-1	1.4-2	4.8x0.8	8.8	3.0	5.05	3.24	26.9	15.0	12.6	13.5	copper 0.38	Sn	100/1.000		
26259-52																1.100
46261-52	1.5-2.5	2.1-2.9	4.8x0.8	9.3	3.5	5.05	3.24	26.9	15.0	12.6	13.5	copper 0.38	Sn	100/1.000		
26261-52																1.100
46263-52	4	3.3-4.5	4.8x0.8	9.8	4.0	5.05	3.24	26.9	15.0	12.6	13.5	copper 0.38	Sn	100/1.000		
26263-52																1.100





Special Connection Terminals



	Part N°	Wire size mm ²	Dimensions mm	Material width mm	Treatment	
<p>1</p> <p>FOR TAIL LAMPS WOLKSWAGEN - FIAT</p>	1 11.01800-02	0.35-1	3 x 14.5 x 22.3	brass 0.3	Sn	100/2.000
<p>2</p> <p>FOR DASHBOARD FIAT 126</p>	2 11.01810-02	0.35-1	4.4 x 10.5 x 17	brass 0.3	Sn	100/5.000
<p>3</p> <p>FOR TAIL LAMPS</p>	3 11.01920-02	1-2.5	7 x 14.2 x 20.2	brass 0.3	Sn	100/5.000
<p>4</p> <p>FOR DASHBOARD</p>	4 11.01930-02	0.5-1.5	7 x 8.4 x 19.1	brass 0.3	Sn	100/5.000




Special Connection Terminals

	Part N°	Wire size mm ²	Dimensions mm	Material width mm	Treatment	
  FOR WHOLE GLASS LAMPS	14.07100-00	0.5-1.5	3.2 x 29.7	brass 0.4	natural	100/1.000
  FOR STATIC IGNITION	11.07200-02	0.5-2.5	4 x 20.9	brass 0.32	Sn	100/1.000
  FOR MINITIMERS	11.07210-02 11.07211-02	0.5-1.5 1.5-2.5	2.7 x 18.7 2.7 x 18.7	brass 0.32 brass 0.32	Sn Sn	100/2.000 100/1.000
  FOR CENTRALISED LOCK MOTOREDCER	11.07250-02	0.5-1.5	5.3 x 19.0	brass 0.32	Sn	100/2.000
  FOR TAIL LAMPS	11.02000-02	0.5-1.5	3.1 x 12.5 x 20	brass 0.4	Sn	100/1.000
  FOR STATIC IGNITION	11.02010-02	0.5-1.5	3 x 19 x 27	brass 0.4	Sn	100/2.000
















Special Connection Terminals



	Part N°	Wire size mm ²	Dimensions mm	Material width mm	Treatment	
<p>1</p> <p>VOLKSWAGEN-RENAULT-FIAT</p>	11.08050-52	0.5-1	3.7 x 19	copper 0.3	Sn	50/1.000
<p>2</p> <p>VOLKSWAGEN DIN 46343 UNIVERSAL FOR CAR RADIO</p>	11.08060-32	1-1.5	0.8 x 2.8 x 12.7 x 22.5	bronze 0.38	Sn	50/1.000
<p>3</p> <p>FIAT</p>	11.08070-02	1-1.5	2.7 x 1.6	brass 0.3	Sn	100/1.000
<p>4</p> <p>FIAT</p>	11.08080-02	1-1.5	0.7 x 1.7 x 14.3 x 21	brass 0.3	Sn	100/1.000
<p>5</p> <p>FORD</p>	13.01990-32	0.5-1	10 x 18	bronze 0.4	Sn	50/1.000
<p>6</p>	12.01230-02	0.5-1.5	1.5 x 23 x 29	brass 0.3	Sn	100/2.000




Special Connection Terminals

	1	2	3	4	5	6
						
	Part N°	Wire size mm ²	Dimensions mm	Material width mm	Treatment	
	1 12.01220-02	0.5-1.5	1.6 x 14.5 x 20.5	brass 0.3	Sn	100/2.000
	2 12.01150-02	0.5-1	2.1 x 13.6 x 20.3	brass 0.32	Sn	100/2.000
	3 12.01160-02	0.5-1	2 x 11 x 17.6	brass 0.32	Sn	100/2.000
FOR WATER TEMPERATURE						
	4 12.01180-52	0.3-0.5	2.15 x 9.4 x 17.8	copper 0.125	Sn	100/2.000
FOR CONNECTOR PITCH 3,2						
	5 11.07960-32	0.5-1	1.6 x 11.7 x 29	bronze 0.35	Sn	50/1.000
BMW-VOLKSWAGEN-FORD						
	6 11.07970-32	0.5-1	1.6 x 11.7 x 20.3	bronze 0.35	Sn	50/1.000
BMW-VOLKSWAGEN-FORD						




Special Connection Terminals



	Part N°	Wire size mm ²	Dimensions mm	Material width mm	Treatment	
<p>1</p>	<p>11.04500-32 4500-32</p>	<p>0.5-1.5 SERIE 2.8</p>	<p>2.8 x 3.82 x 32.7</p>	<p>bronze 0.4</p>	<p>Sn</p>	<p>50/500 3.500</p>
<p>2</p>	<p>11.04510-32 4510-32</p>	<p>0.5-1.5 SERIE 2.8</p>	<p>2.8 x 8.7 x 19.9</p>	<p>bronze 0.4</p>	<p>Sn</p>	<p>50/1.000 3.500</p>
<p>3</p>	<p>11.05510-32 5510-32</p>	<p>0.5-1 SERIE 1.5</p>	<p>1.5 x 16.3 x 27.3</p>	<p>bronze 0.4</p>	<p>Sn</p>	<p>50/1.000 4.500</p>
<p>4</p>	<p>11.05500-32 5500-32</p>	<p>0.5-1 SERIE 1.5</p>	<p>1.5 x 6.3 x 16.4</p>	<p>bronze 0.4</p>	<p>Sn</p>	<p>50/1.000 3.800</p>




Special Connection Terminals



	Part N°	Wire size mm ²	Dimensions mm	Material width mm	Treatment	
1 	11.05600-02	0.35-0.5	1.5 x 7 x 16.5	brass 0.32	Sn	100/1.000
	11.05610-02	0.75-1.5	1.5 x 7 x 16.5	brass 0.32	Sn	100/1.000
2 	11.05640-02	0.35-0.5	1.5 x 7 x 16.5	brass 0.30	Sn	100/1.000
	11.05650-02	0.75-1.5	1.5 x 7 x 16.5	brass 0.30	Sn	100/1.000
3 	11.08280-02	0.35-1	0.8 x 2.8 26.7	brass 0.32	Sn	100/1.000
4 	11.05660-02	0.35-0.75	2.8 x 20.2	brass 0.35	Sn	100/1.000
	11.05670-02	1-2.5	2.8 x 20.2	brass 0.35	Sn	100/1.000




Special Connection Terminals




	Part N°	Wire size mm ²	Dimensions mm	Material width mm	Treatment	
	1 11.05550-32 5550-32	1-1.5	1.5 x 7 x 22.7 SERIE 1.5 SUPERSEAL	bronze 0.32	Sn	100/1.000 4.000
	2 11.05560-32 5560-32	1-1.5	1.5 x 7 x 16.5	bronze 0.3	Sn	100/1.000 3.500
	3 44.07510 45.07510	0.5-1.5	SERIE 2.8	silicon	-	50 5.000
	4 44.07530 45.07530	0.5-1.5	SERIE 1.5 SERIE 1.5 SUPERSEAL	silicon	-	50 5.000
	5 44.07740 45.07740	0.5-1.5	SERIE 1.5 SUPERSEAL	silicon	-	100 10.000



Copper Tube Terminals





Part N°	Wire size mm ²	Dimensions mm.			Bag		Master
		Ø D	B	L			
TD-1.5-4	1.5	4.3	8.0	17.0	100	3.000	24.000
TD-1.5-5	1.5	5.3	8.0	17.0	100	3.000	24.000
TD-2.5-4	2.5	4.3	8.0	18.0	100	2.000	16.000
TD-2.5-5	2.5	5.3	8.0	20.0	100	2.000	16.000
TD-2.5-6	2.5	6.4	9.0	20.0	100	2.000	16.000
TD-4-4	4.0	4.3	10.0	21.0	100	2.000	16.000
TD-4-5	4.0	5.3	10.0	21.0	100	2.000	16.000
TD-4-6	4.0	6.4	10.0	21.0	100	2.000	16.000
TD-6-4	6.0	4.3	10.0	23.0	100	1.000	8.000
TD-6-5	6.0	5.3	10.0	26.0	100	1.000	8.000
TD-6-6	6.0	6.4	10.0	26.0	100	1.000	8.000
TD-6-8	6.0	8.4	12.0	27.5	100	1.000	8.000
TD-6-10	6.0	10.5	16.0	34.0	100	1.000	8.000
TD-10-5	10.0	5.3	12.0	26.5	100	1.000	8.000
TD-10-6	10.0	6.4	12.0	26.5	100	1.000	8.000
TD-10-8	10.0	8.4	12.0	26.5	100	1.000	8.000
TD-10-10	10.0	10.5	18.0	35.5	100	800	6.400
TD-10-12	10.0	13.0	18.5	39.5	100	500	4.000
TD-16-4	16.0	4.3	12.4	31.0	100	800	6.400
TD-16-5	16.0	5.3	12.4	31.0	100	800	6.400
TD-16-6	16.0	6.4	12.4	31.0	100	800	6.400
TD-16-8	16.0	8.4	12.4	31.0	100	800	6.400
TD-16-10	16.0	10.5	15.0	33.0	100	600	4.800
TD-16-12	16.0	13.0	20.0	42.5	100	500	4.000
TD-25-5	25.0	5.3	14.0	32.0	100	500	4.000
TD-25-6	25.0	6.4	14.0	32.0	100	500	4.000
TD-25-8	25.0	8.4	18.0	34.0	100	500	4.000
TD-25-10	25.0	10.5	18.0	34.0	100	500	4.000
TD-25-12	25.0	13.0	20.0	45.0	100	400	3.200
TD-35-6	35.0	6.4	16.0	38.0	100	300	2.400




Copper Tube Terminals



	Part N°	Wire size mm ²	Dimensions mm.			Bag		Master
			Ø D	B	L			
	TD-35-8	35.0	8.4	16.0	38.0	100	300	2.400
	TD-35-10	35.0	10.5	17.5	40.5	100	300	2.400
	TD-35-12	35.0	13.0	18.0	47.5	100	200	1.600
	TD-50-6	50.0	6.4	18.0	43.0	50	200	1.600
	TD-50-8	50.0	8.4	18.0	43.0	50	200	1.600
	TD-50-10	50.0	10.5	18.0	43.0	50	200	1.600
	TD-50-12	50.0	13.0	18.0	51.5	50	200	1.600
	TD-50-14	50.0	15.0	25.0	55.5	50	150	1.200
	TD-50-16	50.0	17.0	26.0	59.5	50	100	800
	TD-70-6	70.0	6.4	21.8	50.0	50	100	800
	TD-70-8	70.0	8.4	21.8	50.0	50	100	800
	TD-70-10	70.0	10.5	21.8	50.0	50	100	800
	TD-70-12	70.0	13.0	21.8	50.0	50	100	800
	TD-70-14	70.0	15.0	21.8	59.0	50	100	800
	TD-70-16	70.0	17.0	26.0	63.0	50	100	800
	TD-95-5	95.0	5.3	25.0	57.0	50	100	800
	TD-95-6	95.0	6.4	25.0	57.0	50	100	800
	TD-95-8	95.0	8.4	25.0	57.0	50	100	800
	TD-95-10	95.0	10.5	25.0	57.0	50	100	800
	TD-95-12	95.0	13.0	25.0	57.0	50	100	800
TD-95-14	95.0	15.0	25.0	65.5	50	100	800	
TD-95-16	95.0	17.0	27.0	69.5	50	100	800	
TD-95-20	95.0	21.0	29.5	77.5	50	50	400	
TD-120-8	120.0	8.4	28.0	60.0	25	50	400	
TD-120-10	120.0	10.5	28.0	60.0	25	50	400	
TD-120-12	120.0	13.0	28.0	60.0	25	50	400	
TD-120-14	120.0	15.0	28.0	66.0	25	50	400	
TD-120-16	120.0	17.0	28.0	66.0	25	50	400	
TD-150-10	150.0	10.5	30.5	69.0	25	50	400	
TD-150-12	150.0	13.0	30.5	69.0	25	50	400	



Copper Tube Terminals





	Part Nº	Wire size mm ²	Dimensions mm.			Bag		Master
			Ø D	B	L			
	TD-150-14	150.0	15.0	30.5	69.0	25	50	400
	TD-150-16	150.0	17.0	30.5	69.0	25	50	400
	TD-150-20	150.0	21.0	30.5	69.0	25	50	400
	TD-185-10	185.0	10.5	34.0	79.0	10	40	320
	TD-185-12	185.0	13.0	34.0	79.0	10	40	320
	TD-185-14	185.0	15.0	34.0	79.0	10	40	320
	TD-185-16	185.0	17.0	34.0	79.0	10	40	320
	TD-185-20	185.0	21.0	34.0	79.0	10	40	320
	TD-240-10	240.0	10.5	38.0	93.0	10	20	160
	TD-240-12	240.0	13.0	38.0	93.0	10	20	160
	TD-240-14	240.0	15.0	38.0	93.0	10	20	160
	TD-240-16	240.0	17.0	38.0	93.0	10	20	160
	TD-240-18	240.0	19.0	38.0	93.0	10	20	160
	TD-240-20	240.0	21.0	38.0	93.0	10	20	160
	TD-300-12	300.0	13.0	43.0	100.0	10	20	-
	TD-300-14	300.0	15.0	43.0	100.0	10	20	-
	TD-300-16	300.0	17.0	43.0	100.0	10	20	-
	TD-300-18	300.0	19.0	43.0	100.0	10	20	-
	TD-300-20	300.0	21.0	43.0	100.0	10	20	-
	TD-400-12	400.0	13.0	52.0	116.0	5	15	-
	TD-400-16	400.0	17.0	52.0	116.0	5	15	-
	TD-400-18	400.0	19.0	52.0	116.0	5	15	-
	TD-400-20	400.0	21.0	52.0	116.0	5	15	-
	TD-500-16	500.0	17.0	56.0	126.0	5	10	-
	TD-500-18	500.0	19.0	56.0	126.0	5	10	-
	TD-500-20	500.0	21.0	56.0	126.0	5	10	-
	TD-630-18	630.0	17.0	65.0	140.0	2	10	-
	TD-630-20	630.0	21.0	65.0	140.0	2	10	-
	TD-800	800.0	-	73.5	170.0	1	1	-
	TD-1000	1000.0	-	81.0	200.0	1	1	-



Butt Connectors




	Part N°	Wire size mm ²	Dimensions mm.		L	Bag		Master
			Ø D	Ø d				
	TC-15	1.5	4.0	2.4	22.2	100	2.000	-
	TC-2.5	2.5	4.3	2.7	22.2	100	2.000	-
	TC-4	4.0	5.0	3.3	25.0	100	1.000	-
	TC-6	6.0	5.5	3.8	25.0	100	1.000	-
	TC-10	10.0	6.9	4.4	25.0	100	1.000	-
	TC-16	16.0	8.0	5.6	29.0	100	500	-
	TC-25	25.0	9.5	7.1	29.0	100	200	-
	TC-35	35.0	11.0	8.2	35.0	100	200	-
	TC-50	50.0	12.5	9.5	35.0	50	100	-
	TC-70	70.0	15.0	11.5	45.0	50	100	-
	TC-95	95.0	17.0	13.5	47.0	50	50	-
	TC-120	120.0	20.0	15.6	52.0	25	50	-
	TC-150	150.0	21.0	16.5	59.1	25	50	-
	TC-185	185.0	25.4	20.2	65.0	25	25	-
	TC-240	240.0	28.5	22.1	75.0	10	20	-
	TC-300	300.0	31.7	24.3	90.0	10	20	-
	TC-400	400.0	34.8	26.8	90.0	5	10	-
TC-500	500.0	39.0	30.0	100.0	5	10	-	
TC-630	630.0	45.0	35.0	110.0	2	10	-	
TC-800	800.0	50.6	39.0	150.0	1	1	-	
TC-1000	1000.0	56.2	43.0	170.0	1	1	-	





Non Insulated Pin Terminals



Non Insulated Ring Term. DIN 46234



**DIN 46230
BRAZED SEAM**



**DIN 46234
BRAZED SEAM**

1	Part N°	Wire size mm ²	Dimensions mm.							Material	Treatment	
			W	F	L	E	D	d1	h			
	PD-10-12	10	4.3	12.0	22.0	8.0	6.9	4.5	2.4	copper 1.1	Sn	100
	PD-16-13	16	5.5	13.0	26.0	10.0	8.4	5.8	2.6	copper 1.2	Sn	100
	PD-25-15	25	6.8	15.0	33.5	13.5	9.5	7.0	2.6	copper 1.2	Sn	50
	PD-35-20	35	8.0	20.0	40.5	16.0	11.8	8.4	3.2	copper 1.5	Sn	50
	PD-50-20	50	9.5	20.0	45.0	19.0	13.6	9.6	3.8	copper 1.8	Sn	50
	PD-70-25	70	11.0	23.5	55.0	24.0	15.8	11.4	4.2	copper 2.0	Sn	50
	PD-95-25	95	12.5	23.5	55.0	24.0	18.9	13.5	5.2	copper 2.5	Sn	25

2	Part N°	Wire size mm ²	Dimensions mm.					"S" Material width	Treatment		
			Ød2	Ød3	l	a	c				d1
	D-2.2-0.5	0.2-0.5	2.2	5.0	10.0	4.0	2.0	1.0	copper 0.5	Sn	1.000
	D-2.7-0.5		2.7	5.0	10.0	4.0	2.0	1.0	copper 0.5	Sn	1.000
	D-3.2-0.5		3.2	5.0	10.0	4.0	2.0	1.0	copper 0.5	Sn	1.000
	D-3.7-0.5		3.7	6.0	12.0	4.0	2.0	1.0	copper 0.5	Sn	1.000
	D-4.3-0.5		4.3	6.5	12.0	4.0	2.0	1.0	copper 0.5	Sn	1.000
	D-5.3-0.5		5.3	8.0	12.0	4.0	2.0	1.0	copper 0.5	Sn	1.000
	D-2.2-1	0.5-1.5	2.2	6.0	11.0	5.0	4.0	1.6	copper 0.8	Sn	1.000
	D-2.7-1		2.7	6.0	11.0	5.0	4.0	1.6	copper 0.8	Sn	1.000
	D-3.2-1		3.2	6.0	11.0	5.0	4.0	1.6	copper 0.8	Sn	1.000
	D-3.7-1		3.7	6.0	11.0	5.0	4.0	1.6	copper 0.8	Sn	1.000
	D-4.3-7-1		4.3	7.0	11.5	5.0	4.0	1.6	copper 0.8	Sn	1.000
	D-4.3-1		4.3	8.0	12.0	5.0	4.0	1.6	copper 0.8	Sn	1.000
	D-5.3-8-1		5.3	8.0	12.5	5.0	4.0	1.6	copper 0.8	Sn	1.000
	D-5.3-1		5.3	10.0	13.0	5.0	4.0	1.6	copper 0.8	Sn	1.000
	D-6.5-10-1		6.5	10.0	13.0	5.0	4.0	1.6	copper 0.8	Sn	1.000
	D-6.5-1		6.5	11.0	15.0	5.0	4.0	1.6	copper 0.8	Sn	1.000
	D-8.4-1		8.4	14.0	17.0	5.0	4.0	1.6	copper 0.8	Sn	1.000
	D-10.5-14-1		10.5	14.0	17.0	5.0	4.0	1.6	copper 0.8	Sn	1.000
	D-10.5-18-1		10.5	18.0	19.0	5.0	4.0	1.6	copper 0.8	Sn	1.000




Non Insulated Ring Terminals DIN 46234



Part Nº	Wire size mm ²	Dimensions mm.		l	a	c	d1	"S" Material width	Treatment	
		Ød2	Ød3							
D-3.2-2.5	1.5-2.5	3.2	6.0	11.0	5.0	4.5	2.3	copper 0.8	Sn	1.000
D-3.7-2.5		3.7	6.0	11.0	5.0	4.5	2.3	copper 0.8	Sn	1.000
D-4.3-6.8-2.5		4.3	6.8	11.6	5.0	4.5	2.3	copper 0.8	Sn	1.000
D-4.3-2.5		4.3	8.0	12.0	5.0	4.5	2.3	copper 0.8	Sn	1.000
D-5.3-8.0-2.5		5.3	8.0	13.5	5.0	4.5	2.3	copper 0.8	Sn	1.000
D-5.3-2.5		5.3	10.0	14.0	5.0	4.5	2.3	copper 0.8	Sn	1.000
D-6.5-2.5		6.5	11.0	16.0	5.0	4.5	2.3	copper 0.8	Sn	1.000
D-8.4-2.5		8.4	14.0	17.0	5.0	4.5	2.3	copper 0.8	Sn	1.000
D-10.5-15-2.5		10.5	15.0	17.0	5.0	4.5	2.3	copper 0.8	Sn	1.000
D-10.5-18-2.5		10.5	18.0	18.5	5.0	4.5	2.3	copper 0.8	Sn	1.000
D-13.0-2.5		13.0	18.0	20.0	5.0	4.5	2.3	copper 0.8	Sn	1.000
D-4-6	2.5-6	4.3	8.0	14.0	6.0	6.0	3.6	copper 1.0	Sn	1.000
D-5-6		5.3	10.0	15.0	6.0	6.0	3.6	copper 1.0	Sn	1.000
D-6-6		6.5	11.0	16.0	6.0	6.0	3.6	copper 1.0	Sn	1.000
D-8-6		8.4	14.0	19.0	6.0	6.0	3.6	copper 1.0	Sn	1.000
D-10-6		10.5	18.0	21.0	6.0	6.0	3.6	copper 1.0	Sn	500
D-12-6		13.0	18.0	21.0	6.0	6.0	3.6	copper 1.0	Sn	500
D-5-10	10	5.3	10.0	16.0	8.0	8.0	4.5	copper 1.1	Sn	500
D-6-10		6.5	11.0	17.0	8.0	8.0	4.5	copper 1.1	Sn	500
D-8-10		8.4	14.0	20.0	8.0	8.0	4.5	copper 1.1	Sn	500
D-10-10		10.5	18.0	21.0	8.0	8.0	4.5	copper 1.1	Sn	500
D-12-10		13.0	22.0	23.0	8.0	8.0	4.5	copper 1.1	Sn	500
D-5-16	16	5.3	11.0	20.0	10.0	10.5	5.8	copper 1.2	Sn	500
D-6-16		6.5	11.0	20.0	10.0	10.5	5.8	copper 1.2	Sn	500
D-8-16		8.4	14.0	22.0	10.0	10.5	5.8	copper 1.2	Sn	500
D-10-16		10.5	18.0	24.0	10.0	10.5	5.8	copper 1.2	Sn	500
D-12-16		13.0	22.0	26.0	10.0	10.5	5.8	copper 1.2	Sn	250
D-5-25	25	5.3	12.0	25.0	11.0	12.0	7.5	copper 1.5	Sn	50
D-6-25		6.5	12.0	25.0	11.0	12.0	7.5	copper 1.5	Sn	50
D-8-25		8.4	16.0	25.0	11.0	12.0	7.5	copper 1.5	Sn	50
D-10-25		10.5	18.0	26.0	11.0	12.0	7.5	copper 1.5	Sn	50
D-12-25		13.0	22.0	31.0	11.0	12.0	7.5	copper 1.5	Sn	50
D-16-25		17.0	28.0	35.0	11.0	12.0	7.5	copper 1.5	Sn	50


Non Insulated Ring Terminals DIN 46234



Part N°	Wire size mm ²	Dimensions mm.			a	c	d1	"S" Material width	Treatment	
		Ød2	Ød3	l						
D-6-35	35	6.5	15.0	26.0	12.0	15.0	9.0	copper 1.6	Sn	50
D-8-35		8.4	16.0	26.0	12.0	15.0	9.0	copper 1.6	Sn	50
D-10-35		10.5	18.0	27.0	12.0	15.0	9.0	copper 1.6	Sn	50
D-12-35		13.0	22.0	31.0	12.0	15.0	9.0	copper 1.6	Sn	50
D-16-35		17.0	28.0	36.0	12.0	15.0	9.0	copper 1.6	Sn	50
D-6-50	50	6.5	18.0	34.0	16.0	17.0	11.0	copper 1.8	Sn	50
D-8-50		8.4	18.0	34.0	16.0	17.0	11.0	copper 1.8	Sn	50
D-10-50		10.5	18.0	34.0	16.0	17.0	11.0	copper 1.8	Sn	50
D-12-50		13.0	22.0	36.0	16.0	17.0	11.0	copper 1.8	Sn	50
D-16-50		17.0	28.0	40.0	16.0	17.0	11.0	copper 1.8	Sn	50
D-6-70	70	6.5	22.0	38.0	18.0	21.0	13.0	copper 2.0	Sn	50
D-8-70		8.4	22.0	38.0	18.0	21.0	13.0	copper 2.0	Sn	50
D-10-70		10.5	22.0	38.0	18.0	21.0	13.0	copper 2.0	Sn	50
D-12-70		13.0	22.0	38.0	18.0	21.0	13.0	copper 2.0	Sn	50
D-16-70		17.0	28.0	42.0	18.0	21.0	13.0	copper 2.0	Sn	50
D-8-95	95	8.4	24.0	42.0	20.0	23.0	15.0	copper 2.5	Sn	25
D-10-95		10.5	24.0	42.0	20.0	23.0	15.0	copper 2.5	Sn	25
D-12-95		13.0	24.0	42.0	20.0	23.0	15.0	copper 2.5	Sn	25
D-16-95		17.0	28.0	44.0	20.0	23.0	15.0	copper 2.5	Sn	25
D-8-120	120	8.4	24.0	44.0	22.0	24.0	16.5	copper 3.0	Sn	25
D-10-120		10.5	24.0	44.0	22.0	24.0	16.5	copper 3.0	Sn	25
D-12-120		13.0	24.0	44.0	22.0	24.0	16.5	copper 3.0	Sn	25
D-16-120		17.0	28.0	48.0	22.0	24.0	16.5	copper 3.0	Sn	25
D-10-150	150	10.5	30.0	50.0	24.0	28.0	19.0	copper 3.2	Sn	25
D-12-150		13.0	30.0	50.0	24.0	28.0	19.0	copper 3.2	Sn	25
D-16-150		17.0	30.0	50.0	24.0	28.0	19.0	copper 3.2	Sn	25
D-10-185	185	10.5	36.0	50.0	28.0	33.0	21.0	copper 3.5	Sn	25
D-12-185		13.0	36.0	50.0	28.0	33.0	21.0	copper 3.5	Sn	25
D-16-185		17.0	36.0	50.0	28.0	33.0	21.0	copper 3.5	Sn	25
D-10-240	240	10.5	38.0	56.0	32.0	36.0	23.5	copper 4.0	Sn	25
D-12-240		13.0	38.0	56.0	32.0	36.0	23.5	copper 4.0	Sn	25
D-16-240		17.0	38.0	56.0	32.0	36.0	23.5	copper 4.0	Sn	25



Non Insulated Butt Connectors



Part N°	Wire section mm ²	AWG/MCM	Dimensions mm.			Material width mm	Treatment	
			L	ØD	Ød			
B-0.5	0.25-0.75	22-18	11.5	2.6	1.4	copper 0.4	Sn	1.000
B-1.25	0.25-1.65	22-16	15.0	3.3	1.7	copper 0.8	Sn	1.000
B-2	1.04-2.63	16-14	15.0	4.1	2.3	copper 0.8	Sn	1.000
B-5.5	2.63-6.64	12-10	15.0	5.4	3.4	copper 1.0	Sn	1.000
B-8	6.64-10.52	8	21.0	7.0	4.5	copper 1.2	Sn	100
B-14	10.52-16.78	6	26.0	8.9	5.8	copper 1.5	Sn	100
B-22	16.78-26.66	4	29.0	11.3	7.7	copper 1.75	Sn	100
B-38	26.66-42.42	2	32.0	13.2	9.4	copper 1.85	Sn	100
B-60	42.42-60.57	1/0	36.0	15.3	11.4	copper 1.95	Sn	50
B-70	60.57-76.28	2/0	36.0	17.5	13.3	copper 2.1	Sn	50
B-80	76.28-96.3	3/0	38.0	19.5	14.5	copper 2.5	Sn	50
B-100	96.3-117.2	4/0	38.0	22.1	16.4	copper 2.85	Sn	20
B-150	117.2-152.05	MCM-250-300	54.0	26.4	19.5	copper 3.45	Sn	20
B-180	152.05-192.6	MCM-300-350	55.0	28.5	21.0	copper 3.75	Sn	10
B-200	192.6-242.27	MCM-400	63.0	32.4	24.0	copper 4.20	Sn	10
B-325	242.27-325	MCM-500-600	72.0	37.0	28.0	copper 4.50	Sn	5






Non Insulated Parallel Connectors




Part N°	Wire section mm ²	AWG/MCM	Dimensions mm.			Material width mm	Treatment	
			L	ØD	Ød			
1 P-0.5	0.25-0.75	22-18	8.0	2.6	1.4	copper 0.4	Sn	2.000
P-1.25	0.25-1.65	22-16	8.0	3.3	1.7	copper 0.8	Sn	1.000
P-2	1.04-2.63	16-14	8.0	4.1	2.3	copper 0.8	Sn	1.000
P-5.5	2.63-6.64	12-10	8.5	5.4	3.4	copper 1.0	Sn	1.000
P-8	6.64-10.52	8	9.5	7.0	4.5	copper 1.2	Sn	1.000
P-14	10.52-16.78	6	11.0	8.9	5.8	copper 1.5	Sn	1.000
P-22	16.78-26.66	4	13.5	11.3	7.7	copper 1.75	Sn	100
P-38	26.66-42.42	2	16.5	13.2	9.4	copper 1.85	Sn	100
P-60	42.42-60.57	1/0	19.0	15.3	11.4	copper 1.95	Sn	50
P-70	60.57-76.28	2/0	19.0	17.5	13.3	copper 2.1	Sn	50
P-80	76.28-96.3	3/0	19.5	19.5	14.5	copper 2.5	Sn	50
P-100	96.3-117.2	4/0	20.0	22.1	16.4	copper 2.85	Sn	50
P-150	117.2-152.05	MCM-250-300	27.0	26.4	19.5	copper 3.45	Sn	20
P-180	152.05-192.6	MCM-300-350	28.5	28.5	21.0	copper 3.75	Sn	10
P-200	192.6-242.27	MCM-400	32.0	32.4	24.0	copper 4.20	Sn	10
P-325	242.27-325	MCM-500-600	37.0	37.0	28.0	copper 4.50	Sn	5





Non Insulated Copper End Sleeves



DIN 46228/1

Part Nº	Wire section mm ²	Dimensions mm.						Part Nº	Wire section mm ²	Dimensions mm.					
		D1	D2	S	L				D1	D2	S	L			
P-0.25-5	0.25	0.8	1.7	0.15	5	1000/10000	P-2.50-20	2.50	2.2	3.4	0.15	20	1000/10000		
P-0.25-7	0.25	0.8	1.7	0.15	7	1000/10000	P-4.00-8	4.00	2.8	4.0	0.20	8	1000/10000		
P-0.34-5	0.34	0.8	1.8	0.15	5	1000/10000	P-4.00-10	4.00	2.8	4.0	0.20	10	1000/10000		
P-0.34-7	0.34	0.8	1.8	0.15	7	1000/10000	P-4.00-12	4.00	2.8	4.0	0.20	12	1000/10000		
P-0.50-6	0.50	1.0	2.1	0.15	6	1000/25000	P-4.00-18	4.00	2.8	4.0	0.20	18	1000/10000		
P-0.50-8	0.50	1.0	2.1	0.15	8	1000/25000	P-4.00-20	4.00	2.8	4.0	0.20	20	1000/10000		
P-0.50-10	0.50	1.0	2.1	0.15	10	1000/25000	P-6.00-10	6.00	3.5	4.7	0.20	10	250/5000		
P-0.50-12	0.50	1.0	2.1	0.15	12	1000/25000	P-6.00-12	6.00	3.5	4.7	0.20	12	250/5000		
P-0.75-6	0.75	1.2	2.3	0.15	6	1000/25000	P-6.00-18	6.00	3.5	4.7	0.20	18	250/3000		
P-0.75-8	0.75	1.2	2.3	0.15	8	1000/25000	P-6.00-20	6.00	3.5	4.7	0.20	20	250		
P-0.75-10	0.75	1.2	2.3	0.15	10	1000/25000	P-10.00-12	10.00	4.5	5.8	0.20	12	250/3000		
P-0.75-12	0.75	1.2	2.3	0.15	12	1000/25000	P-10.00-15	10.00	4.5	5.8	0.20	15	250/3000		
P-0.75-20	0.75	1.2	2.3	0.15	20	1000/25000	P-10.00-18	10.00	4.5	5.8	0.20	18	250/3000		
P-1.00-6	1.00	1.4	2.5	0.15	6	1000/10000	P-16.00-12	16.00	5.8	7.5	0.20	12	250/2000		
P-1.00-8	1.00	1.4	2.5	0.15	8	1000/10000	P-16.00-15	16.00	5.8	7.5	0.20	15	250/3000		
P-1.00-10	1.00	1.4	2.5	0.15	10	1000/10000	P-16.00-18	16.00	5.8	7.5	0.20	18	250/3000		
P-1.00-12	1.00	1.4	2.5	0.15	12	1000/10000	P-16.00-20	16.00	5.8	7.5	0.20	20	250		
P-1.00-20	1.00	1.4	2.5	0.15	20	1000/10000	P-16.00-25	16.00	5.8	7.5	0.20	25	250		
P-1.50-6	1.50	1.7	2.8	0.15	6	1000/10000	P-25.00-12	25.00	7.3	9.5	0.20	12	250/1000		
P-1.50-8	1.50	1.7	2.8	0.15	8	1000/10000	P-25.00-15	25.00	7.3	9.5	0.20	15	250/1000		
P-1.50-10	1.50	1.7	2.8	0.15	10	1000/10000	P-25.00-18	25.00	7.3	9.5	0.20	18	250/1000		
P-1.50-12	1.50	1.7	2.8	0.15	12	1000/10000	P-25.00-20	25.00	7.3	9.5	0.20	20	250/1000		
P-1.50-20	1.50	1.7	2.8	0.15	20	1000/10000	P-25.00-25	25.00	7.3	9.5	0.20	25	100/500		
P-2.50-6	2.50	2.2	3.4	0.15	6	1000/10000	P-35.00-12	35.00	8.3	11.0	0.20	12	100/500		
P-2.50-8	2.50	2.2	3.4	0.15	8	1000/10000	P-35.00-15	35.00	8.3	11.0	0.20	15	100/500		
P-2.50-10	2.50	2.2	3.4	0.15	10	1000/10000	P-35.00-18	35.00	8.3	11.0	0.20	18	100/500		
P-2.50-12	2.50	2.2	3.4	0.15	12	1000/10000	P-35.00-20	35.00	8.3	11.0	0.20	20	100/500		



Non Insulated Copper End Sleeves




DIN 46228/1

Part N°	Wire section mm ²	Dimensions mm.				L	
		D1	D2	S			
P-35.00-25	35.00	8.3	11.0	0.20	25	100/500	
P-50.00-18	50.00	10.3	13.0	0.30	18	100/500	
P-50.00-20	50.00	10.3	13.0	0.30	20	100/500	
P-50.00-22	50.00	10.3	13.0	0.30	22	100/500	
P-50.00-25	50.00	10.3	13.0	0.30	25	100/500	
P-70.00-22	70.00	12.5	15.0	0.40	22	100	
P-70.00-25	70.00	12.5	15.0	0.40	25	100/200	
P-70.00-32	70.00	12.5	15.0	0.40	32	100	
P-95.00-25	95.00	14.5	17.0	0.40	25	100	
P-95.00-32	95.00	14.5	17.0	0.40	32	100	
P-120.00-20	120.00	15.0	17.5	0.50	20	100	
P-120.00-30	120.00	15.0	17.5	0.50	30	100	
P-150.00-20	150.00	17.0	19.5	0.50	20	100	
P-150.00-30	150.00	17.0	19.5	0.50	30	100	




Wire Sets



TERMINAL MATERIAL: BRASS

	Part N°	Description	L mm	
	DEF-15039	1 Pcs. Bullet Disconnects + 2 Pcs. Receptacle Disconnects	3.366	50/500
	DEF-15040	2 Pcs. Bullet Disconnects + 1 Pcs. Receptacle Disconnects	3.268	50/500

Wire Sets



TERMINAL MATERIAL: BRASS

	Part N°	Description	L mm	
	DEF-15063	1 Pcs. 250 Male Disconnects + 2 Pcs. 250 Female Disconnects	3.307	50/500
	DEF-15635	2 Pcs. 250 Male Disconnects + 1 Pcs. 250 Female Disconnects	3.366	50/500



Battery Terminals

		<table border="1"> <thead> <tr> <th>Part Nº</th> <th>Polarity</th> <th>Application</th> <th></th> </tr> </thead> <tbody> <tr> <td>TR-3520</td> <td>+</td> <td>Renault type</td> <td>25</td> </tr> <tr> <td>TR-3521</td> <td>-</td> <td>Renault type</td> <td>25</td> </tr> </tbody> </table>	Part Nº	Polarity	Application		TR-3520	+	Renault type	25	TR-3521	-	Renault type	25
Part Nº	Polarity	Application												
TR-3520	+	Renault type	25											
TR-3521	-	Renault type	25											
		<table border="1"> <tbody> <tr> <td>TR-3530</td> <td>+</td> <td>Renault type</td> <td>25</td> </tr> <tr> <td>TR-3531</td> <td>-</td> <td>Renault type</td> <td>25</td> </tr> </tbody> </table>	TR-3530	+	Renault type	25	TR-3531	-	Renault type	25				
TR-3530	+	Renault type	25											
TR-3531	-	Renault type	25											
		<table border="1"> <tbody> <tr> <td>TR-3540</td> <td>+</td> <td>Renault type</td> <td>25</td> </tr> <tr> <td>TR-3541</td> <td>-</td> <td>Renault type</td> <td>25</td> </tr> </tbody> </table>	TR-3540	+	Renault type	25	TR-3541	-	Renault type	25				
TR-3540	+	Renault type	25											
TR-3541	-	Renault type	25											
		<table border="1"> <tbody> <tr> <td>XB-1107</td> <td>+</td> <td>universal reinforced</td> <td>25</td> </tr> <tr> <td>XB-2107</td> <td>-</td> <td>universal reinforced</td> <td>25</td> </tr> </tbody> </table>	XB-1107	+	universal reinforced	25	XB-2107	-	universal reinforced	25				
XB-1107	+	universal reinforced	25											
XB-2107	-	universal reinforced	25											
		<table border="1"> <tbody> <tr> <td>XB-1108</td> <td>+</td> <td>heavy duty marine applications</td> <td>25</td> </tr> <tr> <td>XB-2108</td> <td>-</td> <td>heavy duty marine applications</td> <td>25</td> </tr> </tbody> </table>	XB-1108	+	heavy duty marine applications	25	XB-2108	-	heavy duty marine applications	25				
XB-1108	+	heavy duty marine applications	25											
XB-2108	-	heavy duty marine applications	25											



Battery Terminals



Part N°	Polarity	Application	
XB-1109	+	universal reinforced O°	25
XB-2109	-	universal reinforced O°	25



XB-1110	+	universal	25
XB-2110	-	universal	25



XB-1111	+	universal reinforced (extra)	25
XB-2111	-	universal reinforced (extra)	25



XB-1112	+	universal reinforced	25
XB-2112	-	universal reinforced	25



XB-1113	+	Ford type / universal	25
XB-2113	-	Ford type / universal	25



Battery Terminals



Part Nº	Polarity	Application	
XB-1114	+	universal reinforced	25
XB-2114	-	universal reinforced	25



XB-1115	+	heavy duty (industrial vehicles)	25
XB-2115	-	heavy duty (industrial vehicles)	25



XB-1116	+	marine / universal patent	25
XB-2116	-	marine / universal patent	25



XB-1000	+/-	Set of rustproof washers	100
----------------	-----	-----------------------------	-----



Earth Connections




	Part N°	Polarity	Length mm	Section trenza mm ²	
1 Battery — Earth	CMB-150-52	—	20	150	10
	CMB-200-52		20	200	10
	CMB-250-52		20	250	10
	CMB-300-52		20	300	10
	CMB-350-52		20	350	10
	CMB-400-52		20	400	10
	CMB-450-52		20	450	10
	CMB-500-52		20	500	10
	CMB-550-52		20	550	10
	CMB-600-52		20	600	10
	CMB-800-52		20	800	10
	CMB-1000-52		20	1000	10
2 Engine — Earth	CMF-150-52		20	150	10
	CMF-200-52		20	200	10
	CMF-250-52		20	250	10
	CMF-300-52		20	300	10
	CMF-350-52		20	350	10
	CMF-400-52		20	400	10
	CMF-450-52		20	450	10
	CMF-500-52		20	500	10
	CMF-550-52		20	550	10
	CMF-600-52		20	600	10
	CMF-800-52		20	800	10
	CMF-1000-52		20	1000	10



Soldering Terminals



**MATERIAL: CuZn
S/UNE 37104/8**



Part Nº	Wire range mm	Dimensions			Treatment	
		Ø D	C	L		
TI-1-036	1	3.6	8.5	16.0	Tin plated Sn	100/2000
TI-1-042	1	4.2	8.5	16.0	Tin plated Sn	100/2000
TI-2-046	2	4.6	9.5	16.0	Tin plated Sn	100/2000
TI-2-052	2	5.2	9.5	16.0	Tin plated Sn	100/2000
TI-3-053	3	5.3	10.0	18.0	Tin plated Sn	100/2000
TI-3-063	3	6.3	10.0	18.0	Tin plated Sn	100/2000
TI-4-060	4	6.0	11.0	20.0	Tin plated Sn	100/2000
TI-6-060	6	6.0	13.0	27.0	Tin plated Sn	100/1000
TI-10-065	10	6.5	14.0	28.0	Tin plated Sn	100/1000
TI-10-085	10	8.5	14.0	28.0	Tin plated Sn	100/1000
TI-10-105	10	10.5	14.0	28.0	Tin plated Sn	100/1000
TI-16-065	16	6.5	19.0	40.0	Tin plated Sn	100/500
TI-16-085	16	8.5	19.0	40.0	Tin plated Sn	100/500
TI-16-105	16	10.5	19.0	40.0	Tin plated Sn	100/500
TI-25-088	25	8.8	19.0	40.0	Tin plated Sn	100/400
TI-35-088	35	8.8	22.0	50.0	Tin plated Sn	100/200
TI-50-100	50	10.0	22.0	50.0	Tin plated Sn	100/200
TI-70-113	70	11.3	26.0	60.0	Tin plated Sn	100