


CATALOGUE



SAVOY
TECHNOLOGY

FRANCE - QUINCY VOISINS



TERMINALS TABS CONNECTORS





1,5 TAB

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
27020	0.3-0.6	AWG 16-14	1,5	0,8	29,55	11,3	✓	✕		CuZn	123	Sn	178	Q	12,5	4 500
27019	0.5-1.0	AWG 20-18	1,5	0,8	29,55	11,3	✓	✕		CuZn	123	Sn	178	Q	12,5	5 000
27021 <i>(On inquiry)</i>	0.75-1.5	AWG 18-16	1,5	0,8	29,55	11,3	✓	✕		CuZn	123	Sn	178	Q	12,5	3 400
27022 <i>(On inquiry)</i>	1.5-2.5	AWG 16-14	1,5	0,8	29,55	11,3	✓	✕		CuZn	123	Sn	178	Q	12,5	3 100
27029	Flex	Flex	1,5	0,8						CuFe	331	Sn	178	Q		8 000

*All other material and finishing
on inquiry*

✕	SANS
✓	STANDARD
🔒	VERROU SECURITE
🔒	VERROUILLAGE DEFINITIF

B = BULK
L = LONGITUDINAL
Q = QUER



RECEPTACLES FOR TAB WIDTH 2,8

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
25462	0.5-1.0	AWG 20-18	2,8	0,4	12,5	5,0		✓ DIN	≈ DIN 46247	CuZn	123	Sn	211	L	14,5	10 000
25682	0.1-0.3	AWG 26-24	2,8	0,5	12,5	5,0		✓ DIN	≈ DIN 46330	CuZn	123	Sn	211	L	14,5	20 000
25029	0.5-1.0	AWG 20-18	2,8	0,5	12,5	5,0		✓ DIN	≈ DIN 46247	CuZn CuSn	123 213	- Sn	204 011	L	14,5	10 000
45029	0.5-1.0	AWG 20-18	2,8	0,5	12,5	5,0		✓ DIN	≈ DIN 46247	CuZn	123	Sn	211	B		6 500
25194	0.1-0.5	AWG 26-22	2,8	0,5	14,0	6,3			≈ DIN 46330	CuZn	123	-	204	L	16,0	10 000
26110	0.5-1.0	AWG 20-18	2,8	0,5	14,0	6,3		✓ DIN	≈ DIN 46330	CuZn	123	Sn	211	L	16,0	13 000
25415	0.5-1.0	AWG 20-18	2,8	0,5	14,0	6,3		✓ DIN	DIN 46247 Teil 1 Form A	CuZn CuSn	123 213	Sn Sn	211 011	L	16,0	13 000
45415	0.5-1.0	AWG 20-18	2,8	0,5	14,0	6,3		✓ DIN	DIN 46247 Teil 1 Form A	CuSn	213	Sn	11	B		5 000
25548	0.1-0.3	AWG 24-26	2,8	0,8	12,5	5,0		✓ DIN	DIN 46330 Teil 2 Form A	CuZn CuZn	123 123	- Sn	204 211	L	14,5	20 000
25036	0.5-1.0	AWG 20-18	2,8	0,8	12,5	5,0		✓ DIN	DIN 46247 Teil 1 Form B	CuZn CuZn CuSn St	123 123 213 417	- Sn Sn Ni	204 211 011 031	L	14,5	10 000
45036	0.5-1.0	AWG 20-18	2,8	0,8	12,5	5,0		✓ DIN	DIN 46247 Teil 1 Form B	CuZn	123	- Sn	211	B		6 000
25325	0.1-0.3	AWG 26-24	2,8	0,8	14,0	6,3		✓ DIN	≈ DIN 46330	CuZn CuSn	123 213	Sn Sn	211 011	L	16,0	10 000
25103	0.5-1.0	AWG 20-18	2,8	0,8	14,0	6,3		✓ CEI	≈ DIN 46247	CuZn	123	-	204	L	16,0	13 000
25365	0.5-1.0	AWG 20-18	2,8	0,8	14,0	6,3		✓ DIN	DIN 46247 Teil 1 Form B	CuZn CuZn CuSn	123 124 213	- Sn Sn	204 186 211	L	16,0	13 000
45365	0.5-1.0	AWG 20-18	2,8	0,8	14,0	6,3		✓ DIN	DIN 46247 Teil 1 Form B	CuZn	123	Sn	211	B		5 000
25572	0.75-1.5	AWG 18-16	2,8	0,8	14,0	6,3		✓ DIN	≈ DIN 46247	CuZn	123	Sn	211	L	16,0	13 000

*All other material and
finishing on inquiry*

✕	SANS
✓	STANDARD
🔒	VERROU SECURITE
🔒	VERROUILLAGE DEFINITIF

B = BULK
L = LONGITUDINAL
Q = QUER



RECEPTACLES FOR TAB WIDTH 2,8

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
22033	0,5-1,0	AWG 20-18	2,8	0,5	14,0	6,3		✓ CEI		CuZn	123	Sn	178	L	16,0	10 000
22137	0.35	AWG 22	2,8	0,8	14,0	6,3		✓ CEI		CuSn	213	Sn	011	L	16,0	10 000
22034	0,5-1,0	AWG 20-18	2,8	0,8	14,0	6,3		✓ CEI		CuZn	123	Sn	178	L	16,0	10 000



RECEPTACLES FOR TAB WIDTH 2,8 WITH LOCKING TAB

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
22264	0,2-0,38	AWG 22	2,8	0,5	14,0	6,3		🔒 CEI		CuZn	124	Sn	186	L	16,0	10 000
25512	0,5-1,0	AWG 20-18	2,8	0,5	14,0	6,3		🔒 CEI		CuZn	123	-	204	L	16,0	10 000
27007	0,5-1,0	AWG 20-18	2,8	0,6	14,0	6,3		🔒 CEI		CuZn	123	Sn	211	L	16,0	10 000
22245	0,2-0,38	AWG 22	2,8	0,8	14,0	6,3		🔒 CEI		CuZn	124	Sn	186	L	16,0	13 000
25286	0,5-1,0	AWG 20-18	2,8	0,8	14,0	6,3		🔒 CEI		CuZn	123	Sn	211	L	16,0	10 000



RECEPTACLES WITH SOFT INSERTION FOR TAB WIDTH 2,8

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
27006 (On inquiry)	0,14-0,6	AWG 26-20	2,8	0,5	14,0	6,7	✓	✓ CEI		CuZn	124	-	009	L	16,0	10 000
22091	0,5-1,0	AWG 20-18	2,8	0,5	14,0	6,7	✓	✓ DIN	DIN 46247 Teil 1 Form B	CuZn	124	-	009	L	16,0	10 000
22093	0,5-1,0	AWG 20-18	2,8	0,5	14,0	6,7	✓	✓ CEI	≈ DIN 46247	CuZn	124	-	009	L	16,0	10 000

*All other material and
finishing on inquiry*

✗	SANS
✓	STANDARD
🔒	VERROU SECURITE
🔒	VERROUILLAGE DEFINITIF

B = BULK
L = LONGITUDINAL
Q = QUER



RECEPTACLES FOR TAB WIDTH 2,8 TO ENGAGE IN HOUSINGS

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
26134	0,1-0,25	AWG 26-24	2,8	0,5	14,0	6,3	✓		≈ DIN 46340	CuZn	123	Sn	178	L	16,0	10 000
26415	0.5-1.0	AWG 20-18	2,8	0,5	14,0	6,3	✓		DIN 46340 Teil 1 Form A	CuZn CuZn	123 124	- Sn	204 186	L	16,0	13 000
46415	0.5-1.0	AWG 20-18	2,8	0,5	14,0	6,3	✓		DIN 46340 Teil 1 Form A	CuZn	123	Sn	211	B		5 000
22246	0.3-0.6	AWG 24-22	2,8	0,8	14,0	6,3	✓		≈ DIN 46340	CuZn	124	Sn	186	L	16,0	13 000
26164	0,1-0,25	AWG 26-24	2,8	0,8	14,0	6,3	✓		≈ DIN 46340	CuZn	123	Sn	211	L	16,0	10 000
26365	0.5-1.0	AWG 20-18	2,8	0,8	14,0	6,3	✓		DIN 46340 Teil 1 Form B	CuZn CuSn	124 213	Sn -	186 004	L	16,0	13 000



RECEPTACLES FOR TAB WIDTH 2,8

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
25363	0.5-1.0	AWG 20-18	2,8	0,5	9,6	5,0		✓ DIN	DIN 46330	CuZn	123	Sn	211	L	11,6	10 000
25267	0.5-1.0	AWG 20-18	2,8	0,8	9,6	5,0		✓ DIN	DIN 46330	CuZn CuZn	123 123	- Sn	204 211	L	11,6	10 000

*All other material and
finishing on inquiry*

✕	SANS
✓	STANDARD
🔒	VERROU SECURITE
🔒	VERROUILLAGE DEFINITIF

B = BULK
L = LONGITUDINAL
Q = QUER



RECEPTACLES FOR TAB WIDTH 2,8

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position		NORM	Material		Finishing		Packaging		
															Form	Pitch	Unit
22044	0,5-1,0	AWG 20-18	2,8	0,5	7,5	3,5		✓	DIN		CuZn	123	-	204	L	9,5	35 000
22199	0,5-1,0	AWG 20-18	2,8	0,8	6,25	3					CuZn	123	-	204	L	8,3	40 000



RECEPTACLE FLAG TYPE FOR TAB WIDTH 2,8

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position		NORM	Material		Finishing		Packaging		
															Form	Pitch	Unit
25157	0,5-1,0	AWG 20-18	2,8	0,5	7,85	5					CuZn CuSn	123 213	Sn Sn	211 011	Q	15,5	8 000
05157	0,5-1,0	AWG 20-18	2,8	0,5	7,85	5					CuZn	123	Sn	211	B		7 500
25728	0,5-1,0	AWG 20-18	2,8	0,5	7,85	5					CuZn	123	-	204	Q	15,5	8 000
22244	0,3-0,6	AWG 24-22	2,8	0,8	7,85	5		✓	DIN		CuZn	123	Sn	211	Q	15,5	8 000
25474	0,5-1,0	AWG 20-18	2,8	0,8	7,85	5		✓	DIN		CuZn CuSn	123 213	Sn Sn	211 011	Q	15,5	8 000

*All other material and finishing
on inquiry*

✕	SANS
✓	STANDARD
🔒	VERROU SECURITE
🔒	VERROUILLAGE DEFINITIF

B = BULK
L = LONGITUDINAL
Q = QUER



2,8 TAB

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
22240	0.5-1.0	AWG 20-18	2,8	0,8	32,6	9,5	✓	✗		CuZn	123		178	Q	16,0	3 500
22294	1.4-2.5	AWG 16-14	2,8	0,8	32,6	9,5	✓	✗		CuZn	123		178	Q	16,0	3 000
22298	0.3-0.6	AWG 16-14	2,8	0,8	32,6	9,5	✓	✗		CuZn	123		178	Q	16,0	3 500



2,8 TAB

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
new 25660 (On inquiry)	0.2-0.4	AWG 20-18	2,8	0,8	22,5	8	✓			CuZn CuZn	123 123	- Sn	009 178	L	24,5	7 000
25628 (On inquiry)	0.5-1.0	AWG 20-18	2,8	0,8	22,5	8	✓	✓ DIN		CuZn CuZn	123 123	- Sn	009 178	L	24,5	7 000
22132 (On inquiry)	0.5-1.0	AWG 20-18	2,8	0,8	22,5	6,8	✓	✓ DIN		CuZn	123	Sn	178	L	24,5	7 000

2,8 TAB

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
22141 (On inquiry)	0.5-1.0	AWG 20-18	2,8	0,8	24,7	17,6	✗	✓ DIN		CuZn	123	-	009	L		8 000
25144	0.5-1.0	AWG 20-18	2,8	0,8	12,6	5,5	✗	✓ CEI		CuZn CuZn	123 123	- Sn	009 178	L	14,5	7 000

All other material and finishing
on inquiry



TAB

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
17486			2,8	0,8	14	6,5	✗	✓		CuZn	123		025	B		10 000

All other material and finishing
on inquiry

✗	SANS
✓	STANDARD
🔒	VERROU SECURITE
🔒	VERROUILLAGE DEFINITIF

B = BULK
L = LONGITUDINAL
Q = QUER



RECEPTACLES FOR TAB WIDTH 4,8

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
25314	0,5-1,0	AWG 20-18	4,8	0,5	15,6	6,0		✓	* DIN 46247	CuZn CuZn CuSn	123 123 213	- Sn -	204 211 004	Q	18	10 000
45314	0,5-1,0	AWG 20-18	4,8	0,5	15,6	6,0		✓	* DIN 46247	CuZn	123	- Sn	211	B		3 000
25315	1,0-2,5	AWG 18-14	4,8	0,5	15,6	6,0		✓	* DIN 46247	CuZn	123	Sn	211	Q	18	8 000
25313	0,5-1,0	AWG 20-18	4,8	0,8	15,6	6,0		✓	DIN 46247	CuZn CuZn CuSn	123 123 213	- Sn Sn	204 211 011	Q	18	10 000
45313	0,5-1,0	AWG 20-18	4,8	0,8	15,6	6,0		✓	DIN 46247	CuZn CuSn	123 213	Sn Sn	211 011	B	18	3 000
22067	0,5-1,0	AWG 20-18	4,8	0,8	16,0	6,2		✓	* DIN 46247	CuZn	123	Sn	178	Q	18	10 000
25312	1,5-2,5	AWG 16-14	4,8	0,8	15,6	6,0		✓	DIN 46247	CuZn CuZn	123 123	- Sn	204 211	Q	18	8 000
45312	1,5-2,5	AWG 16-14	4,8	0,8	15,6	6,0		✓	DIN 46247	CuZn CuSn	123 213	Sn Sn	211 011	B	18	2 500
22273	1,5-2,5	AWG 16-14	4,8	0,8	16,0	6,2		✓	* DIN 46247	CuZn	123	Sn	178	Q	18	8 000



4,8 RECEPTACLE WITH LOCKING LATCH FOR USE IN HOUSINGS

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
22018	0,75-1,5	AWG 18-16	4,8	0,8	17,0	6,5	✓		DIN VDE 0627 DIN EN 60998 part 2-2	CuZn	123	Sn	211	L	19	7 500
26553	0,75-1,5	AWG 18-16	4,8	0,8	17,0	6,5	✓		DIN VDE 0627 DIN EN 60998 part 2-2	CuZn CuSn	123 201	Sn Sn	211 011	L	19	7 500
26289	1,5-2,5	AWG 16-14	4,8	0,8	17,0	6,5	✓		DIN VDE 0627 DIN EN 60998 part 2-3	CuZn	123	Sn	211	L	19	7 500

*All other material and finishing
on inquiry*

✗	SANS
✓	STANDARD
	VERROU SECURITE
	VERROUILLAGE DEFINITIF

B = BULK
L = LONGITUDINAL
Q = QUER



RECEPTACLES FOR TAB WIDTH 4,8 WITH LOCKING

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
25891	1,5-2,5	AWG 16-14	4,8	0,5	16,0	6,2	✓			CuSn	213		004	Q	18	8 000



RECEPTACLES FLAG TYPE FOR TAB WIDTH 4,8 WITH LOCKING

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
22065	0,5-1,5	AWG 20-16	4,8	0,5	9,5	6,3		✓		CuZn CuSn	123 213	- -	009 009	L	14	3 000
22062	0,5-1,5	AWG 20-16	4,8	0,8	9,5	6,3		✓		CuZn	123	Sn	178	L	14	3 000
22102	0,5-1,5	AWG 20-16	4,8	0,8	9,5	6,3		✓		CuZn	123	-	009	L	14	3 000



RECEPTACLES FLAG TYPE FOR TAB WIDTH 4,8 WITH LOCKING

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
25556	0,5-1,0	AWG 20-18	4,8	0,5	11,3	5,5		✓		CuZn CuZn	123 123	- Sn	204 211	Q	17,5	5 000
25635	0,5-1,0	AWG 20-18	4,8	0,5	11,3	5,5		✓		CuZn CuZn	123 123	- Sn	204 210	Q	17,5	5 000
25161	0,5-1,0	AWG 20-18	4,8	0,8	11,3	5,5		✓		CuZn CuSn	123 213	Sn -	211 009	Q	17,5	5 000
25557	0,5-1,0	AWG 20-18	4,8	0,8	11,3	5,5		✓		CuZn CuZn CuSn CuSn	123 123 213 213	- Sn Sn Ag	204 211 009 042	Q	17,5	5 000
25123	1,5	AWG 16	4,8	0,8	11,3	5,5		✓		CuSn	213	Sn	011	Q	17,5	5 000
26340	1,5	AWG 16	4,8	0,8	11,3	5,5		✓		CuSn	213	Sn	011	Q	17,5	5 000

*All other material and finishing
on inquiry*

✕	SANS
✓	STANDARD
	VERROU SECURITE
	VERROUILLAGE DEFINITIF

B = BULK
L = LONGITUDINAL
Q = QUER



4,8 TAB

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing		Locking position	NORM	Material		Finishing		Packaging		
															Form	Pitch	Unit
22185	0.5-1.0	AWG 20-18	4,8	0,5	16	7,5	✕	✓	3,2		CuZn	123	-	009	L	16,0	10 000
22133	0.5-1.0	AWG 20-18	4,8	0,8	16	7,5	✕	✓	3,2		CuZn CuZn	123 123	- Sn	009 178	L	18,0	10 000
22134	>1.0-2.5	AWG 18-14	4,8	0,8	16	7,5	✕	✓	3,2		CuZn	123	Sn	178	L	18,0	9 000

4,8 TAB

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing		Locking position	NORM	Material		Finishing		Packaging		
															Form	Pitch	Unit
25532 (On inquiry)	0.5-1.0	AWG 20-18	4,8	0,5	20,0	11	✓	✓	2,5		CuZn	123		111	Q	22,0	8 000



4,8 FLAG TAB

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing		Locking position	NORM	Material		Finishing		Packaging		
															Form	Pitch	Unit
22008	0.75-1.5	AWG 18-16	4,8	0,8	8,5	5,4	✕	✓			CuZn	123	Sn	178			

All other material and finishing
on inquiry

✕	SANS
✓	STANDARD
🔒	VERROU SECURITE
🔒	VERROUILLAGE DEFINITIF

B = BULK
L = LONGITUDINAL
Q = QUER



RECEPTACLES FOR TAB WIDTH 6,3

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
27080	0,5-1,0	AWG 20-18	6,3	0,8	19	7,5		✓		CuZn	112	Sn	211	Q	21,5	8 000
27009	0,5-1,0	AWG 20-18	6,3	0,8	19	7,5		✓		CuSn	201	Sn	011	Q	21,5	8 000
25640	0,5-1,0	AWG 20-18	6,3	0,8	19	7,4		✓	DIN 46247	CuZn CuSn CuSn	123 123 213	- Sn Sn	204 211 010	Q	21,5	8 000
25740	0,5-1,0	AWG 20-18	6,3	0,8	19	7,4		✓	DIN 46247	CuZn	123	-	204	Q	21,5	8 000
27082	0,5-1,0	AWG 20-18	6,3	0,8	19	7,5		✓	DIN 46247	CuZn	1112	Sn	211	Q	21,5	8 000
25009	0,75-1,5	AWG 18-16	6,3	0,8	19	7,4		✓	DIN 46247	CuZn	124	Sn	186	Q	21,5	7 000
25609	0,75-1,5	AWG 18-16	6,3	0,8	19	7,4		✓	DIN 46247	CuZn	123	-	204	Q	21,5	7 000
28110	0,75-1,5	AWG 18-16	6,3	0,8	19	7,5		✓	DIN 46247	CuZn CuZn CuSn CuSn St	123 123 201 201 417	- Sn - Sn Ni	204 211 004 011 031	Q	21,5	7 000
48110	0,75-1,5	AWG 20-18	6,3	0,8	19	7,5		✓	DIN 46247	CuZn CuSn St	123 201 417	- Sn Ni	204 011 031	B	21,5	1 750
28832	1,0-2,5	AWG 18-14	6,3	0,8	19	7,4		✓	DIN 46247	CuSn	213	Sn	011	Q	21,5	7 000
27081	1,5-2,5	AWG 16-14	6,3	0,8	19	7,5		✓		CuZn	112	Sn	211	Q	21,5	7 000
27010	1,5-2,5	AWG 16-14	6,3	0,8	19	7,5		✓		CuSn	201	Sn	011	Q	21,5	7 000
25032 (Will be replaced by 27010)	1,5-2,5	AWG 16-14	6,3	0,8	19	7,4		✓	DIN 46346	CuSn	213	-	004	Q	21,5	7 000
25632 (Will be replaced by 27010)	1,5-2,5	AWG 16-14	6,3	0,8	19	7,4		✓	DIN 46247	CuZn CuZn	123 123	- Sn	204 211	Q	21,5	7 000
25647	4,0-6,0	AWG 12-10	6,3	0,8	19	7,4		✓	DIN 46247	CuZn	123	Sn	211	Q	21,5	4 000

All other material and finishing on inquiry

✕	SANS
✓	STANDARD
🔒	VERROU SECURITE
🔑	VERROUILLAGE DEFINITIF

B = BULK
L = LONGITUDINAL
Q = QUER



RECEPTACLES FOR TAB WIDTH 6,3

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
26640	0,5-1,0	AWG 20-18	6,3	0,8	19	7,4	✓	✓	DIN 46340	CuZn	123	-	204	Q	21,5	8 000
22229	0,75-1,5	AWG 18-16	6,3	0,8	19	7,4	✓			CuZn	123	Sn	178	Q	21,5	7 000
26632	1,5-2,5	AWG 16-14	6,3	0,8	19	7,4	✓		DIN 46340	CuZn	123	Sn	178	Q	21,5	7 000



RECEPTACLES FOR TAB WIDTH 6,3

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
26040	0,5-1,0	AWG 20-18	6,3	0,8	19	7,4	✓	✓	DIN 46340	CuZn	123	-	204	Q	21,5	4 000
22263	0,5-1,0	AWG 20-18	6,3	0,8	19	7,4	✓	✓		CuSn	213	Sn	110	Q	21,5	8 000
22035	1,0-2,5	AWG 18-14	6,3	0,8	19	7,4	✓	✓		CuSn	213	Sn	110	Q	21,5	7 000
26032	1,0-2,5	AWG 18-14	6,3	0,8	19	7,4	✓	✓	DIN 46340	CuZn CuZn	123 123	- Sn	204 178	Q	21,5	7 000
28032	1,0-2,5	AWG 18-14	6,3	0,8	19	7,4	✓	✓	DIN 46340	CuZn	123	Sn	178	Q	21,5	7 000
25914	1,5-2,5	AWG 16-14	6,3	0,8	19,2	7,4	✓	✓	DIN 46340	CuZn	123	Sn	211	Q	21,5	4 000
45914	1,5-2,5	AWG 16-14	6,3	0,8	19,2	7,4	✓	✓	DIN 46247	CuZn CuZn CuSn	123 123 201	- Sn -	204 211 004	B	21,5	1 500

*All other material and
finishing on inquiry*

✕	SANS
✓	STANDARD
🔒	VERROU SECURITE
🔒	VERROUILLAGE DEFINITIF

B =	BULK
L =	LONGITUDINAL
Q =	QUER


FLAG TYPE RECEPTACLES FOR TAB WIDTH 6,3

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
22227	0,5-1,0	AWG 20-18	6,3	0,8	13,5	7,4		✓	DIN 46346	CuSn	213	-	009	Q	20	6 000
25350	0,5-1,0	AWG 20-18	6,3	0,8	12,5	7,4		✓	DIN 46346	CuZn	123	Sn	211	Q	19,25	3 500
25505	0,5-1,0	AWG 20-18	6,3	0,8	12,5	7,4			DIN 46346	CuZn St	123 417	Sn Ni	211 031	Q	19,25	3 500
22226	1,0-2,5	AWG 18-14	6,3	0,8	13,5	7,4		✓	DIN 46346	CuSn	213	-	009	Q	20	8 000
25337	1,5-2,5	AWG 16-14	6,3	0,8	13,7	7,5		✓		CuZn	123	Sn	210	Q	21,25	3 500
25376	1,5-2,5	AWG 16-14	6,3	0,8	13,7	7,5		✓		CuZn	123	Sn	210	Q	21,25	3 500
22935	1,5-2,5	AWG 16-14	6,3	0,8	13,5	7,4		✓	DIN 46346	CuZn	123	Sn	210	Q	21,25	3 500



FLAG TYPE RECEPTACLES FOR TAB WIDTH 6,3

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
25039	0,5-1,5	AWG 20-18	6,3	0,8	11	7,4		✓	DIN 46346	CuZn CuZn CuSn CuSn St	123 123 213 213 417	- Sn Sn Ag Ni	204 211 011 042 031	Q	19	2 400
45039	0,5-1,5	AWG 20-16	6,3	0,8	11	7,4		✓	DIN 46346	CuZn CuSn	123 213	Sn Sn	211 011	Q	19	2 000
25319	0,5-1,5	AWG 20-18	6,3	0,8	11	7,4		✓	DIN 46346	CuZn CuZn St	123 123 417	- Sn Ni	009 178 031	Q	19	2 400
22076	1,5-2,5	AWG 16-14	6,3	0,8	11	7,4		✓	DIN 46346	CuZn	123	Sn	178	Q	19	2 400
25785	1,5-2,5	AWG 16-14	6,3	0,8	11,2	7,4		✓	DIN 46346	CuSn St	213 417	Sn Ni	011 031	Q	20	1 500

*All other material and
finishing on inquiry*

✕	SANS
✓	STANDARD
🔒	VERROU SECURITE
🔒	VERROUILLAGE DEFINITIF

B = BULK
L = LONGITUDINAL
Q = QUER



PCB RECEPTACLES FOR TAB WIDTH 6,3

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
07068 	-	-	6,3	0,8	18,0	9,5	✓	✓		CuSn	213	-	409	B	-	

All other material and finishing on inquiry

✕	SANS
✓	STANDARD
🔒	VERROU SECURITE
🔒	VERROUILLAGE DEFINITIF

B = BULK
L = LONGITUDINAL
Q = QUER



6,3 TAB

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
25697	0.5-1.0	AWG 20-18	6,3	0,8	28	10	✓	✓		CuZn 126 CuZn 126 CuSn 213	126 126 -	Ag 142 Sn 178 - 009		L	30,3	4 000
25696	1.5-2.5	AWG 16-14	6,3	0,8	28	10	✓	✓	DIN 46343	CuZn 126 CuZn 126 CuSn 213	126 126 -	- 009 Ag 141 Sn 178 - 009		L	30,3	4 000



6,3 FLAG TAB

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
22116	0.5-1.5	AWG 20-16	6,3	0,8	11.2	8,0	✗	✓		CuZn 123		Sn 178		L	19,0	2 400
22016	1.0-2.5	AWG 18-14	6,3	0,8	11,2	8,0	✗	✓		CuZn 123		Sn 178		L	19,0	2 000



TAB

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
12269 (On inquiry)			2,8/6,3	0,8	22	7/7,5	✗	✓		CuZn 123		- 009		B		15 000
12266			6,3	0,8	22	8	✗	✓		CuZn 123		- 009		B		15 000
12267			6,3	0,8	22	8	✗	✓		CuZn 123		- 009		B		7 500
12268			6,3	0,8	22	8	✗	✓		CuZn 123		- 009		B		5 000

*All other material and finishing
on inquiry*

✗	SANS
✓	STANDARD
•	VERROU SECURITE
•	VERROUILLAGE DEFINITIF

B = BULK
L = LONGITUDINAL
Q = QUER



RECEPTACLES FOR TAB WIDTH 7,7

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
26025	1,5-2,5	AWG 16-14	7,7	0,8	24	9,5	✓	✓	DIN 46340	CuSn	213	Sn	011	Q	25	4 000

*All other material and
finishing on inquiry*

✕	SANS
✓	STANDARD
🔒	VERROU SECURITE
🔒	VERROUILLAGE DEFINITIF

B =	BULK
L =	LONGITUDINAL
Q =	QUER



RECEPTACLE

new


RECEPTACLE

P/N	For contact typ	WAY NR	Material		COLOR										CONTRE PARTIE	CONTACT
					○		●		●		●		●			
					Packaging Unit	Code	Packaging Unit	Code	Packaging Unit	Code	Packaging Unit	Code	Packaging Unit	Code		
14772	6,3	2	PA 6.6	646	2 000	501	2 000	699							14771	26632 26640
14303	6,3	2	PA 6.6	646	6 500	501									14302	26632 26640
14375	6,3	3	PA 6.6	636	1 500	501	1 500	699							14374	26632 26640
14376	6,3	4	PA 6.6	636	2 500	501	1 000	699							14510	25696 25697
14378	6,3	6	PA 6.6	636	800	501									14511	26632 26640
14380	6,3	8	PA 6.6	636	1 500	501									14512	26632 26640
16341	2,8	2														


RECEPTACLE

P/N	For contact typ	WAY NR	Material		COLOR										CONTRE PARTIE	CONTACT
					○		●		●		●		●			
					Packaging Unit	Code	Packaging Unit	Code	Packaging Unit	Code	Packaging Unit	Code	Packaging Unit	Code		
14771	6,3	2	PA 6.6	646	1 200	501	1 200	699							14772	25696 25697
14302	6,3	2	PA 6.6	646	4 000	501	1 400	699							14303	25696 25697
14374	6,3	3	PA 6.6	646	2 500	501	900	699							14375	25696 25697
14510	6,3	4	PA 6.6	646	450	501	450	699							14376	26632 26640
14511	6,3	6	PA 6.6	636	500	501	500	699							14378	25696 25697
14512	6,3	8	PA 6.6	636	350	501	350	699							14380	25696 25697
14400	2,8	16	PA 6.6 GF30	645			250	699							2X 8VOIES MDK1	25628 22132

RING TERMINALS





RING TERMINAL

P/N	Wire size		Ø Drill hole	Ø Outside	L1	L2	NORM	Material		Finishing		Packaging		
												Form	Pitch	Unit
25201	0,5-1,0	AWG 20-18	3,2	8	22,3	18,3		CuZn CuSn	123 213	Sn Sn	011 011	L	24,3	6 000
05201	0,5-1,0	AWG 20-18	3,2	8	22,3	18,3		CuZn	123	Sn	011	B		2 500
25203	0,5-1,0	AWG 20-18	4,3	8	22,3	18,3		CuZn St	123 411	Sn Ni	011 131	L	24,3	6 000
05203	0,5-1,0	AWG 20-18	4,3	8	22,3	18,3		CuZn CuSn	123 213	Sn Sn	011 011	B		2 000
25205	0,5-1,0	AWG 20-18	5,3	9,5	22,25	17,5		CuZn CuSn CuSn	123 213 213	Sn - Sn	011 009 011	L	24,3	6 000
05217	1,0 - 2,5	AWG18-14	5,3	9,5	22,3	17,5		CuZn	123	Sn	011	B		2 000
25217	1,0 - 2,5	AWG18-14	5,3	9,5	22,3	17,5		CuZn CuZn CuSn St	123 123 213 411	- Sn Sn Ni	009 011 011 131	L	24,3	5 000
25165	0,5-1,0	AWG 20-18	6,3	9,5	22,25	17,5		CuZn	123	Sn	011	L	24,3	6 000
25167	1,0 - 2,5	AWG18-14	6,3	9,5	22,3	17,5		CuZn CuZn	123 123	Sn Ag	011 141	L	24,3	5 000
25207	0,5-1,0	AWG 20-18	6,5	12	28,0	22,0		CuZn CuSn CuSn	123 213 213		014 004 011	L	30,0	4 000
05207	0,5-1,0	AWG 20-18	6,5	12	28,0	22,0		CuZn	123	Sn	011	B		1 500
25219	1,0 - 2,5	AWG18-14	6,5	12	28,0	22,0		CuZn CuZn CuSn CuSn	123 123 213 213	- Sn - Sn	009 011 004 011	L	30,0	4 000
05219	1,0 - 2,5	AWG18-14	6,5	12	28,0	22,0		CuZn	123	Sn	011	B		1 250
25221	1,0 - 2,5	AWG18-14	8,4	14	28,0	21,0		CuZn CuSn	123 213	Sn Sn	011 011	L	30,0	2 500
05221	1,0 - 2,5	AWG18-14	8,4	14	28,0	21,0		CuZn	123	Sn	011	B		
25087	0,75 - 2,5	AWG18-14	5,3	9,5	22,25	17,5		CuZn	123	Sn	011	L	24,3	5 000
25093	0,75 - 2,5	AWG18-14	6,4	9,5	22,25	17,5		CuZn	123	Sn	011	L	24,3	5 000

*All other material and
finishing on inquiry*



RING TERMINAL


P/N	Wire size		Ø Drill hole	Ø Outside	L1	L2	NORM	Material		Finishing		Packaging		
												Form	Pitch	Unit
22284	0,5-1,0	AWG 20-18	2,1	7	13	9,5		CuZn	123	Sn	333	L	15,0	10 000
25022	0,5-1,0	AWG 20-18	3,3	7	13	9,5		CuZn	123	Sn	010	L	20,0	10 000
25024	0,5-1,0	AWG 20-18	4,3	7	13	9,5		CuZn CuZn	123 123	- Sn	009 011	L	20,0	10 000
25272	1,5 - 2,5	AWG 16-14	3,2	7	13	9,5		CuZn	122	Sn	011	L	28,0	7 000
25149	1,5 - 2,5	AWG 16-14	4,3	7	13	9,5		CuZn	122	Sn	011	L	28,0	7 000
22129	0,5-1,0	AWG 20-18	3,25	7,66	12,25	8,15		CuZn	122	Sn	178	L	14,4	10 000



RING TERMINAL

P/N	Wire size		Ø Drill hole	Ø Outside	L1	L2	NORM	Material		Finishing		Packaging		
												Form	Pitch	Unit
22289	1,0 - 2,5	AWG 18-14	6,5	18	34,1	25,1		CuZn	143		011	L	36,0	1 500
22292	1,0 - 2,5	AWG 18-14	8,4	18	34,1	25,1		CuZn	143		011	L	36,0	1 500
22290	2,5 - 6,0	AWG14-10	6,5	18	36	27		CuZn	143		011	L	38,5	1 000
22293	2,5 - 6,0	AWG14-10	8,4	18	36	27		CuZn	143		011	L	38,5	1 000

*All other material and
finishing on inquiry*



RING TERMINAL



P/N	Wire size		Ø Drill hole	Ø Outside	L1	L2	NORM	Material		Finishing		Packaging		
												Form	Pitch	Unit
07076	10-16	AWG 6	10,7	21	45,7	19,5		CuZn		Sn		B	-	400
07077	25-50	AWG 4-1	10,7	21	45,7	19,5		CuZn		Sn		B	-	400
07078	25-50	AWG 4-1	8,6	21	45,7	19,5		CuZn		Sn		B	-	400
26835	10-16	AWG 6	6,4	15	36,35	18,9		CuZn		Sn		Q	40,0	400
25838	16-25	AWG 6-4	6,4	15	36,35	18,9		CuZn		Sn		Q	40,0	400
25939	25-35	AWG 4-2	8,4	15	36,35	18,9		CuZn		Sn		Q	40,0	400
25937	10-16	AWG 16-14	8,4	15	36,35	18,9		CuZn		Sn		Q	40,0	400
25938	16-25	AWG 6-4	8,4	15	36,35	18,9		CuZn		Sn		Q	40,0	400

*All other material and
finishing on inquiry*



ANTI-ROTATION RING TERMINAL

P/N	Wire size		Ø Drill hole	Ø Outside	L1	L2	NORM	Material		Finishing		Packaging		
												Form	Pitch	Unit
22017	0,5-1,0	AWG 20-18	4,15	9,5	22,25	17,5		CuSn St	213 417	- Ni	321 131	L	24,3	6 000
25803	1,5-2,5	AWG 16-14	5,3	12	28	22,0		St	417	Ni	031	L	30,0	4 000
25791	0,5-1,0	AWG 20-18	5,3	12	28	22,0		CuSn	214	Sn	012	L	30,0	4 000



NOTCHED RING TERMINAL

P/N	Wire size		Ø Drill hole	Ø Outside	L1	L2	NORM	Material		Finishing		Packaging		
												Form	Pitch	Unit
25218	1,0-2,5	AWG 18-14	5,3	9,5	22,25	17,3		CuZn	123	Sn	011	L	24,3	5 000
22122	0,5-1,0	AWG 20-18	4	6.1	19,4	14,7		CuZn	123	-	009	L	22,0	7 000
25333	0,2 -0,6	AWG 24-20	1,5	3,5	13,5	10		CuZn	122		178	Q	9,0	6 500



BENT POWER RING TERMINAL

P/N	Wire size		Ø Drill hole	Ø Outside	L1	L2	NORM	Material		Finishing		Packaging		
												Form	Pitch	Unit
27001	25-40	AWG2-1	25	57,3	35,25			CuZn	143	Sn	011	B		300

*All other material and
finishing on inquiry*



FLAG RING TERMINAL

P/N	Wire size		Ø Drill hole	Ø Outside	L1		NORM	Material		Finishing		Packaging		
												Form	Pitch	Unit
25643	0,5-1,5	AWG 20-16	2,7	8	11			CuZn	123		009 111	L	10,5	4 000
25478	0,5-1,5	AWG 20-16	4,2	8	11			CuZn CuZn	123 123	- Sn	009 111	L	10,5	4 000
25479	0,5-1,5	AWG 20-16	5,2	8	11			CuZn	123	Sn	111	L	10,5	4 000
25483	0,5-1,5	AWG 20-16	4,2	8	11			CuZn	123	Sn	111	L	10,5	4 000
25391	0,5-1,5	AWG 20-16	5,2	8	11			CuZn	123	Sn	111	L	10,5	4 000

*All other material and
finishing on inquiry*

SOCKETS





SOCKET

P/N	Wire size		Pin diameter	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
													Form	Pitch	Unit
25197	0,5-1,0	AWG 20-18	1,3	14,3	6,5	✕			CuZn	123	Sn	211	L	16	6 000
05183	0,5-1,0	AWG 20-18	1,5	14,3	6,5	✕			CuZn	123	Ag	242	B	16	9 000
25016	0,5-1,0	AWG 20-18	1,9	14,3	7,2	✕			CuZn	123	-	204	L	16	10 000
26970	0,75-1,5	AWG 18-16	2,1	17	8,5	✓			CuZn	123	Sn	178	Q	12	4 000



SOCKET

P/N	Wire size		Pin diameter	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
													Form	Pitch	Unit
26922	0.3-0.6	AWG 24-22	4,0	16,8	12,1	✕	✕		CuZn	123	-	009	L	20	12 000



SOCKET

P/N	Wire size		Pin diameter	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
													Form	Pitch	Unit
22109	0,75-1,5	AWG 18-16		21	4				CuSn	213		001	Q	28	7 000



FLAG SOCKET

P/N	Wire size		Pin diameter	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
													Form	Pitch	Unit
25064	0,5-1,0	AWG 20-18	2,0	9	5	✕			St	417	Ni	031	L	12	6 000
26322	0,5-1,0	AWG 20-18	3,0	12,15	6	✓			CuSn	213	-	009	Q	16	3 500
26323	1,5-2,5	AWG 16-14	3,0	12,15	6	✓			CuSn	213	-	009	Q	16	3 000



SANS



STANDARD



VERROU SECURITE



VERROUILLAGE
DEFINITIF

B = BULK

L = LONGITUDINAL

Q = QUER

SPECIFICS PARTS





MDK1

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
26858	0.1-0.25	AWG 26-24	2,8	0,8	16,2	5,5	✓			CuSn	213	Sn	179	Q	13,5	4 500
26855	0.3-0.6	AWG 24-22	2,8	0,8	16,2	5,5	✓			CuSn	213	Sn	179	Q	13,5	4 500
26859	0.3-0.6	AWG 24-22	2,8	0,8	16,2	5,5	✓			CuSn	213	Sn	179	Q	13,5	4 500
26049	0.5-1.0	AWG 20-18	2,8	0,8	16,2	5,5	✓			CuSn	213	Sn	178	Q	13,5	3 500
26860	0.75-1.5	AWG 18-16	2,8	0,8	16,2	5,5	✓			CuZn	123		178	Q	13,5	3 500
26861	1.5-2.5	AWG 16-14	2,8	0,8	16,2	5,5	✓			CuSn	213		179	Q	13,5	3 500



DFK1

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
26848	0.5-1.0	AWG 20-18	6,3/4,8	0,8	18,8	6,6	✓			CuZn	123	Sn	179	Q	14,3	3 000
26851	0.5-1.0	AWG 20-18	6,3/4,8	0,8	18,8	6,6	✓			CuZn	123	Sn	179	Q	14,3	3 000
46851	0.5-1.0	AWG 20-18	6,3/4,8	0,8	18,8	6,6	✓			CuSn	213	Sn	179	B		2 000
26852	1.5-2.5	AWG 16-14	6,3/4,8	0,8	18,8	6,6	✓			CuZn	123	Sn	179	Q	14,3	3 000
46852	1.5-2.5	AWG 16-14	6,3/4,8	0,8	18,8	6,6	✓			CuSn	213	Sn	179	B		2 000
26863	2.5-4.0	AWG 14-12	6,3/4,8	0,8	18,8	6,6	✓			CuZn	123	Sn	179	Q	14,3	2 000
26853	4.0-6.0	AWG 12-10	6,3/4,8	0,8	18,8	6,6	✓			CuSn	213	Sn	179	Q	14,3	2 000
46853	4.0-6.0	AWG 12-10	6,3/4,8	0,8	18,8	6,6	✓			CuSn	213	Sn	179	B		1 500


DFK1 FOR PCB

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
12700			6,3/4,8	0,8	15,6	6,6	✓			CuZn	331	Sn	179	B		3 000


**CONTACT HERMAPHRODITE
"DEUTSCH"**

P/N	Wire size		Tab width	Tab Thickness	L1	L2	For housing	Locking position	NORM	Material		Finishing		Packaging		
														Form	Pitch	Unit
27053	0,35-0,5	AWG 22-20								CuMg 0,8P	308	Ag1	141	Q	13	5 000
27053	0,35-0,5	AWG 22-20								CuMg 0,8P	308	Au	053	Q	13	4 900
27054	0,75-1,4	AWG 18-16								CuSnAg Mg	307	Ag1	141	Q	16,5	3 000
27055	1,5-2,5	AWG 16-14								CuSnAg Mg	307	Ag1	141	Q	16,5	2 300

*All other material and
finishing on inquiry*

✕	SANS
✓	STANDARD
🔒	VERROU SECURITE
🔒	VERROUILLAGE DEFINITIF

B = BULK
L = LONGITUDINAL
Q = QUER



Splice

P/N	Wire size		L1	NORM	Material		Finishing		Packaging		
									Form	Pitch	Unit
22248	0,5-1,0	AWG 20-18	16,5		Cu	303	-	009	Q	15	2 000
25128	0,5-1,0	AWG 20-18	11	DIN 46228	CuZn	123	-	009	B	12,5	20 000
25131	0,5-1,0	AWG 20-18	1,5		CuZn CuZn	123 123	- Sn	009 178	L	2,3	100 000
25783	1,5	AWG 16	6	DIN 46228	CuZn CuZn	123 123	- Sn	009 178	B	14,8	60 000
25787	0,5-1,0	AWG 20-18	6	DIN 46346 FORM B	CuZn CuZn	123 123	- Sn	009 178	B	29,6	60 000 (009) 100 000 (178)



Languette à riveter

P/N	Wire size		L1	L2	Material		Finishing		Packaging		
									Form	Pitch	Unit
18147											



DOUILLE ALLUMEUR

P/N	Wire size		L1	L2	Material		Finishing		Packaging		
									Form	Pitch	Unit
22126					CuZn	123	-	009	L	24	1 800
17366					CuZn	000	-	000			

INFORMATION



	CROSS LIST							
STP/N	DESIGNATION	VALEO	RSA	VW	BMW	FORD	VOLVO	MAN
04001-321-011	PARALLEL CONNECTOR - 1,50-2,50			N10219701	1 286 002			
04002-321-011	PARALLEL CONNECTOR - 2,50-4,00			N10219801	1724014.9			
04003-321-011	PARALLEL CONNECTOR - 4,0-6,0			N10219901				
04004-321-011	PARALLEL CONNECTOR - 6,0-10,0			N10015701				
04005-321-011	PARALLEL CONNECTOR - 10,0-16,0			N10220001				
04006-321-011	PARALLEL CONNECTOR - 16,0-25,0			N10220101	1724019.9			
04007-321-011	PARALLEL CONNECTOR - 25,0-35,0			N10567501				
04016-321-011	PARALLEL CONNECTOR - 0,50-1,00		7 703 497 416	D3D971010				
04034-320-011	PARALLEL CONNECTOR - 15,50-25,0		7 703 497 205					
04035-320-011	PARALLEL CONNECTOR - 25,0-35,0		7 703 497 206					
04509-321-011	BUTT CONNECTOR - 50,0-70,0			D3D971009				
07036-447-001	FLANGE H7 EASY LOCK	89 039 565						
07060-447-001	FLANGE H7 EASY LOCK MONOBLOC	89 079 326						
13145-625-501	CONNECTOR DFK - 1 WAY	664250V						
13229-692-699	CONNECTOR - 2 WAYS	75 133 490						
13348-670-699	SICMA TAB HOLDER - 3 WAYS	89 030 986						
13349-670-507	BODY OF TAB HOLDER	89 030 981						
13378-670-699	CONNECTOR DFK - 2 WAYS	983 037 P						
13381-670-699	CONNECTOR DFK - 2 WAYS	982 452 P						
13382-670-699	CONNECTOR DFK - 2 WAYS	983 018 G						
13461-601-699	TAB HEADER - 10 WAYS		8 200 338 128					
13462-601-699	HRLR CONNECTOR 1,5 - 10WAYS		8 200 338 126					
13540-546-662	BODY OF LAMP HOLDER	89 034 260						
13555-669-699	TAB HOLDER - 5 WAYS	89 035 131						
13609-670-699	TAB HOLDER - 9 WAYS	89 037 779						
13617-670-699	CONNECTOR 4+2 WAYS	89 072 173						
13623-670-699	CONNECTOR 2,8x0,8 - 15WAYS	89072727A						
13637-681-699	H7 CONNECTOR	89039559A						
13638-700-699	CONNECTOR 4+2 WAYS	T10071972-1						
13639-700-699	CONNECTOR 4+2 WAYS	T10071972-2						
13640-700-701	CONNECTOR 4+2 WAYS	T10071972-3						
13641-700-702	CONNECTOR 4+2 WAYS	T10071972-4						
13650-546-662	BODY OF LAMP HOLDER HY21W	89 098 086						
13653-709-699	BODY OF LAMP HOLDER H6W	90 036 574						
14943-583-699	AFK4.8 CONNECTOR - 2 WAYS	658219B/658146M	8 200 299 695					
18278-000-000	M30/MGA CONNECTOR	658220F						
18615-000-000	CONNECTOR - 2 WAYS	664863J						
18616-000-000	CONNECTOR - 2 WAYS	664864T	8 200 299 693					
18617-000-000	SEALED CONNECTOR - 2 WAYS	664865Z						
18618-000-000	SEALED CONNECTOR - 2 WAYS	664866C						
19002-000-000	CONNECTOR 3WAYS		8 200 547 486					
19013-000-000	STREP FOR CONNECTING DEPORT ON THE STARTER		8 200 472 592					
19014-000-000	LAMP HOLDER 16W AMBER	89 072 904						
19015-000-000	LAMP HOLDER 24W AMBER	89 072 906						
19016-000-000	LAMP HOLDER	89 072 907						
19017-000-000	LAMP HOLDER	89 072 908						
19018-000-000	LAMP HOLDER	89 072 909						
19019-000-000	LAMP HOLDER 16W AMBER	89 072 910						
22240-123-178	TAB 2,8x0,8 - 0,50-1,00	89 035 132						
22289-143-011	RING TERMINAL M6 - 1,00-2,50		8 200 315 889					
22290-143-011	RING TERMINAL M6 - 2,50-6,00		8 200 315 888					
22292-143-011	RING TERMINAL M8 - 1,00-2,50		8 200 315 887					
22293-143-011	RING TERMINAL M8 - 2,50-6,00		8 200 315 884					
22294-123-178	TAB 2,8x0,8 - 1.40-2.50	89 035 902						
22296-123-180	P21 LAMP TERMINAL	89 037 590						
22297-123-180	P21 LAMP TERMINAL	89 038 820						
22298-123-178	TAB 2,8x0,8 - 0,30-0,60	89 037 781						
25029-213-011	TERMINAL 2,8x0,5 - 0.50-1.00		7 703 497 789					
25032-123-204	TERMINAL 6.3x0.8 - 1.00-2.50			N0174811				
25032-213-004	TERMINAL 6.3x0.8 - 1.00-2.50			N0174812				
				N0174816				
25036-123-204	TERMINAL 2.8x0.8 - 0.50-1.00				YPL102140			
25039-123-204	FLAG TERMINAL 6.3x0.8 - 0.50-1.50			803 971 931				
25131-123-009	CLIP - 0.50-1.00			N0171121				
25149-122-011	RING TERMINAL M4 - 1.50-2.50				1 374 618			
25157-213-011	FLAG TERMINAL 2.8x0.5 - 0.50-1.00			N10500201				
25161-213-009	FLAG TERMINAL 4.8x0.8 - 0.50-1.00			N10441701				
25203-123-009	RING TERMINAL M4 - 0.50-1.00			N0175041				
25203-123-011	RING TERMINAL M4 - 0.50-1.00			N0175044				
25203-213-004	RING TERMINAL M4 - 0.50-1.00			N0175043				
25203-213-011	RING TERMINAL M4 - 0.50-1.00				8 353 752			
25205-123-009	RING TERMINAL M5 - 0.50-1.00			N01750510	9 975 902			
				N0175054				
25205-123-011	RING TERMINAL M5 - 0.50-1.00					92BG-14463-AHA		
25205-123-014	RING TERMINAL M5 - 0.50-1.00			N0175056	YPG10002			
25205-213-009	RING TERMINAL M5 - 0.50-1.00			N01750510				
25205-213-011	RING TERMINAL M5 - 0.50-1.00			N01750511				
25207-123-009	RING TERMINAL M6 - 0.50-1.00			N0175061				
25207-123-011	RING TERMINAL M6 - 0.50-1.00						970 783	
25207-213-004	RING TERMINAL M6 - 0.50-1.00			N0175062				
				N0175063				
25207-213-011	RING TERMINAL M6 - 0.50-1.00			N01750605				
25207-213-320	RING TERMINAL M6 - 0.50-1.00			N01750603				
25217-123-009	RING TERMINAL M5 - 1.00-2.50			N0175151	9975912.9			
25217-123-014	RING TERMINAL M5 - 1.00-2.50				9 975 912			
25217-213-004	RING TERMINAL M5 - 1.00-2.50			N0175154				
25217-213-320	RING TERMINAL M5 - 1.00-2.50			N01751507				
25218-123-009	RING TERMINAL M5 - 1.00-2.50			N0175152				
25219-123-009	RING TERMINAL M6 - 1.00-2.50			N0170061	9 975 913			
				N0175161				
25219-123-011	RING TERMINAL M6 - 1.00-2.50						970 789	
25219-123-014	RING TERMINAL M6 - 1.00-2.50				YPG10014	92BG-14463-BJA		
25219-213-004	RING TERMINAL M6 - 1.00-2.50			N0175162				
				N0175165				
25219-213-011	RING TERMINAL M6 - 1.00-2.50			N01751603				
25221-122-014	RING TERMINAL M8 - 1.00-2.50				YPG10015			
25221-123-009	RING TERMINAL M8 - 1.00-2.50			N0170111	9 975 914			
				N0175181				
25221-123-011	RING TERMINAL M8 - 1.00-2.50		7 400 970 790					
25221-213-011	RING TERMINAL M8 - 1.00-2.50		7 400 970 790			8 353 766		
25221-214-009	RING TERMINAL M8 - 1.00-2.50			N0175182				
				N0175185				
25313-123-204	TERMINAL 4,8x0,8 - 0.50-1.00				YPG100840			
25365-123-204	TERMINAL 2,8x0,8 - 0.50-1.00				N0174851			
25365-213-004	TERMINAL 2,8x0,8 - 0.50-1.00				N0174852			
				N0174853				

25391-123-111	FLAG RING TERMINAL M5 - 0.50-1.50				1382575.2			
25415-123-204	TERMINAL 2,8x0,5 - 0.50-1.00			N0174792	9 975 504			
25415-123-211	TERMINAL 2,8x0,5 - 0.50-1.00			N0174792				
25415-213-011	TERMINAL 2,8x0,5 - 0.50-1.00			N0174793 N0174794				07.91201-0710
25483-123-111	FLAG RING TERMINAL M4 - 0.50-1.50				1382574.9			
25557-123-211	FLAG TERMINAL 4.8x0.8 - 0.50-1.00			N10441701				
25557-213-009	FLAG TERMINAL 4.8x0.8 - 0.50-1.00			N10441703				
25572-123-211	TERMINAL 2.8x1.8 - 0.75-1.50			N0172431				
25572-213-004	TERMINAL 2.8x1.8 - 0.75-1.50			N0172432				
25620-213-009	TAB 2,8x0,8			N0174574				
25628-213-009	TAB 2,8x0,8			N0174572				
25696-126-009	TAB 6,3x0,8 - 1.00-2.50			N0174611				
25696-213-009	TAB 6,3x0,8 - 1.00-2.50			N0174612				
25697-213-009	TAB 6,3x0,8 - 0.50-1.00			N0174602				
25785-213-011	FLAG TERMINAL 6.3x0.8 - 1.50-2.50				8 364 503			
25791-214-012	RETENTION RING TERMINAL M5 - 0.50-1.00					92BG-14463-AEA		
25803-214-012	RING TERMINAL M5 - 1.00-2.50			N10095802		92BG-14463-AFA		
26025-213-011	TERMINAL 7.7x0.8 - 1.00-2.50			N0174973				
26032-123-204	TERMINAL 6.3x0.8 - 1.00-2.50			N0174911				
26032-213-001	TERMINAL 6.3x0.8 - 1.00-2.50					93BG14474 VBA		
26032-213-004	TERMINAL 6.3x0.8 - 1.00-2.50			N0174913				
26032-213-011	TERMINAL 6.3x0.8 - 1.00-2.50			N0174914		93BG14474 VEA		
26040-123-204	TERMINAL 6,3x0,8 - 0.50-1.00			N0174901				
26040-123-211	TERMINAL 6,3x0,8 - 0.50-1.00			N0174905				
26040-213-004	TERMINAL 6,3x0,8 - 0.50-1.00			N0174903		93BG14474 VAA		
26040-213-011	TERMINAL 6,3x0,8 - 0.50-1.00					93BG14474 VDA		
26047-213-004	TERMINAL 6,3x0,8 - 0.50-1.00					93BG14474 VCA		
26047-213-011	TERMINAL 6,3x0,8 - 0.50-1.00					93BG14474 VFA		
26365-123-204	TERMINAL 2,8x0,8 - 0.50-1.00			N0174831				
26365-213-004	TERMINAL 2,8x0,8 - 0.50-1.00			N0174833				
26365-213-011	TERMINAL 2,8x0,8 - 0.50-1.00			N0174834				
26415-213-004	TERMINAL 2,8x0,5 - 0.50-1.00			N0174782				
26849-123-175	DFK1			N90155501				
26851-123-179	DFK1 - 0.50-1.00						949 678	
26851-213-179	DFK1 - 0.50-1.00			N90243401				
26852-123-179	DFK1 - 1.50-2.50						949 679	
26852-213-179	DFK1 - 1.50-2.50			N90084201				
26853-123-179	DFK1 - 4.00-6.00						949 681	
26853-213-179	DFK1 - 4.00-6.00			N90327801				
26859-123-178	MDK 1				AFU3180			
26860-123-178	MDK1				ADU9123			
26863-123-179	DFK1 - 2.50-4.00		7 703 497 129				949 680	
26863-213-179	DFK1 - 2.50-4.00			N90105801				
27001-143-011	RING TERMINAL - DOUBLE START		8 200 523 360					
27019-123-178	TAB 1.5x0.8 - 0.50-1.00	89 072 175						
27020-123-178	TAB 1.5x0.8 - 0.30-0.60	89 072 174						
27021-123-178	TAB 1.5x0.8 - 0.75-1.50	89 072 459						
27022-123-178	TAB 1.5x0.8 - 1.50-2.50	89 072 461						
27026-123-182	CONNECTOR TERMINAL - 0.50-1.00	89 073 283						
27027-123-182	CONNECTOR TERMINAL - 0.00-2.50	89 073 286						
27028-167-180	LAMP TERMINAL	89 073 152						
27034-309-009	FLAG TERMINAL "H7" 6.3x0.8 - 0.50-1.50	89 039 562						
27035-309-009	FLAG TERMINAL "H7" 6.3x0.8 - 1.50-2.50	89 039 564						
27050-308-141	T0 TERMINAL SUPPLE - 0.60 à 0.75		8 200 514 017					
27052-308-053	3C TO TERMINAL AG 3C - 0.35-0.75		7 703 497 869					
27052-308-141	3C TO TERMINAL AG 3C - 0.35-0.75		7 703 497 868					
27053-308-053	T0 TERMINAL SUPPLE - 0.35 à 0.50		8 200 514 008					
27053-308-141	T0 TERMINAL SUPPLE - 0.35 à 0.50		8 200 514 015					
27054-307-141	T1 TERMINAL SUPPLE - 0.75 à 1.40		8 200 073 082					
27055-307-141	T1 TERMINAL SUPPLE - 1.50 à 2.50		8 200 073 084					
28040-123-204	TERMINAL 6,3x0,8 - 0.50-1.00			N0174902				
28040-213-004	TERMINAL 6,3x0,8 - 0.50-1.00			N0174904 N0174906				
28047-123-204	TERMINAL 6,3x0,8			N0174942				
28047-213-004	TERMINAL 6,3x0,8			N0174943				
28423-213-179	PERIPHERICAL TERMINAL	89 034 264						
28424-167-179	CENTRAL TERMINAL	89 034 263						
28425-213-180	PERIPHERICAL TERMINAL	89 034 264						
28426-167-180	CENTRAL TERMINAL	89 034 263						
34528-000-000	BUTT CONNECTOR L25 - 0.50-1.00			N0173311				
46852-213-179	DFK1 - 1.50-2.50			N90084202				
46853-213-179	DFK1 - 4.00-6.00			N90105802				

CABLE CHART OF WIRE SIZES TO VDE 0250/4.64 SPECIFICATIONS

SIZE	N° & Ø of strands	Ø wire
mm ²	mm	mm max
0,5	1 x 0,80	0,8
	7 x 0,30	0,9
	16 x 0,20	0,9
0,75	1 x 1,00	1
	7 x 0,37	1,1
	24 x 0,20	1,2
1	1 x 1,13	1,13
	7 x 0,43	1,3
	19 x 0,25	1,3
	32 x 0,20	1,3
1,5	1 x 1,38	1,38
	7 x 0,52	1,6
	21 x 0,30	1,6
	30 x 0,25	1,7
	189 x 0,10	1,9
2,5	1 x 1,78	1,78
	7 x 0,67	2,1
	35 x 0,30	2,2
	50 x 0,25	2,2
	315 x 0,10	2,2
4	1 x 2,26	2,26
	19 x 0,52	2,7
	56 x 0,30	3,1
	511 x 0,10	3
6	1 x 2,26	2,76
	7 x 1,05	3,2
	19 x 0,52	3,3
	84 x 0,30	3,5
	756 x 0,10	3,7
10	1 x 3,57	3,57
	7 x 1,35	4,1
	19 x 0,64	4,3
	49 x 0,51	4,6
	80 x 0,40	5
	1197 x 0,10	4,5
16	1 x 4,52	4,52
	7 x 1,70	5,2
	37 x 0,75	5,6
	49 x 0,65	5,9
	128 x 0,40	6
	2058 x 0,1	6,8

CONVERSION TABLE OF AMERICAN WIRE SIZES

AWG American Wire Gauge	CMA Circular Mil Area (1 Mil = 0,001 inch)			A Surface in mm ²		
26	238	-	300	0,12	-	0,15
24	315	-	477	0,16	-	0,24
22	600	-	750	0,3	-	0,38
20	1000	-	1200	0,51	-	0,61
18	1600	-	1900	0,81	-	0,96
16	2400	-	2830	1,22	-	1,43
14	3830	-	4500	1,94	-	2,28
12	6100	-	6700	3,09	-	3,4
10	9000	-	13100	4,56	-	6,64
8	13200	-	16900	6,69	-	8,56
6	22800	-	30900	11,55	-	15,66
4	38900	-	49100	19,71	-	24,88
2	60100	-	66800	30,45	-	33,85
1	75800	-	84000	38,41	-	42,56
1/0	99100	-	105800	50,21	-	53,61
2/0	124900	-	133800	63,29	-	67,8
3/0	157600	-	168000	79,86	-	85,12
4/0	198700	-	212200	100,68	-	107,52
250-300 MCM	250000	-	300000	117	-	151
300-350 MCM	300000	-	350000	151	-	192
400 MCM	400000	-		205	-	
500-600 MCM	500000	-	600000	252	-	304

STANDARD STUD-BOLTS FOR RING TERMINAL

DIN	USA			British Assoc.		
M2	1	=	1,9 mm	9 BA	=	1,9 mm
	2	=	2,2 mm	8 BA	=	2,2 mm
M2,6	3	=	2,5 mm	7 BA	=	2,5 mm
M3	4	=	2,8 mm	6 BA	=	2,8 mm
	5	=	3,2 mm	5 BA	=	3,2 mm
M3,5	6	=	3,5 mm	4 BA	=	3,5 mm
M4	8	=	4,2 mm	3 BA	=	4,2 mm
M5	10	=	4,8 mm	2 BA	=	4,8 mm
	12	=	5,5 mm	1 BA	=	5,5 mm
M6	14	=	6,1 mm	0 BA	=	6,1 mm
	1/4"	=	6,35 mm	1/4"	=	6,35 mm
M8	5/16"	=	7,9 mm	5/16"	=	7,9 mm
M10	3/8"	=	9,5 mm	3/8"	=	9,5 mm
M12	7/16"	=	11,1 mm	7/16"	=	11,1 mm
	1/2"	=	12,7 mm	1/2"	=	12,7 mm
M16	5/8"	=	15,8 mm	5/8"	=	15,8 mm
M20	3/4"	=	19,0 mm	3/4"	=	19,0 mm
M26	1"	=	25,4 mm	1"	=	25,4 mm

Pince à sertir manuelle et extracteur

Référence		Pince a sertir manuelle
22017		RING TERMINAL M4 - 0.50-1.00
22018		TERMINAL 4,8x0,8 SECURITY LOCK - 0.75-1.00
22067		TERMINAL 4,8x0,8 - 0.50-1.00
25032		TERMINAL 6.3x0.8 - 1,00-2.50
25036	45036	TERMINAL 2,8x0,8 - 0.50-1.00
25040		TERMINAL 6,3x0,8 - 0.50-1.00
25103		TERMINAL 2,8x0,8 - 0.50-1.00
25128		CLIP - 0.50-1.00
25144		TAB 2,8x0,8 - 0,50 -1,00
25161		FLAG TERMINAL 4.8x0.8 - 0.50-1.00
25165		RING TERMINAL M6 - 0.50-1.00
25167		RING TERMINAL M6 - 1,00-2,50
25201	05201	RING TERMINAL M3 - 0.50-1.00
25203	05203	RING TERMINAL M4 - 0.50-1.00
25205	05205	RING TERMINAL M5 - 0.50-1.00
25207	05207	RING TERMINAL M6 - 0.50-1.00
25217	05217	RING TERMINAL M5 - 1,00-2,50
25219	05219 - 45219	RING TERMINAL M6 - 1,00-2,50
25221	05221	RING TERMINAL M8 - 1,00-2,50
25286		TERMINAL 2,8x0,8 - 0.50-1.00
25312	45312	TERMINAL 4,8x0,8 - 1,00-2,50
25313	45313	TERMINAL 4,8x0,8 - 0.50-1.00
25314	45314	TERMINAL 4,8x0,5 - 0.50-1.00
25315		TERMINAL 4,8x0,5 - 1,00-2,50
25325		TERMINAL 2,8x0,8 - 0.1-0,25
25350		FLAG TERMINAL 6.3x0.8 - 0.50-1.00
25365	45365	TERMINAL 2,8x0,8 - 0.50-1.00
25415	45415	TERMINAL 2,8x0,5 - 0.50-1.00
25505		FLAG TERMINAL 6.3x0.8 - 0.50-1.00
25512		TERMINAL 2,8x0,5 - 0.50-1.00
25548		TERMINAL 2,8x0,8 - 0.1-0,30
25556		FLAG TERMINAL 4.8x0.5 - 0.50-1.00
25557		FLAG TERMINAL 4.8x0.8 - 0.50-1.00
25572		TERMINAL 2.8x1.8 - 0.75-1.50
25632		TERMINAL 6.3x0.8 - 1,00-2.50
25635		FLAG TERMINAL 4.8x0.5 - 0.50-1.00
25640		TERMINAL 6,3x0,8 - 0.50-1.00
25647		TERMINAL 6.3x0.8 - 4.00-6.00
25696		TAB 6,3x0,8 - 1.00-2.50
25697		TAB 6,3x0,8 - 0,50 -1,00
25914	45914	TERMINAL 6.3x0.8 - 1,00-2.50
26032		TERMINAL 6.3x0.8 - 1.00-2.50
26040		TERMINAL 6,3x0,8 - 0.50-1.00
26110		TERMINAL 2,8x0,5 - 0.50-1.00
26365	46365	TERMINAL 2,8x0,8 - 0.50-1.00
26632		TERMINAL 6.3x0.8 - 1.00-2.50
26640		TERMINAL 6,3x0,8 - 0.50-1.00
26848		DFK1 - 0.50-1.00
26851	46851	DFK1 - 0.50-1.00
26852	46852	DFK1 - 1.50-2.50
28032		TERMINAL 6.3x0.8 - 1,00-2.50

Extracteur

Référence		Extracteur
26848		DFK1 - 0.50-1.00
26851	46851	DFK1 - 0.50-1.00
26852	46852	DFK1 - 1.50-2.50
26853	46853	DFK1 - 4.00-6.00
26855		MDK 1
26858		MDK 1
26859		MDK 1
26860		MDK1
26861		MDK 1
26863		DFK1 - 2.50-4.00
26049		MDK 1
26365	46365	TERMINAL 2,8x0,8 - 0.50-1.00
25696		TAB 6,3x0,8 - 1.00-2.50
25697		TAB 6,3x0,8 - 0,50 -1,00
25914	45914	TERMINAL 6.3x0.8 - 1,00-2.50
26032		TERMINAL 6.3x0.8 - 1.00-2.50
26040		TERMINAL 6,3x0,8 - 0.50-1.00
26632		TERMINAL 6.3x0.8 - 1.00-2.50
26640		TERMINAL 6,3x0,8 - 0.50-1.00
28032		TERMINAL 6.3x0.8 - 1,00-2.50
22035		TERMINAL 6.3x0.8 - 1.00-2.50
26025		TERMINAL 7.7x0.8 - 1.00-2.50

Index

REFERENCE P/N	CONNEXION TYPE	SIZE	CRIMP SECTION	DRAWING	Page
05157-123-211	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	70023	
05183-123-242	SOCKET	PIN Ø 1,5	0,5-1,0	20057	
05201-123-011	RING TERMINAL	M 3	0,5-1,0	20265	
05203-123-011	RING TERMINAL	M 4	0,5-1,0	20265	
05203-213-011	RING TERMINAL	M 4	0,5-1,0	20265	
05207-123-011	RING TERMINAL	M 6	0,5-1,0	20265	
05217-123-011	RING TERMINAL	M 5	1,0-2,5	20265	
05219-123-011	RING TERMINAL	M 6	1,0-2,5	20265	
05221-123-011	RING TERMINAL	M 8	1,0-2,5	20265	
12266-123-009	TAB	6,3 x 0,8		20217	
12267-123-009	TAB	6,3 x 0,8		20217	
12268-123-009	TAB	6,3 x 0,8		20217	
12269-123-009	TAB	2,8/6,3 x 0,8		20217	
12700-331-179	SPRING FEMALE TERMINAL	6,3/4,8 x 0,8		20306	
13077-646-501	RECEPTACLE HOUSING	6,3		13077	
14007-646-501	RECEPTACLE HOUSING	6,3		14007	
14154-636-501	RECEPTACLE HOUSING	4,8		14154	
14155-646-501	RECEPTACLE HOUSING	4,8		14155	
14156-646-501	RECEPTACLE HOUSING	4,8		14156	
14157-646-501	RECEPTACLE HOUSING	6,3		14157	
14158-636-501	RECEPTACLE HOUSING	6,3		14158	
14158-637-501	RECEPTACLE HOUSING	6,3		14158	
14159-646-501	RECEPTACLE HOUSING	6,3		14159	
14160-646-501	RECEPTACLE HOUSING	6,3		14160	
14304-637-501	RECEPTACLE HOUSING	6,3		14304	
14304-646-501	RECEPTACLE HOUSING	6,3		14304	
14305-646-501	RECEPTACLE HOUSING	4,8		14305	
14576-636-501	RECEPTACLE HOUSING	4,8		14576	
14577-636-501	RECEPTACLE HOUSING	6,3		14577	
14773-646-501	RECEPTACLE HOUSING	9,5		14773	
16000-649-696	RECEPTACLE HOUSING	6,3		16000	
16802-637-699	RECEPTACLE HOUSING	2,8		16802	
16802-646-501	RECEPTACLE HOUSING	2,8		16802	
17366-000-000	SOCKET			17366	
17486-123-025	TAB	2,8 x 0,8		17486	
18147-123-009	GROUND TAB	6,3 x 2		20324	
22008-123-178	TAB	4,8 x 0,8	0,75-1,5	22008	
22016-123-178	TAB	6,3 x 0,8	1,0-2,5	70021	
22017-213-321	RING TERMINAL	M 4	0,5-1,0	70025	
22017-417-131	RING TERMINAL	M 4	0,5-1,0	70025	
22018-123-211	FEMALE TERMINAL	4,8 x 0,8	0,75-1,5	20250	
22033-123-178	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	20370	
22034-123-178	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	20370	
22035-213-110	FEMALE TERMINAL	6,3 x 0,8	1,0-2,5	70024	
22044-123-204	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	22044	
22062-123-009	FEMALE TERMINAL	4,8 x 0,8	0,5-1,5	20227	
22062-123-178	FEMALE TERMINAL	4,8 x 0,8	0,5-1,5	20227	
22065-123-009	FEMALE TERMINAL	4,8 x 0,5	0,5-1,5	20227	
22065-213-009	FEMALE TERMINAL	4,8 x 0,5	0,5-1,5	20227	
22067-123-178	FEMALE TERMINAL	4,8 x 0,8	0,5-1,0	70028	
22076-123-178	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	70022	
22091-124-009	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	20225	
22093-124-009	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	20225	
22109-213-001	SOCKET		0,75-1,5	20040	
22116-123-178	TAB	6,3 x 0,8	0,5-1,5	70021	
22122-123-009	RING TERMINAL	M 4	0,5-1,0	22122	
22126-123-009	SOCKET			22126	
22129-122-178	RING TERMINAL	M 3	0,5-1,0	20255	
22132-123-178	TAB	2,8 x 0,8	0,5-1,0	22132	
22133-123-009	TAB	4,8 x 0,8	0,5-1,0	20263	
22133-123-178	TAB	4,8 x 0,8	0,5-1,0	20263	
22134-123-178	TAB	4,8 x 0,8	1,0-2,5	20263	
22137-213-011	FEMALE TERMINAL	2,8 x 0,8	0,35	22137	
22141-123-009	TAB	2,8 x 0,8	0,5-1,0	22141	
22185-123-009	TAB	4,8 x 0,5	0,5-1,0	20369	
22199-123-204	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	22199	
22226-213-009	FEMALE TERMINAL	6,3 x 0,8	1,0-2,5	20401	
22227-213-009	FEMALE TERMINAL	6,3 x 0,8	0,5-1,0	20401	
22229-123-178	FEMALE TERMINAL	6,3 x 0,8	0,75-1,5	22229	
22240-123-178	TAB	2,8 x 0,8	0,5-1,0	20516	
22244-123-211	FEMALE TERMINAL	2,8 x 0,8	0,3-0,6	70023	
22245-124-186	FEMALE TERMINAL	2,8 x 0,8	0,2-0,38	70003	
22246-124-186	FEMALE TERMINAL	2,8 x 0,8	0,3-0,6	20039	
22248-303-009	SPLICE	16,5	0,5-1,0	22248	

REFERENCE P/N	CONNEXION TYPE	SIZE	CRIMP SECTION	DRAWING	Page
22263-213-110	FEMALE TERMINAL	6,3 x 0,8	0,5-1,0	70024	
22264-124-186	FEMALE TERMINAL	2,8 x 0,5	0,2-0,38	70003	
22273-123-178	FEMALE TERMINAL	4,8 x 0,8	1,5-2,5	70028	
22284-123-333	RING TERMINAL	M 2	0,5-1,0	20511	
22289-143-011	RING TERMINAL	M 6	1,0-2,5	20511	
22290-143-011	RING TERMINAL	M 6	2,5-6,0	20511	
22292-143-011	RING TERMINAL	M 8	1,0-2,5	20511	
22293-143-011	RING TERMINAL	M 8	2,5-6,0	20511	
22294-123-178	TAB	2,8 x 0,8	1,4-2,5	20516	
22298-123-178	TAB	2,8 x 0,8	0,3-0,6	20516	
22935-123-210	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	20289	
25009-124-186	FEMALE TERMINAL	6,3 x 0,8	0,75-1,5	70024	
25016-123-204	SOCKET	PIN Ø 1,9	0,5-1,0	25016	
25022-123-010	RING TERMINAL	M 3	0,5-1,0	70034	
25024-123-009	RING TERMINAL	M 4	0,5-1,0	70034	
25024-123-011	RING TERMINAL	M 4	0,5-1,0	70034	
25029-123-204	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	20385	
25029-213-011	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	20385	
25032-213-004	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	70024	
25036-123-204	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	20385	
25036-123-211	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	20385	
25036-213-011	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	20385	
25036-417-031	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	20385	
25039-123-204	FEMALE TERMINAL	6,3 x 0,8	0,5-1,5	70022	
25039-123-211	FEMALE TERMINAL	6,3 x 0,8	0,5-1,5	70022	
25039-213-011	FEMALE TERMINAL	6,3 x 0,8	0,5-1,5	70022	
25039-213-042	FEMALE TERMINAL	6,3 x 0,8	0,5-1,5	70022	
25039-417-031	FEMALE TERMINAL	6,3 x 0,8	0,5-1,5	70022	
25064-417-031	SOCKET	PIN Ø 2,0	0,5-1,0	25064	
25087-123-011	RING TERMINAL	M 5	0,75-2,5	20189	
25093-123-011	RING TERMINAL	M 6	0,75-2,5	20189	
25103-123-204	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	25103	
25123-213-011	FEMALE TERMINAL	4,8 x 0,8	1,5	20097	
25128-123-009	SPLICE	11	0,5-1,0	20062	
25131-123-009	SPLICE	1,5	0,5-1,0	25131	
25131-123-178	SPLICE	1,5	0,5-1,0	25131	
25144-123-009	TAB	2,8 x 0,8	0,5-1,0	25144	
25144-123-178	TAB	2,8 x 0,8	0,5-1,0	25144	
25149-122-011	RING TERMINAL	M 4	1,5-2,5	70034	
25157-123-211	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	70023	
25157-213-011	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	70023	
25161-123-211	FEMALE TERMINAL	4,8 x 0,8	0,5-1,0	20097	
25161-213-009	FEMALE TERMINAL	4,8 x 0,8	0,5-1,0	20097	
25165-123-011	RING TERMINAL	M 6	0,5-1,0	20265	
25167-123-011	RING TERMINAL	M 6	1,0-2,5	20265	
25167-123-141	RING TERMINAL	M 6	1,0-2,5	20265	
25194-123-204	FEMALE TERMINAL	2,8 x 0,5	0,1-0,5	25194	
25197-123-211	SOCKET	PIN Ø 1,3	0,5-1,0	20057	
25201-123-011	RING TERMINAL	M 3	0,5-1,0	20265	
25201-213-011	RING TERMINAL	M 3	0,5-1,0	20265	
25203-123-011	RING TERMINAL	M 4	0,5-1,0	20265	
25203-411-131	RING TERMINAL	M 4	0,5-1,0	20265	
25205-123-011	RING TERMINAL	M 5	0,5-1,0	20265	
25205-213-009	RING TERMINAL	M 5	0,5-1,0	20265	
25205-213-011	RING TERMINAL	M 5	0,5-1,0	20265	
25207-123-014	RING TERMINAL	M 6	0,5-1,0	20265	
25207-213-004	RING TERMINAL	M 6	0,5-1,0	20265	
25207-213-011	RING TERMINAL	M 6	0,5-1,0	20265	
25217-123-009	RING TERMINAL	M 5	1,0-2,5	20265	
25217-123-011	RING TERMINAL	M 5	1,0-2,5	20265	
25217-213-011	RING TERMINAL	M 5	1,0-2,5	20265	
25217-411-131	RING TERMINAL	M 5	1,0-2,5	20265	
25218-123-011	RING TERMINAL	M 5	1,0-2,5	20058	
25219-123-009	RING TERMINAL	M 6	1,0-2,5	20265	
25219-123-011	RING TERMINAL	M 6	1,0-2,5	20265	
25219-213-004	RING TERMINAL	M 6	1,0-2,5	20265	
25219-213-011	RING TERMINAL	M 6	1,0-2,5	20265	
25221-123-011	RING TERMINAL	M 8	1,0-2,5	20265	
25221-213-011	RING TERMINAL	M 8	1,0-2,5	20265	
25267-123-204	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	20371	
25267-123-211	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	20371	
25272-122-011	RING TERMINAL	M 3	1,5-2,5	70034	
25286-123-211	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	20116	
25312-123-204	FEMALE TERMINAL	4,8 x 0,8	1,5-2,5	70028	

REFERENCE P/N	CONNEXION TYPE	SIZE	CRIMP SECTION	DRAWING	Page
25312-123-211	FEMALE TERMINAL	4,8 x 0,8	1,5-2,5	70028	
25313-123-204	FEMALE TERMINAL	4,8 x 0,8	0,5-1,0	70028	
25313-123-211	FEMALE TERMINAL	4,8 x 0,8	0,5-1,0	70028	
25313-213-011	FEMALE TERMINAL	4,8 x 0,8	0,5-1,0	70028	
25314-123-204	FEMALE TERMINAL	4,8 x 0,5	0,5-1,0	70028	
25314-123-211	FEMALE TERMINAL	4,8 x 0,5	0,5-1,0	70028	
25314-213-004	FEMALE TERMINAL	4,8 x 0,5	0,5-1,0	70028	
25315-123-211	FEMALE TERMINAL	4,8 x 0,5	1,0-2,5	70028	
25319-123-009	FEMALE TERMINAL	6,3 x 0,8	0,5-1,5	70022	
25319-123-178	FEMALE TERMINAL	6,3 x 0,8	0,5-1,5	70022	
25319-417-031	FEMALE TERMINAL	6,3 x 0,8	0,5-1,5	70022	
25325-123-211	FEMALE TERMINAL	2,8 x 0,8	0,1-0,3	25325	
25325-213-011	FEMALE TERMINAL	2,8 x 0,8	0,1-0,3	25325	
25333-122-178	RING TERMINAL	1,5	0,2-0,6	25333	
25337-123-210	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	20253	
25350-123-211	FEMALE TERMINAL	6,3 x 0,8	0,5-1,0	20073	
25363-123-211	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	25363	
25365-123-204	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	70020	
25365-124-186	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	70020	
25365-213-211	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	70020	
25376-123-210	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	20253	
25391-123-111	RING TERMINAL	M 5	0,5-1,5	70029	
25415-123-211	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	70020	
25415-213-011	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	70020	
25462-123-211	FEMALE TERMINAL	2,8 x 0,4	0,5-1,0	20385	
25474-123-211	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	70023	
25474-213-011	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	70023	
25478-123-009	RING TERMINAL	M 4	0,5-1,5	70029	
25478-123-111	RING TERMINAL	M 4	0,5-1,5	70029	
25479-123-111	RING TERMINAL	M 5	0,5-1,5	70029	
25483-123-111	RING TERMINAL	M 4	0,5-1,5	70029	
25505-123-211	FEMALE TERMINAL	6,3 x 0,8	0,5-1,0	20073	
25505-417-031	FEMALE TERMINAL	6,3 x 0,8	0,5-1,0	20073	
25512-123-204	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	20116	
25532-123-111	TAB	4,8 x 0,5	0,5-1,0	25532	
25548-123-204	FEMALE TERMINAL	2,8 x 0,8	0,1-0,3	25548	
25548-123-211	FEMALE TERMINAL	2,8 x 0,8	0,1-0,3	25548	
25556-123-204	FEMALE TERMINAL	4,8 x 0,5	0,5-1,0	#N/A	
25556-123-211	FEMALE TERMINAL	4,8 x 0,5	0,5-1,0	20097	
25557-123-204	FEMALE TERMINAL	4,8 x 0,8	0,5-1,0	20097	
25557-123-211	FEMALE TERMINAL	4,8 x 0,8	0,5-1,0	20097	
25557-213-009	FEMALE TERMINAL	4,8 x 0,8	0,5-1,0	20097	
25557-213-042	FEMALE TERMINAL	4,8 x 0,8	0,5-1,0	20097	
25572-123-211	FEMALE TERMINAL	2,8 x 0,8	0,75-1,5	20260	
25609-123-204	FEMALE TERMINAL	6,3 x 0,8	0,75-1,5	70024	
25628-123-009	TAB	2,8 x 0,8	0,5-1,0	20025	
25628-123-178	TAB	2,8 x 0,8	0,5-1,0	20025	
25632-123-204	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	70024	
25632-123-211	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	70024	
25635-123-204	FEMALE TERMINAL	4,8 x 0,5	0,5-1,0	20097	
25635-123-210	FEMALE TERMINAL	4,8 x 0,5	0,5-1,0	20097	
25640-123-204	FEMALE TERMINAL	6,3 x 0,8	0,5-1,0	70024	
25640-123-211	FEMALE TERMINAL	6,3 x 0,8	0,5-1,0	70024	
25640-213-010	FEMALE TERMINAL	6,3 x 0,8	0,5-1,0	70024	
25643-123-009	RING TERMINAL	M 2,5	0,5-1,5	70029	
25643-123-111	RING TERMINAL	M 2,5	0,5-1,5	70029	
25647-123-211	FEMALE TERMINAL	6,3 x 0,8	4,0-6,0	70024	
25682-123-211	FEMALE TERMINAL	2,8 x 0,5	0,1-0,3	25682	
25696-126-009	TAB	6,3 x 0,8	1,5-2,5	20009	
25696-126-141	TAB	6,3 x 0,8	1,5-2,5	20009	
25696-126-178	TAB	6,3 x 0,8	1,5-2,5	20009	
25696-213-009	TAB	6,3 x 0,8	1,5-2,5	20009	
25697-126-142	TAB	6,3 x 0,8	0,5-1,0	20009	
25697-126-178	TAB	6,3 x 0,8	0,5-1,0	20009	
25697-213-009	TAB	6,3 x 0,8	0,5-1,0	20009	
25728-123-204	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	70023	
25740-123-204	FEMALE TERMINAL	6,3 x 0,8	0,5-1,0	70024	
25783-123-009	SPLICE	6	1,5	20070	
25783-123-178	SPLICE	6	1,5	20070	
25785-213-011	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	70022	
25785-417-031	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	70022	
25787-123-009	SPLICE	6	0,5-1,0	20070	
25787-123-178	SPLICE	6	0,5-1,0	20070	
25791-214-012	RING TERMINAL	M 5	0,5-1,0	70025	
25803-417-031	RING TERMINAL	M 5	1,5-2,5	70025	
25891-213-004	FEMALE TERMINAL	4,8 x 0,5	1,5-2,5	70028	
25914-123-211	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	20367	
26025-213-011	FEMALE TERMINAL	7,7 x 0,8	1,5-2,5	26025	

REFERENCE P/N	CONNEXION TYPE	SIZE	CRIMP SECTION	DRAWING	Page
26032-123-178	FEMALE TERMINAL	6,3 x 0,8	1,0-2,5	70024	
26032-123-204	FEMALE TERMINAL	6,3 x 0,8	1,0-2,5	70024	
26040-123-204	FEMALE TERMINAL	6,3 x 0,8	0,5-1,0	70024	
26049-213-178	SPRING FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	20026	
26110-123-211	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	26110	
26134-123-178	FEMALE TERMINAL	2,8 x 0,5	0,1-0,25	20039	
26164-123-211	FEMALE TERMINAL	2,8 x 0,8	0,1-0,25	20039	
26289-123-211	FEMALE TERMINAL	4,8 x 0,8	1,5-2,5	20250	
26322-213-009	SOCKET	PIN Ø 3,0	0,5-1,0	20072	
26323-213-009	SOCKET	PIN Ø 3,0	1,5-2,5	20072	
26340-213-011	FEMALE TERMINAL	4,8 x 0,8	1,5	20097	
26365-124-186	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	20039	
26365-213-004	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	20039	
26415-123-204	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	70020	
26415-124-186	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	70020	
26553-123-211	FEMALE TERMINAL	4,8 x 0,8	0,75-1,5	20250	
26553-201-011	FEMALE TERMINAL	4,8 x 0,8	0,75-1,5	20250	
26632-123-178	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	70024	
26640-123-204	FEMALE TERMINAL	6,3 x 0,8	0,5-1,0	70024	
26848-123-179	SPRING FEMALE TERMINAL	6,3/4,8 x 0,8	0,5-1,0	20018	
26851-123-179	SPRING FEMALE TERMINAL	6,3/4,8 x 0,8	0,5-1,0	20018	
26852-123-179	SPRING FEMALE TERMINAL	6,3/4,8 x 0,8	1,5-2,5	20018	
26853-213-179	SPRING FEMALE TERMINAL	6,3/4,8 x 0,8	4,0-6,0	20018	
26855-213-179	SPRING FEMALE TERMINAL	2,8 x 0,8	0,3-0,6	20026	
26858-213-179	SPRING FEMALE TERMINAL	2,8 x 0,8	0,1-0,25	70032	
26859-213-179	SPRING FEMALE TERMINAL	2,8 x 0,8	0,3-0,6	70032	
26860-123-178	SPRING FEMALE TERMINAL	2,8 x 0,8	0,75-1,5	70032	
26861-213-179	SPRING FEMALE TERMINAL	2,8 x 0,8	1,5-2,5	70032	
26863-123-179	SPRING FEMALE TERMINAL	6,3/4,8 x 0,8	2,5-4,0	20018	
26922-123-009	SOCKET	PIN Ø 4,0	0,3-0,6	26922	
26970-123-178	SOCKET	PIN Ø 2,1	0,75-1,5	20095	
27001-143-011	RING TERMINAL	M 8	25-40	27001	
27006-124-009	FEMALE TERMINAL	2,8 x 0,5	0,14-0,6	20225	
27007-123-211	FEMALE TERMINAL	2,8 x 0,6	0,5-1,0	20116	
27009-201-011	FEMALE TERMINAL	6,3 x 0,8	0,5-1,0	70024	
27010-201-011	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	70024	
27019-123-178	TAB	1,5 x 0,8	0,5-1,0	70006	
27020-123-178	TAB	1,5 x 0,8	0,3-0,6	70006	
27021-123-178	TAB	1,5 x 0,8	0,75-1,5	70006	
27022-123-178	TAB	1,5 x 0,8	1,5-2,5	70006	
27029-331-178	TAB	1,5 x 0,8	Flex	27029	
27053-308-053	SLIDING CONTACT	T0	0,35-0,5	70018	
27053-308-141	SLIDING CONTACT	T0	0,35-0,5	70018	
27054-307-141	SLIDING CONTACT	T1	0,75-1,4	70019	
27055-307-141	SLIDING CONTACT	T1	1,5-2,5	70019	
27080-112-211	FEMALE TERMINAL	6,3 x 0,8	0,5-1,0	70024	
27081-112-211	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	70024	
27082-112-211	FEMALE TERMINAL	6,3 x 0,8	0,75-1,5	70024	
28032-123-178	FEMALE TERMINAL	6,3 x 0,8	1,0-2,5	70024	
28110-123-204	FEMALE TERMINAL	6,3 x 0,8	0,75-1,5	70024	
28110-123-211	FEMALE TERMINAL	6,3 x 0,8	0,75-1,5	70024	
28110-201-004	FEMALE TERMINAL	6,3 x 0,8	0,75-1,5	70024	
28110-201-011	FEMALE TERMINAL	6,3 x 0,8	0,75-1,5	70024	
28110-417-031	FEMALE TERMINAL	6,3 x 0,8	0,75-1,5	70024	
28832-213-011	FEMALE TERMINAL	6,3 x 0,8	1,0-2,5	70024	
45029-123-211	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	20385	
45036-123-204	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	20385	
45036-123-211	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	20385	
45039-123-211	FEMALE TERMINAL	6,3 x 0,8	0,5-1,5	70022	
45039-213-011	FEMALE TERMINAL	6,3 x 0,8	0,5-1,5	70022	
45312-123-211	FEMALE TERMINAL	4,8 x 0,8	1,5-2,5	70028	
45312-213-011	FEMALE TERMINAL	4,8 x 0,8	1,5-2,5	70028	
45313-123-211	FEMALE TERMINAL	4,8 x 0,8	0,5-1,0	70028	
45313-213-011	FEMALE TERMINAL	4,8 x 0,8	0,5-1,0	70028	
45314-123-204	FEMALE TERMINAL	4,8 x 0,5	0,5-1,0	70028	
45314-123-211	FEMALE TERMINAL	4,8 x 0,5	0,5-1,0	70028	
45365-123-211	FEMALE TERMINAL	2,8 x 0,8	0,5-1,0	70020	
45415-213-011	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	70020	
45914-123-204	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	20367	
45914-123-211	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	20367	
45914-201-004	FEMALE TERMINAL	6,3 x 0,8	1,5-2,5	20367	
46415-123-211	FEMALE TERMINAL	2,8 x 0,5	0,5-1,0	70020	
46851-213-179	SPRING FEMALE TERMINAL	6,3/4,8 x 0,8	0,5-1,0	20018	
46852-213-179	SPRING FEMALE TERMINAL	6,3/4,8 x 0,8	1,5-2,5	20018	
46853-213-179	SPRING FEMALE TERMINAL	6,3/4,8 x 0,8	4,0-6,0	20018	
48110-123-204	FEMALE TERMINAL	6,3 x 0,8	0,75-1,5	70004	
48110-201-011	FEMALE TERMINAL	6,3 x 0,8	0,75-1,5	70004	
48110-417-031	FEMALE TERMINAL	6,3 x 0,8	0,75-1,5	70004	