


TERMINAL BLOCKS



- Suitable for Al/Cu cables: 1.5 - 240 mm²
- Available in grey, blue (N) and yellow/green (PE)
- Touchproof, IP20
- Housing and cover in polyamide
- Certified according to IEC 61238-1 Class A
- Terminal material tin-coated, greased aluminium
- KC-terminals 16 - 35 mm² for DIN-rail mounting
- KL-terminals 50 - 240 mm² for DIN-rail or base mounting
- Environmentally friendly materials
- Durable laser markings



Type	Un [V]	In [Al] [A]	In [Cu] [A]	Al/Cu mm ²	Torque Al/Cu [Nm]	No of conductors	Key size	Mounting	EAN code 6419410...	Weight kg
KC 1x16	800	-	63	1.5-16*	1.8	2	PZ2	DIN	...357200	0.021
KC 1x16N									...357217	
KC 1x16PE									...357224	
KC 2x16	800	-	125	1.5-16*	1.8	4	PZ2	DIN	...357507	0.047
KC 2x16N									...357514	
KC 2x16PE									...357521	
KC 1x35	800	-	135	2.5-35*	2.5	2	PZ2	DIN	...357231	0.03
KC 1x35N									...357248	
KC 1x35PE									...357255	
KC 2x35	800	-	270	2.5-35*	2.5	4	PZ2	DIN	...357538	0.069
KC 2x35N									...357545	
KC 2x35PE									...357552	
KL 1x50	1000	160	160	2.5 - 50	5 [2.5 - 16 mm ²]	2	Hex 5	Screw / DIN	...378250	0.060
KL 1x50N					10 [25 - 50 mm ²]				...378267	
KL 1x50PE					10 [25 - 50 mm ²]				...378274	
KL 2x50	1000	200	320	2.5 - 50	5 [2.5 - 16 mm ²]	4	Hex 5	Screw / DIN	...378281	0.104
KL 2x50N					10 [25 - 50 mm ²]				...378298	
KL 2x50PE					10 [25 - 50 mm ²]				...378304	
KL 1x95	1000	200	245	16 - 95	12 [16 - 50 mm ²]	2	Hex 6	Screw / DIN	...378311	0.096
KL 1x95N					22 [70 - 95 mm ²]				...378328	
KL 1x95PE					22 [70 - 95 mm ²]				...378335	
KL 2x95	1000	400	490	16 - 95	12 [16 - 50 mm ²]	4	Hex 6	Screw / DIN	...378342	0.169
KL 2x95N					22 [70 - 95 mm ²]				...378359	
KL 2x95PE					22 [70 - 95 mm ²]				...378366	
KL 1x150	1000	250	320	25 - 150	12 [25 - 50 mm ²]	2	Hex 6	Screw / DIN	...378373	0.181
KL 1x150N					22 [70 - 95 mm ²]				...378380	
KL 1x150PE					38 [120 - 150 mm ²]				...378397	
KL 2x150	1000	500	640	25 - 150	12 [25 - 50 mm ²]	4	Hex 6	Screw / DIN	...378403	0.317
KL 2x150N					22 [70 - 95 mm ²]				...378410	
KL 2x150PE					38 [120 - 150 mm ²]				...378427	
KL 1x240	1000	315	425	35 - 240	25 [35 - 120 mm ²]	2	Hex 8	Screw / DIN	...378434	0.293
KL 1x240N					55 [150 - 240 mm ²]				...378441	
KL 1x240PE					25 [35 - 120 mm ²]				...378458	
KL 2x240	1000	630	850	35 - 240	25 [35 - 120 mm ²]	4	Hex 8	Screw / DIN	...378465	0.522
KL 2x240N					55 [150 - 240 mm ²]				...378472	
KL 2x240PE					55 [150 - 240 mm ²]				...378489	

*Only copper cables



Data subject to change without notice

Dalroad are authorised UK distributors of Katko safety switches and isolators. Contact Dalroad for further information on the Katko range on 01582 505 252 or email sales@dalroad.com.



TERMINAL BLOCKS





KC 1x16




KC 2x16




KC 1x35



KC 2x35



KL 1x50




KL 2x50


Data subject to change without notice

Dalroad are authorised UK distributors of Katko safety switches and isolators. Contact Dalroad for further information on the Katko range on 01582 505 252 or email sales@dalroad.com.


TERMINAL BLOCKS




KL 1x95




KL 2x95




KL 1x150



KL 2x150



KL 1x240



KL 2x240



Data subject to change without notice

Dalroad are authorised UK distributors of Katko safety switches and isolators. Contact Dalroad for further information on the Katko range on 01582 505 252 or email sales@dalroad.com.